

# Package ‘AurieLSHGaussian’

May 6, 2026

**Type** Package

**Title** Creates a Neighbourhood Using Locality Sensitive Hashing for Gaussian Projections

**Version** 0.2.0

**Author** Aritra Banerjee

**Maintainer** Aritra Banerjee <aritra306@gmail.com>

**Description** Uses locality sensitive hashing and creates a neighbourhood graph for a data set and calculates the adjusted rank index value for the same. It uses Gaussian random planes to decide the nature of a given point. Datar, Mayur, Nicole Immorlica, Piotr Indyk, and Vahab S. Mirrokni(2004) <doi:10.1145/997817.997857>.

**License** GPL-2

**Encoding** UTF-8

**LazyData** TRUE

**Depends** igraph, stringdist, reshape2, lsa

**Imports** stats, flexclust

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-09-15 10:11:27 UTC

## Contents

LSH_Gaussian . . . . .	2
<b>Index</b>	<b>3</b>

---

LSH_Gaussian	<i>Creates a Neighbourhood Using Locality Sensitive Hashing for Gaussian Projections</i>
--------------	--

---

**Description**

This package uses Locality Sensitive Hashing and creates a Neighbourhood Graph for a dataset and calculates the ARI value for the same. It uses Gaussian Random planes to decide the nature of a given point.

**Usage**

```
LSH_Gaussian(mydata, result9)
```

**Arguments**

mydata	A data frame consisting of the data set without the class column
result9	A column which consists of the class column

**Examples**

```
LSH_Gaussian(iris[,-5],iris$Species)
```

# Index

LSH\_Gaussian, [2](#)