

Package ‘BTIME’

May 6, 2026

Title Bayesian Hierarchical Models for Single-Cell Protein Data

Version 1.0.1

Description Bayesian Hierarchical beta-binomial models for modeling cell population to predictors/exposures. This package utilizes 'runjags' to run Gibbs sampling, parallelizing the chains. Options for different covariances/relationship structures between parameters of interest.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Imports coda, runjags, VGAM, matlib

Depends rjags

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Chase Sakitis [aut, cre],
Brooke Fridley [aut]

Maintainer Chase Sakitis <cjsakitis@cmh.edu>

Repository CRAN

Date/Publication 2026-02-24 22:30:08 UTC

Contents

BICAM	2
Index	4

BICAM

*Bayesian Immune Cell Abundance Model (BICAM)***Description**

Bayesian Immune Cell Abundance Model (BICAM)

Usage

```

BICAM(
  dat,
  M,
  adapt,
  burn,
  it,
  thin = 1,
  ran_eff = 1,
  chains = 4,
  cores = 4,
  v0_mu_logit = 0.01,
  ncov = 1,
  model = "Unstr",
  dis = NULL,
  tree = NULL,
  treelevels = NULL
)

```

Arguments

dat	data frame with dataset (proper setup displayed in tutorial)
M	number of cell types/parameters of interest
adapt	number of adaptation iterations (for compiling model)
burn	number of burn-in iterations
it	number of sampling iterations (after burn-in)
thin	number of thinning samples
ran_eff	indicate whether to use random subject effect (repeated measurements)
chains	number of chains to run
cores	number of cores
v0_mu_logit	anticipated proportion of cell types/parameters
ncov	number of covariates input into the model
model	covariance model selection
dis	distance matrix for Exp. Decay model
tree	tree-structured covariance matrix for Tree and Scaled Tree models
treelevels	list of matrices for multilevel, tree-structured covariance matrix for TreeLevels model

Value

A list of inputs and results

Index

BICAM, [2](#)