

Package ‘Census2016’

May 7, 2026

Type Package

Title Data from the Australian Census 2016

Version 0.2.0

Date 2017-07-16

Maintainer Hugh Parsonage <hugh.parsonage@gmail.com>

Description Contains selected variables from the time series profiles for statistical areas level 2 from the 2006, 2011, and 2016 censuses of population and housing, Australia. Also provides methods for viewing the questions asked for convenience during analysis.

Depends R (>= 2.10)

Imports data.table

LazyData true

License CC BY 4.0

RoxygenNote 6.0.1

Suggests knitr, rmarkdown, ggplot2, ggrepel, magrittr, scales, testthat, png,

VignetteBuilder knitr

NeedsCompilation no

Author Hugh Parsonage [aut, cre],
Nick Evershed [dct],
Australian Bureau of Statistics [cph]

Repository CRAN

Date/Publication 2017-07-17 17:47:09 UTC

Contents

Census2016_wide_by_SA2_year	2
see_question	2
TwoDimTbl	3

Index	5
--------------	----------

Census2016_wide_by_SA2_year
Census data by SA2

Description

Census data by SA2

Usage

Census2016_wide_by_SA2_year

Format

An object of class `data.table` (inherits from `data.frame`) with 6720 rows and 43 columns.

Details

If no data is offered by the ABS for that SA2, the data is marked as missing and the column `isMissing` is TRUE.

see_question *View census form for particular question*

Description

View census form for particular question

Usage

```
see_question(...)

## S3 method for class 'data.frame'
see_question(.data, ...)

## S3 method for class 'numeric'
see_question(qn, ...)
```

Arguments

<code>...</code>	Passed to method: either a question number or a data frame.
<code>.data</code>	A <code>data.frame</code> from this package.
<code>qn</code>	Question number.

Value

Primarily called for its side effect: plots an image of the question (and available answers, if appropriate) in the plot window. If a `data.frame` from this package is called, it is returned (invisibly if `knitr.in.progress` is `TRUE`).

Examples

```
## Not run:  
see_question(5)  
see_question(Census2016_languages)  
  
## End(Not run)
```

TwoDimTbl

Two dimensional tables

Description

Tables with two keys (the SA2 and a label for which the count applies)

Usage

```
Census2016_ancestries  
Census2016_countries_of_birth  
Census2016_languages  
Census2016_religions  
Census2016_n_women_by_children_ever_born
```

Format

A `data.table` of 4 columns. The keys are `sa2_code`

Details

From the Community Series time series data packs. N.B. `countries_of_birth` only includes the top 35 responses countries of birth across Australia. `sa2_code` is not necessarily the same as `SA2_MAINYY` for 2006, 2011, and 2016. Instead, the code reflects the 2016 boundaries and the values given allow comparisons to be made over time on these boundaries.

Census2016_ancestries

N.B. This table is a multi-response table, and therefore the total response count will not equal the total persons count. Sinhalese is equivalent to Sri Lankan.

sa2_code The SA2 code. See details.

year The census year.

ancestry Selected ancestries are based on the 30 most common ancestry responses reported in the 2011 Census.

persons Count of persons.

Census2016_religions

sa2_code The SA2 code. See details.

year The census year.

religion Religion. "What is the person's religion?".

persons Number of adherents.

Census2016_languages

sa2_code The SA2 code. See details.

year The census year.

language Does the person speak a language other than English at home?

persons Number of persons who speak the specified language. Note that the complement of "English" is not the number of people who do not speak English.

Census2016_n_women_by_children_ever_born

sa2_code The SA2 code. See details.

year The census year.

n_children_ever_born Number of children ever born.

n_women Count of females over 15 by the number of children they have ever given birth to.

Index

* datasets

Census2016_wide_by_SA2_year, [2](#)
TwoDimTbl, [3](#)

Census2016_ancestries (TwoDimTbl), [3](#)

Census2016_countries_of_birth
(TwoDimTbl), [3](#)

Census2016_languages (TwoDimTbl), [3](#)

Census2016_n_women_by_children_ever_born
(TwoDimTbl), [3](#)

Census2016_religions (TwoDimTbl), [3](#)

Census2016_wide_by_SA2_year, [2](#)

see_question, [2](#)

TwoDimTbl, [3](#)