

# Package ‘DistPlotter’

May 7, 2026

**Type** Package

**Title** A Graphical User Interface for Plotting Common Univariate Distributions

**Version** 0.0.2

**Description** Package including an interactive Shiny application for plotting common univariate distributions.

**License** MIT + file LICENSE

**URL** <https://github.com/ccasement/DistPlotter>,  
<https://CRAN.R-project.org/package=DistPlotter>

**BugReports** <https://github.com/ccasement/DistPlotter/issues>

**Depends** R (>= 3.5.0)

**Imports** colourpicker (>= 1.1.1), dplyr (>= 1.0.8), DT (>= 0.20),  
extraDistr (>= 1.9.1), ggplot2 (>= 3.3.5), rio (>= 0.5.29),  
scales (>= 1.1.1), shiny (>= 1.7.1), shinyalert (>= 3.0.0),  
shinyBS (>= 0.61), shinyjs (>= 2.1.0), shinyWidgets (>= 0.6.4),  
stringi (>= 1.7.6), stringr (>= 1.4.0)

**Encoding** UTF-8

**Language** en-US

**RoxygenNote** 7.1.2

**NeedsCompilation** no

**Author** Christopher Casement [cre, aut],  
Grant Innerst [aut],  
Melissa Innerst [aut]

**Maintainer** Christopher Casement <casementc@gmail.com>

**Repository** CRAN

**Date/Publication** 2022-03-10 22:10:17 UTC

## Contents

DistPlotter-package . . . . .	2
runDistPlotterApp . . . . .	3

---

DistPlotter-package     *DistPlotter: A Graphical User Interface for Plotting Common Univariate Distributions*

---

## Description

The DistPlotter package enables users to plot common univariate distributions and was designed with a particular focus on education. Users can plot distributions based on general shape (e.g., symmetric vs. skewed right) and distributions from common discrete and continuous families. They can also shade areas underneath the curve (e.g., areas corresponding to general probabilities, p-values, or confidence levels). Users can additionally plot their own quantitative data, as well as overlay a normal density curve and shade area(s) underneath.

## Details

Package: DistPlotter

Type: Package

Version: 0.0.2

Date: 2022-03-09

Depends: R (>= 3.5.0)

Imports: colourpicker, dplyr, DT, extraDistr, ggplot2, rio, scales, shiny, shinyalert, shinyalert, shinyBS, shinyjs, shinyWidgets, stringi, stringr License: MIT

BugReports: <https://github.com/ccasement/DistPlotter/issues>

Encoding: UTF-8

## Function

- [runDistPlotterApp](#)

## Author(s)

Christopher Casement  
Department of Mathematics  
Fairfield University  
<casementc@gmail.com>

Grant Innerst  
Department of Mathematics  
Shippensburg University

Melissa Innerst  
Department of Mathematics  
Juniata College

## See Also

Useful links:

- <https://github.com/ccasement/DistPlotter>
- <https://CRAN.R-project.org/package=DistPlotter>
- Report bugs at <https://github.com/ccasement/DistPlotter/issues>

---

runDistPlotterApp      *Run the DistPlotter Shiny application*

---

## Description

Runs the DistPlotter Shiny application.

## Usage

```
runDistPlotterApp()
```

## Value

There is no return value.

## Author(s)

Christopher Casement  
Department of Mathematics  
Fairfield University  
<casementc@gmail.com>

Grant Innerst  
Department of Mathematics  
Shippensburg University

Melissa Innerst  
Department of Mathematics  
Juniata College

## Examples

```
## only run the app in an interactive R session  
if (interactive()) {runDistPlotterApp()}
```

# Index

`_PACKAGE` (DistPlotter-package), [2](#)  
`DistPlotter` (DistPlotter-package), [2](#)  
`DistPlotter-package`, [2](#)  
`runDistPlotterApp`, [2, 3](#)