

Package 'FAfA'

May 7, 2026

Title Factor Analysis for All

Version 1.1

Date 2026-04-30

Description Provides a comprehensive Shiny-based graphical user interface for conducting a wide range of factor analysis procedures. 'FAfA' (Factor Analysis for All) guides users through data uploading, assumption checking (descriptives, collinearity, multivariate normality, outliers), data wrangling (variable exclusion, data splitting), factor retention analysis (e.g., Parallel Analysis, Hull method, EGA), Exploratory Factor Analysis (EFA) with various rotation and extraction methods, Confirmatory Factor Analysis (CFA) for model testing, Reliability Analysis (e.g., Cronbach's Alpha, McDonald's Omega), Measurement Invariance testing across groups, and item weighting techniques. The application leverages established R packages such as 'lavaan' and 'psych' to perform these analyses, offering an accessible platform for researchers and students. Results are presented in user-friendly tables and plots, with options for downloading outputs.

License MIT + file LICENSE

URL <https://github.com/AFarukKILIC/FAfA>

BugReports <https://github.com/AFarukKILIC/FAfA/issues>

Imports Amelia, EFA.MRFA, EFA.dimensions, EFAtools, EGAnet, MBESS, bsicons, bslib, config, dplyr, gtools, ggcorrplot, ggplot2, golem, grDevices, graphics, haven, lavaan, magrittr, mctest, mice, missForest, moments, mvnrmalTest, naniar, pastecs, psych, psychometric, readxl, rlang, semPlot, semTools, shiny, shinycssloaders, sirt, stats, tools, qgraph, utils

Suggests spelling, testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

Language en-US

RoxygenNote 7.3.3

NeedsCompilation no

Author Abdullah Faruk KILIC [aut, cre],
Ahmet Caliskan [aut]

Maintainer Abdullah Faruk KILIC <afarukkilic@trakya.edu.tr>

Depends R (>= 4.1.0)

Repository CRAN

Date/Publication 2026-05-03 14:50:07 UTC

Contents

print.itemrest_result	2
run_app	2

Index	3
--------------	----------

print.itemrest_result *Print an itemrest result.*

Description

Print an itemrest result.

Usage

```
## S3 method for class 'itemrest_result'
print(x, report = "clean", ...)
```

Arguments

x	Object of class itemrest_result.
report	Report scope: clean or all.
...	Not used.

Value

Invisibly returns x.

run_app	<i>Run the Shiny Application</i>
---------	----------------------------------

Description

This function launches the Shiny application. It uses default options for shinyApp and golem.

Usage

```
run_app()
```

Index

`print.itemrest_result`, [2](#)

`run_app`, [2](#)