

# Package ‘FWDselect’

May 7, 2026

**Title** Selecting Variables in Regression Models

**Version** 2.1.1

**Date** 2026-04-22

**Maintainer** Marta Sestelo <sestelo@uvigo.gal>

**Description** A simple method to select the best model or best subset of variables using different types of data (binary, Gaussian or Poisson) and applying it in different contexts (parametric or non-parametric). Implemented methodology described in: M. Sestelo, N. M. Villanueva, L. Meira-Machado and J. Roca-Pardiñas (2016). FWDselect: an R package for variable selection in regression models. The R Journal, 8 (1), 132-148. <[doi:10.32614/RJ-2016-009](https://doi.org/10.32614/RJ-2016-009)>.

**URL** <https://CRAN.R-project.org/package=FWDselect>

**BugReports** <https://github.com/sestelo/fwdselect/issues>

**Depends** R (>= 3.1.0)

**License** MIT + file LICENSE

**LazyData** true

**Imports** cvTools, mgcv, parallel, graphics, stats

**RoxygenNote** 7.3.3

**Encoding** UTF-8

**NeedsCompilation** no

**Author** Marta Sestelo [aut, cre, cph] (ORCID: <<https://orcid.org/0000-0003-4284-6509>>),  
Nora M. Villanueva [aut, cph],  
Javier Roca-Pardinas [aut]

**Repository** CRAN

**Date/Publication** 2026-04-27 18:30:15 UTC

## Contents

diabetes . . . . .	2
episode . . . . .	3
plot.qselection . . . . .	3
pollution . . . . .	4
print.qselection . . . . .	5
print.selection . . . . .	6
qselection . . . . .	7
selection . . . . .	8
test . . . . .	10

<b>Index</b>	<b>14</b>
--------------	-----------

---

diabetes	<i>Diabetes data.</i>
----------	-----------------------

---

### Description

The diabetes data is a data frame with 11 variables and 442 measurements. These are the data used in the Efron et al. (2004) paper. The data has been standardized to have unit L2 norm in each column and zero mean.

### Usage

```
diabetes
```

### Format

diabetes is a data frame with 11 variables (columns). The first column of the data frame contains the response variable (diabetes\$y) which is a quantitative measure of disease progression one year after baseline. The rest of the columns contain the measurements of the ten explanatory variables (age, sex, body mass index, average blood pressure and six blood serum registers) obtained from each of the 442 diabetes patients.

### Source

The original data are available in the lars package, see <http://cran.r-project.org/web/packages/lars/>.

### References

Efron, B., Hastie, T., Johnstone, I. and Tibshirani, R. (2004). Least angle regression (with discussion). *Annals of Statistics*, 32:407–499.

### Examples

```
library(FWDselect)
data(diabetes)
head(diabetes)
```

---

episode	<i>Episode of SO2. Pollution incident data.</i>
---------	---

---

**Description**

Registered values of SO2 in different temporal instant. Each column of the dataset corresponds with the value obtained by the series of bi-hourly means for SO2 in the instant  $t$  (5-min temporal instant). The values of this dataset are greater than the maximum value permitted for SO2 atmospheric.

**Usage**

```
episode
```

**Format**

episode is a data frame with 19 variables (columns).

**Y** response variable, registered values of SO2 at a specific temporal instant, in microg/m3N. This is the value that we want to predict.

**In0** registered values of SO2 at a specific temporal instant, in this case instant zero, in microg/m3N.

**In1** registered values of SO2 at a specific temporal instant, in this case 5-min instant temporal before, in microg/m3N.

**In2** registered values of SO2 at a specific temporal instant, in this case 10-min instant temporal before, in microg/m3N....

**Examples**

```
data(episode)
head(episode)
```

---

plot.qselection	<i>Visualization of qselection object</i>
-----------------	---

---

**Description**

This function plots the cross-validation information criterion for several subsets of size  $q$  chosen by the user.

**Usage**

```
## S3 method for class 'qselection'
plot(x = object, y = NULL, ylab = NULL, ...)
```

**Arguments**

x	qselection object.
y	NULL
ylab	NULL
...	Other options.

**Value**

Simply returns a plot.

**Author(s)**

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

**See Also**

[selection](#).

**Examples**

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
obj2 = qselection(x, y, qvector = c(1:9), method = "lm", criterion = "variance", cluster = FALSE)
plot(obj2)
```

---

pollution

*Emission of SO2. Pollution incident data.*

---

**Description**

Registered values of SO2 in different temporal instant. Each column of the dataset corresponds with the value obtained by the series of bi-hourly means for SO2 in the instant  $t$  (5-min temporal instant).

**Usage**

```
pollution
```

**Format**

pollution is a data frame with 19 variables (columns).

**Y** response variable, registered values of SO2 at a specific temporal instant, in microg/m3N. This is the value that we want to predict.

**In0** registered values of SO2 at a specific temporal instant, in this case instant zero, in microg/m3N.

**In1** registered values of SO2 at a specific temporal instant, in this case 5-min instant temporal before, in microg/m3N.

**In2** registered values of SO2 at a specific temporal instant, in this case 10-min instant temporal before, in microg/m3N. ...

**Examples**

```
data(pollution)
head(pollution)
```

---

print.qselection	<i>Short qselection summary</i>
------------------	---------------------------------

---

**Description**

[qselection](#) summary

**Usage**

```
## S3 method for class 'qselection'
print(x = object, ...)
```

**Arguments**

x	qselection object.
...	Other options.

**Value**

The function returns a summary table with the subsets of size  $q$ , their information criterion values and the chosen variables for each one. Additionally, an asterisk is shown next to the size of subset which minimizes the information criterion.

**Author(s)**

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

**See Also**

[selection](#).

## Examples

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
obj2 = qselection(x, y, qvector = c(1:9), method = "lm", criterion = "variance", cluster = FALSE)
obj2
```

---

print.selection	<i>Short selection summary</i>
-----------------	--------------------------------

---

## Description

[selection](#) summary

## Usage

```
## S3 method for class 'selection'
print(x = model, ...)
```

## Arguments

x	selection object.
...	Other options.

## Value

The function returns the best subset of size q and its information criterion value. In the case of seconds=TRUE this information is returned for each alternative model.

## Author(s)

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

## See Also

[selection.](#)

## Examples

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
obj1 = selection(x, y, q = 1, method = "lm", criterion = "variance", cluster = FALSE)
obj1
```

---

qselection

*Selecting variables for several subset sizes*


---

### Description

Function that enables to obtain the best variables for more than one size of subset. Returns a table with the chosen covariates to be introduced into the models and their information criteria. Additionally, an asterisk is shown next to the size of subset which minimizes the information criterion.

### Usage

```
qselection(
  x,
  y,
  qvector,
  criterion = "deviance",
  method = "lm",
  family = "gaussian",
  nfolds = 5,
  cluster = TRUE,
  ncores = NULL
)
```

### Arguments

x	A data frame containing all the covariates.
y	A vector with the response values.
qvector	A vector with more than one variable-subset size to be selected.
criterion	The information criterion to be used. Default is the deviance. Other functions provided are the coefficient of determination ("R2"), the residual variance ("variance"), the Akaike information criterion ("aic"), AIC with a correction for finite sample sizes ("aicc") and the Bayesian information criterion ("bic"). The deviance, coefficient of determination and variance are calculated by cross-validation.
method	A character string specifying which regression method is used, i.e., linear models ("lm"), generalized additive models ("glm") or generalized additive models ("gam").
family	A description of the error distribution and link function to be used in the model: ("gaussian"), ("binomial") or ("poisson").
nfolds	Number of folds for the cross-validation procedure, for deviance, R2 or variance criterion.
cluster	A logical value. If TRUE (default), the procedure is parallelized. Note that there are cases without enough repetitions (e.g., a low number of initial variables) that R will gain in performance through serial computation. R takes time to distribute tasks across the processors also it will need time for binding them all

together later on. Therefore, if the time for distributing and gathering pieces together is greater than the time need for single-thread computing, it does not worth parallelize.

`ncores` An integer value specifying the number of cores to be used in the parallelized procedure. If NULL (default), the number of cores to be used is equal to the number of cores of the machine - 1.

### Value

`q` A vector of subset sizes.  
`criterion` A vector of Information criterion values.  
`selection` Selected variables for each size.

### Author(s)

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

### See Also

[selection plot.qselection.](#)

### Examples

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
obj2 = qselection(x, y, qvector = c(1:9), method = "lm", criterion = "variance", cluster = FALSE)
obj2
```

---

selection                      *Selecting a subset of q variables*

---

### Description

Main function for selecting the best subset of  $q$  variables. Note that the selection procedure can be used with `lm`, `glm` or `gam` functions.

### Usage

```
selection(
  x,
  y,
  q,
  prevar = NULL,
  criterion = "deviance",
```

```

method = "lm",
family = "gaussian",
seconds = FALSE,
nmodels = 1,
nfolds = 5,
cluster = TRUE,
ncores = NULL
)

```

### Arguments

x	A data frame containing all the covariates.
y	A vector with the response values.
q	An integer specifying the size of the subset of variables to be selected.
prevar	A vector containing the number of the best subset of q-1 variables. NULL, by default.
criterion	The information criterion to be used. Default is the deviance. Other functions provided are the coefficient of determination ("R2"), the residual variance ("variance"), the Akaike information criterion ("aic"), AIC with a correction for finite sample sizes ("aicc") and the Bayesian information criterion ("bic"). The deviance, coefficient of determination and variance are calculated by cross-validation.
method	A character string specifying which regression method is used, i.e., linear models ("lm"), generalized additive models ("glm") or generalized additive models ("gam").
family	A description of the error distribution and link function to be used in the model: ("gaussian"), ("binomial") or ("poisson").
seconds	A logical value. By default, FALSE. If TRUE then, rather than returning the single best model only, the function returns a few of the best models (equivalent).
nmodels	Number of secondary models to be returned.
nfolds	Number of folds for the cross-validation procedure, for deviance, R2 or variance criterion.
cluster	A logical value. If TRUE (default), the procedure is parallelized. Note that there are cases without enough repetitions (e.g., a low number of initial variables) that R will gain in performance through serial computation. R takes time to distribute tasks across the processors also it will need time for binding them all together later on. Therefore, if the time for distributing and gathering pieces together is greater than the time need for single-thread computing, it does not worth parallelize.
ncores	An integer value specifying the number of cores to be used in the parallelized procedure. If NULL (default), the number of cores to be used is equal to the number of cores of the machine - 1.

### Value

Best model	The best model. If seconds=TRUE, it returns also the best alternative models.
------------	---

Variable name    Names of the variable.  
 Variable number  
                   Number of the variables.  
 Information criterion  
                   Information criterion used and its value.  
 Prediction        The prediction of the best model.

**Author(s)**

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

**Examples**

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
obj1 = selection(x, y, q = 1, method = "lm", criterion = "variance", cluster = FALSE)
obj1

# second models
obj11 = selection(x, y, q = 1, method = "lm", criterion = "variance",
seconds = TRUE, nmodels = 2, cluster = FALSE)
obj11

# prevar argument
obj2 = selection(x, y, q = 2, method = "lm", criterion = "variance", cluster = FALSE)
obj2
obj3 = selection(x, y, q = 3, prevar = obj2$Variable_numbers,
method = "lm", criterion = "variance", cluster = FALSE)
```

---

test

*Bootstrap based test for covariate selection*


---

**Description**

Function that applies a bootstrap based test for covariate selection. It helps to determine the number of variables to be included in the model.

**Usage**

```
test(
  x,
  y,
  method = "lm",
  family = "gaussian",
  nboot = 50,
```

```

speedup = TRUE,
qmin = NULL,
unique = FALSE,
q = NULL,
bootseed = NULL,
cluster = TRUE,
ncores = NULL
)

```

### Arguments

x	A data frame containing all the covariates.
y	A vector with the response values.
method	A character string specifying which regression method is used, i.e., linear models ("lm"), generalized additive models.
family	A description of the error distribution and link function to be used in the model: ("gaussian"), ("binomial") or ("poisson").
nboot	Number of bootstrap repeats.
speedup	A logical value. If TRUE (default), the testing procedure is computationally efficient since it considers one more variable to fit the alternative model than the number of variables used to fit the null. If FALSE, the fit of the alternative model is based on considering the best subset of variables of size greater than q, the one that minimizes an information criterion. The size of this subset must be given by the user filling the argument qmin.
qmin	By default NULL. If speedup is FALSE, qmin is an integer number selected by the user. To help you select this argument, it is recommended to visualize the graphical output of the plot function and choose the number q which minimizes the curve.
unique	A logical value. By default FALSE. If TRUE, the test is performed only for one null hypothesis, given by the argument q.
q	By default NULL. If unique is TRUE, q is the size of the subset of variables to be tested.
bootseed	Seed to be used in the bootstrap procedure.
cluster	A logical value. If TRUE (default), the testing procedure is parallelized.
ncores	An integer value specifying the number of cores to be used in the parallelized procedure. If NULL (default), the number of cores to be used is equal to the number of cores of the machine - 1.

### Details

In a regression framework, let  $X_1, X_2, \dots, X_p$ , a set of  $p$  initial variables and  $Y$  the response variable, we propose a procedure to test the null hypothesis of  $q$  significant variables in the model –  $q$  effects not equal to zero – versus the alternative in which the model contains more than  $q$  variables. Based on the general model

$$Y = m(\mathbf{X}) + \varepsilon \quad \text{where} \quad m(\mathbf{X}) = m_1(X_1) + m_2(X_2) + \dots + m_p(X_p)$$

the following strategy is considered: for a subset of size  $q$ , considerations will be given to a test for the null hypothesis

$$H_0(q) : \sum_{j=1}^p I_{\{m_j \neq 0\}} \leq q$$

vs. the general hypothesis

$$H_1 : \sum_{j=1}^p I_{\{m_j \neq 0\}} > q$$

### Value

A list with two objects. The first one is a table containing

Hypothesis	Number of the null hypothesis tested
Statistic	Value of the T statistic
pvalue	pvalue obtained in the testing procedure
Decision	Result of the test for a significance level of 0.05

The second argument `nvar` indicates the number of variables that have to be included in the model.

### Note

The detailed expression of the formulas are described in HTML help.

### Author(s)

Marta Sestelo, Nora M. Villanueva and Javier Roca-Pardinas.

### References

Sestelo, M., Villanueva, N. M. and Roca-Pardinas, J. (2013). FWDselect: an R package for selecting variables in regression models. Discussion Papers in Statistics and Operation Research, University of Vigo, 13/01.

### See Also

[selection](#)

### Examples

```
library(FWDselect)
data(diabetes)
x = diabetes[,2:11]
y = diabetes[,1]
test(x, y, method = "lm", cluster = FALSE, nboot = 5)

## for speedup = FALSE
# obj2 = qselection(x, y, qvector = c(1:9), method = "lm",
# cluster = FALSE)
# plot(obj2) # we choose q = 7 for the argument qmin
```

```
# test(x, y, method = "lm", cluster = FALSE, nboot = 5,  
# speedup = FALSE, qmin = 7)
```

# Index

diabetes, [2](#)

episode, [3](#)

plot.qselection, [3](#), [8](#)

pollution, [4](#)

print.qselection, [5](#)

print.selection, [6](#)

qselection, [5](#), [7](#)

selection, [4–6](#), [8](#), [8](#), [12](#)

test, [10](#)