

# Package ‘FuzzyR’

May 7, 2026

**Type** Package

**Title** Fuzzy Logic Toolkit for R

**Version** 2.3.2

**Depends** R (>= 3.6.0)

**Imports** splines, shiny, plyr, grid, stats, graphics

**Description** Design and simulate fuzzy logic systems using Type-1 and Interval Type-2 Fuzzy Logic.

This toolkit includes with graphical user interface (GUI) and an adaptive neuro-fuzzy inference system (ANFIS). This toolkit is a continuation from the previous package ('FuzzyToolkitUoN'). Produced by the Intelligent Modelling & Analysis Group (IMA) and Lab for UnCertainty In Data and decision making (LUCID), University of Nottingham.

A big thank you to the many people who have contributed to the development/evaluation of the toolbox.

Please cite the toolbox and the corresponding paper <[doi:10.1109/FUZZ48607.2020.9177780](https://doi.org/10.1109/FUZZ48607.2020.9177780)> when using it.

More related papers can be found in the NEWS.

**License** GPL (>= 2)

**URL** <https://www.lucidresearch.org/>

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Encoding** UTF-8

**Repository** CRAN

**Date/Publication** 2021-05-19 09:00:05 UTC

**Author** Chao Chen [aut, cre],

Jon Garibaldi [aut],

Tajul Razak [aut]

**Maintainer** Chao Chen <[fuzzyr@cs.nott.ac.uk](mailto:fuzzyr@cs.nott.ac.uk)>

## Contents

addmf . . . . .	3
addrule . . . . .	4

addvar . . . . .	5
anfis.builder . . . . .	6
anfis.dE.dO1 . . . . .	7
anfis.dE.dO2 . . . . .	8
anfis.dE.dO3 . . . . .	8
anfis.dE.dO4 . . . . .	9
anfis.dE.dO5 . . . . .	10
anfis.dE.dP1 . . . . .	10
anfis.dE.dP1.gbellmf . . . . .	11
anfis.dE.dP1.it2gbellmf . . . . .	12
anfis.dE.dP4 . . . . .	12
anfis.dMF.dP.gbellmf . . . . .	13
anfis.dO2.dO1 . . . . .	14
anfis.dO3.dO2 . . . . .	14
anfis.dO4.dO3 . . . . .	15
anfis.dO5.dO4 . . . . .	16
anfis.eval . . . . .	16
anfis.L1.eval . . . . .	17
anfis.L2.eval . . . . .	18
anfis.L2.which . . . . .	18
anfis.L3.eval . . . . .	19
anfis.L4.eval . . . . .	20
anfis.L4.mf.eval . . . . .	20
anfis.L5.eval . . . . .	21
anfis.LI.eval . . . . .	22
anfis.optimise . . . . .	22
anfis.plotmf . . . . .	24
anfis.tipper . . . . .	25
cmp.firing . . . . .	26
convertfis . . . . .	27
defuzz . . . . .	28
evalfis . . . . .	28
evalmf . . . . .	29
evalmftype . . . . .	30
fis.builder . . . . .	31
fuzzy.firing . . . . .	32
fuzzy.optimise . . . . .	32
fuzzy.t . . . . .	33
fuzzy.tconorm . . . . .	34
fuzzy.tnorm . . . . .	35
fuzzyr.accuracy . . . . .	35
fuzzyr.match.fun . . . . .	36
gbell.fuzzification . . . . .	37
gbellmf . . . . .	37
genmf . . . . .	38
gensurf . . . . .	40
it2tipper . . . . .	40
km.da . . . . .	41

<i>addmf</i>	3
linearmf . . . . .	42
newfis . . . . .	42
plotmf . . . . .	43
readfis . . . . .	44
showfis . . . . .	45
showGUI . . . . .	45
showrule . . . . .	46
singleton.fuzzification . . . . .	47
singletonmf . . . . .	47
tipper . . . . .	48
tipper.ns . . . . .	49
tipper.tsk . . . . .	49
tipperGUI . . . . .	50
tipperGUI2 . . . . .	50
writefis . . . . .	51
x.fuzzification . . . . .	51
<b>Index</b>	<b>53</b>

---

<i>addmf</i>	<i>Insert a membership function.</i>
--------------	--------------------------------------

---

### Description

Adds a membership function to a variable of a fis object.

### Usage

```
addmf(fis, varType, varIndex, mfName, mfType, mfParams)
```

### Arguments

<code>fis</code>	A fis structure is to be provided.
<code>varType</code>	Should be either 'input' or 'output', which relates to the type of variable (stored on the existing fis structure) that the membership function will be added to.
<code>varIndex</code>	Should be an integer value representing the index value of the input or output variable that the membership function will be added to (base 1).
<code>mfName</code>	Membership function name to be declared, for example (Poor,Good)
<code>mfType</code>	Membership function type to be declared, for example (trimf, trapmf)
<code>mfParams</code>	The value of membership function.

### Value

A fis structure with the new membership function added.

**Examples**

```

fis <- newfis('tipper')
fis <- addvar(fis, 'input', 'service', c(0, 10))
fis <- addmf(fis, 'input', 1, 'poor', 'gaussmf', c(1.5, 0))

```

---

addrule	<i>Inserts a rule</i>
---------	-----------------------

---

**Description**

Adds a rule to a fis object.

**Usage**

```
addrule(fis, ruleList)
```

**Arguments**

fis	A fis structure is to be provided.
ruleList	<p>A vector of length <math>m + n + 2</math>, where <math>m</math> is the number of input variables of a fis. Each column in 'm' has a number which refers to the membership function of that input variable.</p> <p>Columns under 'n' refer to an output variable of a fis, where the value refers to the membership function of that output variable.</p> <p>Finally, the '2' remaining columns refer to the weight to be applied to the rule (<math>m + n + 1</math>) and the fuzzy operator for the rule's antecedent (1 = AND, 2 = OR).</p>

**Details**

For example, if one has a fis with 2 input variables, and 1 output variable, each of which have 3 membership functions (the amount of membership functions need not be the same). The following rule: 1 3 2 1 2 will mean  $m = 2$  (for 2 input variables),  $n = 1$  (for 1 output variable), and the last 2 columns represent weight and fuzzy operator for the rule's antecedent respectively.

The first column refers to the first input variable's membership function at index 1.

The second column refers to the second input variable's membership function at index 3.

The third column refers to the first output variable's membership function at index 2.

The fourth column refers to the weight to be applied to the rule.

The fifth column refers to the fuzzy operator for the rule's antecedent (in this case it represents 'OR').

**Value**

A fis structure with the new rule added.

**Examples**

```

fis <- tipper()
ruleList <- rbind(c(1,1,1,1,2), c(2,0,2,1,1), c(3,2,3,1,2))
fis <- addrule(fis, ruleList)

```

---

addvar

*Insert a variable*


---

**Description**

Adds an input or output variable to a fis object.

**Usage**

```

addvar(
  fis,
  varType,
  varName,
  varBounds,
  method = NULL,
  params = NULL,
  firing.method = "tnorm.min.max"
)

```

**Arguments**

<code>fis</code>	A fis must be provided.
<code>varType</code>	Should be either 'input' or 'output' which represents the type of variable to be created and added.
<code>varName</code>	A string representing the name of the variable.
<code>varBounds</code>	Also known as the 'range', this should be a vector giving a range for the variable, such as 1:10.
<code>method</code>	fuzzification or defuzzification method. <ul style="list-style-type: none"> <li>fuzzification: 'gauss', 'gbell', 'tri', or user-defined.</li> <li>defuzzification: 'centroid', 'cos', 'coh', 'csum' or user-defined.</li> </ul>
<code>params</code>	the required parameters for the corresponding fuzzification or defuzzification method. For example, the required parameters for <code>gbell.fuzzification</code> are <code>c(a,b)</code>
<code>firing.method</code>	the chosen method for getting the firing strength (for non-singleton fuzzification). <ul style="list-style-type: none"> <li>'tnorm.min.max' - minimum t-norm with maximum membership grade as the firing strength</li> <li>'tnorm.prod.max' - product t-norm with maximum membership grade as the firing strength</li> </ul>

- 'tnorm.min.defuzz.[method]' - the firing strength is based on minimum t-norm, and the chosen defuzzification method (e.g. tnorm.min.defuzz.centroid)
- 'tnorm.prod.defuzz.[method]' - the firing strength is based on product t-norm, and the chosen defuzzification method (e.g. tnorm.prod.defuzz.bisector)
- 'similarity.set' - Set-theoretic similarity: the ratio between the intersection and the union of two fuzzy sets

### Value

A fis with the new variable added.

### Examples

```

fis <- newfis('tipper')
fis <- addvar(fis, 'input', 'service', c(0, 10))
fis <- addvar(fis, 'input', 'service', c(0, 10), 'gauss', 0.5, 'tnorm.min.max')

```

---

anfis.builder

*ANFIS model builder*

---

### Description

To build an ANFIS model from an existing FIS model

### Usage

```
anfis.builder(fis)
```

### Arguments

`fis`                    A fuzzy inference system model initialised by `newfis`.

### Value

An ANFIS model

### Author(s)

Chao Chen

### References

- [1] C. Chen, R. John, J. Twycross, and J. M. Garibaldi, "An extended ANFIS architecture and its learning properties for type-1 and interval type-2 models," in Proceedings IEEE International Conference on Fuzzy Systems, 2016, pp. 602–609.  
doi: [10.1109/FUZZIEEE.2016.7737742](https://doi.org/10.1109/FUZZIEEE.2016.7737742)
- [2] C. Chen, R. John, J. Twycross, and J. M. Garibaldi, "Type-1 and interval type-2 ANFIS: a comparison," in Proceedings IEEE International Conference on Fuzzy Systems, 2017, pp. 1–6.  
doi: [10.1109/FUZZIEEE.2017.8015555](https://doi.org/10.1109/FUZZIEEE.2017.8015555)

**Examples**

```
fis <- anfis.tipper()
anfis <- anfis.builder(fis)
```

---

anfis.dE.d01	<i>anfis.dE.dO1</i>
--------------	---------------------

---

**Description**

to calculate the derivatives of output error with respect to output.L1.

**Usage**

```
anfis.dE.d01(anfis, output.L1, de.do2, do2.do1)
```

**Arguments**

anfis	The given ANFIS model
output.L1	The output of nodes in Layer 1
de.do2	The derivatives of output error with respect to output.L2
do2.do1	The derivatives of output.L2 with respect to output.L1.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to output.L1.

**Author(s)**

Chao Chen

---

 anfis.dE.dO2

*anfis.dE.dO2*


---

**Description**

to calculate the derivatives of output error with respect to output.L2.

**Usage**

```
anfis.dE.dO2(de.do3, do3.do2)
```

**Arguments**

de.do3	The derivatives of output error with respect to output.L3
do3.do2	The derivatives of output.L3 with respect to output.L2.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to output.L2.

**Author(s)**

Chao Chen

---

 anfis.dE.dO3

*anfis.dE.dO3*


---

**Description**

to calculate the derivatives of output error with respect to output.L3.

**Usage**

```
anfis.dE.dO3(de.do4, do4.do3, output.L3)
```

**Arguments**

de.do4	The derivatives of output error with respect to output.L4
do4.do3	The derivatives of output.L4 with respect to output.L3.
output.L3	The output of nodes in Layer 3.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to output.L3.

**Author(s)**

Chao Chen

---

anfis.dE.d04

*anfis.dE.dO4*

---

**Description**

to calculate the derivatives of output error with respect to output.L4.

**Usage**

```
anfis.dE.d04(anfis, de.do5, do5.do4)
```

**Arguments**

anfis	The given ANFIS model
de.do5	The derivatives of output error with respect to output.L5
do5.do4	The derivatives of output.L5 with respect to output.L4.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to output.L4.

**Author(s)**

Chao Chen

---

anfis.dE.d05	<i>anfis.dE.d05</i>
--------------	---------------------

---

**Description**

To calculate the derivatives of output error with respect to output.L5. NOTE: currently, only single output in L5 is supported

**Usage**

```
anfis.dE.d05(output.L5, y)
```

**Arguments**

output.L5	the model outputs
y	the target outputs

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to output.L5

**Author(s)**

Chao Chen

---

anfis.dE.dP1	<i>anfis.dE.dP1</i>
--------------	---------------------

---

**Description**

To calculate the derivatives of output error with respect to parameters in Layer 1.

**Usage**

```
anfis.dE.dP1(anfis, de.do1, input.stack)
```

**Arguments**

anfis	The given ANFIS model
de.do1	The derivatives of output error with respect to output.L1
input.stack	The input data pairs.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to parameters in Layer 1.

**Author(s)**

Chao Chen

---

anfis.dE.dP1.gbellmf    *anfis.dE.dP1.gbellmf*

---

**Description**

To calculate the derivatives of E versus mf.params.L1 for gbellmf:  $1 / (1 + ((x - c)/a)^2)^b$  NOTE: only singleton fuzzification is supported

**Usage**

```
anfis.dE.dP1.gbellmf(de.do1, x, mf.params)
```

**Arguments**

de.do1	The derivatives of output error with respect to output.L1
x	The crisp input
mf.params	parameters for membership functions

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Author(s)**

Chao Chen

---

```
anfis.dE.dP1.it2gbellmf
      anfis.dE.dP1.it2gbellmf
```

---

### Description

to calculate the derivatives of E versus mf.params.L1 for it2gbellmf NOTE: only singleton fuzzification is supported

### Usage

```
anfis.dE.dP1.it2gbellmf(de.do1, x, mf.params)
```

### Arguments

de.do1	The derivatives of output error with respect to output.L1
x	The crisp input
mf.params	parameters for membership functions

### Details

This function is not recommended for external use, but can be used for debugging or learning.

### Author(s)

Chao Chen

---

```
anfis.dE.dP4      anfis.dE.dP4
```

---

### Description

To calculate the derivatives of output error with respect to parameters in Layer 4.

### Usage

```
anfis.dE.dP4(anfis, de.do4, output.L3, input.stack)
```

### Arguments

anfis	The given ANFIS model
de.do4	The derivatives of output error with respect to output.L4
output.L3	The output of nodes in Layer 3
input.stack	The input data pairs.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output error with respect to parameters in Layer 4.

**Author(s)**

Chao Chen

---

`anfis.dMF.dP.gbellmf`    *anfis.dMF.dP.gbellmf*

---

**Description**

to calculate the derivatives of membership grades with respect to its parameters

**Usage**

`anfis.dMF.dP.gbellmf(x, mf.params)`

**Arguments**

<code>x</code>	The crisp input
<code>mf.params</code>	parameters for membership functions

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Author(s)**

Chao Chen

---

 anfis.d02.d01

*anfis.d02.d01*


---

**Description**

To calculate the derivatives of output.L2 with respect to output.L1.

**Usage**

```
anfis.d02.d01(anfis, output.L2, output.L1)
```

**Arguments**

anfis	The given ANFIS model
output.L2	The output of nodes in Layer 2
output.L1	The output of nodes in Layer 1

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output.L2 with respect to output.L1. `do2[j].do1[i] <- do2.do1[[i]][[which(fan.out==j)]]`

**Author(s)**

Chao Chen

---

 anfis.d03.d02

*anfis.d03.d02*


---

**Description**

To calculate the derivatives of output.L3 with respect to output.L2.

**Usage**

```
anfis.d03.d02(anfis, output.L2, output.L2.which)
```

**Arguments**

anfis	The given ANFIS model
output.L2	The output of nodes in Layer 2
output.L2.which	A list of matrix indicating which output (w.lower, w.upper) in layer 2 should be used by the ekm algorithm

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output.L3 with respect to output.L2.  $\text{do3.left}[j].\text{do2}[i] \leftarrow \text{do3.do2}[[i]][[1]][[j]]$

**Author(s)**

Chao Chen

---

anfis.d04.d03

*anfis.dO4.dO3*

---

**Description**

To calculate the derivatives of output.L4 with respect to output.L3.

**Usage**

```
anfis.d04.d03(output.L4, output.L4.mf)
```

**Arguments**

`output.L4`      The output of nodes in Layer 4

`output.L4.mf`    The membership grades of the membership functions of nodes in Layer 4

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output.L4 with respect to output.L3.

**Author(s)**

Chao Chen

anfis.d05.d04

*anfis.d05.d04*

---

**Description**

To calculate the derivatives of output.L5 with respect to output.L4. NOTE: currently, only single output in L5 is supported

**Usage**

```
anfis.d05.d04(output.L4)
```

**Arguments**

output.L4      The output of nodes in Layer 4.

**Details**

This function is not recommended for external use, but can be used for debugging or learning.

**Value**

The derivatives of output.L5 with respect to output.L4.

**Author(s)**

Chao Chen

---

anfis.eval

*ANFIS evaluator*

---

**Description**

To evaluate a ANFIS model with input data

**Usage**

```
anfis.eval(anfis, input.stack)
```

**Arguments**

anfis            The given ANFIS model  
input.stack     The input data

**Value**

The output of the anfis for given input data.

**Author(s)**

Chao Chen

**Examples**

```
fis <- anfis.tipper()
anfis <- anfis.builder(fis)
data.num <- 5
input.num <- length(fis$input)
input.stack <- matrix(rnorm(data.num*input.num), ncol=input.num)
y <- matrix(rnorm(data.num))
data.trn <- cbind(input.stack, y)
anfis.eval(anfis, input.stack)
```

---

`anfis.L1.eval`*The evaluator for nodes in Layer 1*

---

**Description**

To evaluate the antecedent layer (L1) of anfis

**Usage**

```
anfis.L1.eval(anfis, output.LI, input.stack)
```

**Arguments**

<code>anfis</code>	The given ANFIS model
<code>output.LI</code>	The output of nodes in Layer I
<code>input.stack</code>	The input data

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer 1

**Author(s)**

Chao Chen

anfis.L2.eval            *The evaluator for nodes in Layer 2*

---

**Description**

To evaluate the nodes in Layer 2 of the given ANFIS model

**Usage**

```
anfis.L2.eval(anfis, output.L1)
```

**Arguments**

anfis	The given ANFIS model
output.L1	The output of nodes in Layer 1

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer 2

**Author(s)**

Chao Chen

---

anfis.L2.which            *L2.which*

---

**Description**

To determine which output (w.lower, w.upper) to be used by the ekm algorithm

**Usage**

```
anfis.L2.which(anfis, output.L2, output.L4.mf)
```

**Arguments**

anfis	The given ANFIS model
output.L2	The output of nodes in Layer 2
output.L4.mf	The linear membership grades of nodes in Layer 4

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

A list of matrix indicating which output (w.lower, w.upper) in layer 2 should be used by the ekm algorithm

**Author(s)**

Chao Chen

---

anfis.L3.eval

*The evaluator for nodes in Layer 3*

---

**Description**

To evaluate the nodes in Layer 3 of the given ANFIS model

**Usage**

```
anfis.L3.eval(anfis, output.L2, output.L2.which)
```

**Arguments**

anfis	The given ANFIS model
output.L2	The output of nodes in Layer 2
output.L2.which	A list of matrix indicating which output (w.lower, w.upper) in layer 2 should be used by the ekm algorithm

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer 3

**Author(s)**

Chao Chen

---

anfis.L4.eval      *The evaluator for nodes in Layer 4*

---

**Description**

To evaluate the nodes in Layer 4

**Usage**

```
anfis.L4.eval(output.L3, output.L4.mf)
```

**Arguments**

output.L3      The output of nodes in Layer 3  
output.L4.mf    The membership grades of the membership functions of nodes in Layer 4

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer 4

**Author(s)**

Chao Chen

---

anfis.L4.mf.eval      *The evaluator for membership functions of nodes in Layer 1*

---

**Description**

To evaluate the membership functions of nodes in Layer 4

**Usage**

```
anfis.L4.mf.eval(anfis, input.stack)
```

**Arguments**

anfis            The given ANFIS model  
input.stack      The input data

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The membership grades of the membership functions of nodes in Layer 4

**Author(s)**

Chao Chen

---

anfis.L5.eval	<i>The evaluator for nodes in Layer 5</i>
---------------	---

---

**Description**

To evaluate the nodes in Layer 5

**Usage**

```
anfis.L5.eval(output.L4)
```

**Arguments**

`output.L4`      The output of nodes in Layer 4

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer 5

**Author(s)**

Chao Chen

anfis.LI.eval            *The evaluator for nodes in Layer I*

---

**Description**

To evaluate the input Layer (LI) of anfis

**Usage**

```
anfis.LI.eval(anfis, input.stack)
```

**Arguments**

anfis	The given ANFIS model
input.stack	The input data

**Details**

This function is not recommended for external use, but can be used for debugging or learning. See the source code of [anfis.eval](#) for usage.

**Value**

The output of nodes in Layer I

**Author(s)**

Chao Chen

---

anfis.optimise            *ANFIS optimiser*

---

**Description**

To optimise the performance of a given ANFIS model by learning the parameters in L1 and L4.

**Usage**

```
anfis.optimise(  
  anfis,  
  data.trn,  
  data.chk = NULL,  
  epoch.total = 100,  
  stepsize = 0.1,  
  rate.inc = 1.1,  
  rate.dec = 0.9,  
)
```

```

    method = c("gradient", "lse"),
    err.log = F,
    online = 0,
    lambda = 1,
    opt.by = "err.opt",
    err.trn.fix = T
)

```

### Arguments

anfis	The given ANFIS model
data.trn	The input and output data pairs as training data
data.chk	The input and output data pairs as checking (validation) data
epoch.total	The total training epochs.
stepsize	The initial stepsize
rate.inc	increasing rate of the stepsize
rate.dec	decreasing rate of the stepsize
method	The learning algorithms for Layer 1 and Layer 4 respectively. default method=c("gradient", "lse")
err.log	T or F, the flag indicate whether to save the error log.
online	0 – batch; 1 – online; 2 – semi-online
lambda	The forgetting rate for the LSE algorithm
opt.by	To optimise the ANFIS model by: err.opt – optimisation error; err.trn – training error; err.chk – checking (validation) error.
err.trn.fix	T or F. When KM defuzzification is used for IT2 ANFIS, err.trn is not equal to err.opt. Hence, this flag is used for users to choose whether to fix this issue. The default value is set to T for the compatibility with previous built IT2 models. For T1 ANFIS, this flag can be set to F for speed improvement.

### Value

The optimised ANFIS model.

### Author(s)

Chao Chen

### References

- [1] C. Chen, R. John, J. Twycross, and J. M. Garibaldi, "An extended ANFIS architecture and its learning properties for type-1 and interval type-2 models," in Proceedings IEEE International Conference on Fuzzy Systems, 2016, pp. 602–609.  
doi: [10.1109/FUZZIEEE.2016.7737742](https://doi.org/10.1109/FUZZIEEE.2016.7737742)
- [2] C. Chen, R. John, J. Twycross, and J. M. Garibaldi, "Type-1 and interval type-2 ANFIS: a comparison," in Proceedings IEEE International Conference on Fuzzy Systems, 2017, pp. 1–6.  
doi: [10.1109/FUZZIEEE.2017.8015555](https://doi.org/10.1109/FUZZIEEE.2017.8015555)

**Examples**

```

fis <- anfis.tipper()
anfis <- anfis.builder(fis)
data.num <- 5
input.num <- length(fis$input)
input.stack <- matrix(rnorm(data.num*input.num), ncol=input.num)
y <- matrix(rnorm(data.num))
data.trn <- cbind(input.stack, y)
anfis.eval(anfis, input.stack)
anfis.final <- anfis.optimise(anfis, data.trn, epoch.total=500,
                             stepsize=0.01, rate.inc=1.1, rate.dec=0.9)

```

---

anfis.plotmf

*Plot membership functions for an ANFIS object*


---

**Description**

Plots a 2D graph of all membership functions from the specified variable which must be part of an anfis object.

**Usage**

```

anfis.plotmf(
  anfis,
  varType,
  varIndex,
  xx = NULL,
  timelimit = 0,
  xlab = NULL,
  ylab = NULL,
  main = NULL
)

```

**Arguments**

anfis	Requires an existing anfis as an argument.
varType	Can be either 'input' or 'output', representing the type of variable.
varIndex	A numerical integer, representing the index of the input or output variable whose membership functions shall be plotted (base 1).
xx	primary inputs for extra lines
timelimit	for perturbation
xlab	X axis label using font, size and color
ylab	Y axis label, same font attributes as xlab
main	The main title (on top)

**Value**

A two dimensional graph displaying all the membership functions of a given variable.

**Examples**

```
fis <- anfis.tipper()
anfis <- anfis.builder(fis)
data.num <- 5
input.num <- length(fis$input)
input.stack <- matrix(rnorm(data.num*input.num), ncol=input.num)
y <- matrix(rnorm(data.num))
data.trn <- cbind(input.stack, y)
anfis.eval(anfis, input.stack)
anfis.final <- anfis.optimise(anfis, data.trn, epoch.total=500,
                             stepsize=0.01, rate.inc=1.1, rate.dec=0.9)

anfis.plotmf(anfis, 'input', 1)
anfis.plotmf(anfis.final, 'input', 1)
```

---

anfis.tipper

*Produces an example fis object which can be used for ANFIS.*

---

**Description**

A function used primarily for example purposes, it creates a fis with two input (service & food), output variables (tip) and their membership functions.

**Usage**

```
anfis.tipper()
```

**Value**

A fis is return

**Examples**

```
fis <- anfis.tipper()
```

---

 cmp.firing
 

---



---

*Plot firing strength with different inference method*


---

### Description

Plots a 2D graph of the firing strength for a antecedent produced by different inference method

### Usage

```

cmp.firing(
    IP,
    mfType,
    mfPara,
    fuzMethod,
    fuzPara,
    SFLS = TRUE,
    STD = TRUE,
    CEN = FALSE,
    SIM = FALSE,
    step = 100,
    fisRange = NULL
)
  
```

### Arguments

IP	A matrix representing the input stack, number of inputs (columns) by number of outputs (rows).
mfType	The type of fuzzy membership function
mfPara	The parameters for the given type of membership function
fuzMethod	The type of fuzzy membership function for non-singleton fuzzification
fuzPara	The parameters for the given fuz.type of membership function
SFLS	When TRUE, shows the firing strength produced by SFLS
STD	When TRUE, shows the firing strength produced by std-NSFLS
CEN	When TRUE, shows the firing strength produced by cen-NSFLS
SIM	When TRUE, shows the firing strength produced by sim-NSFLS
step	For discrete fuzzification
fisRange	Field of definition, for example, c(1,10)

### Value

A two dimensional graph displaying all the firing strength produced by given method.

**Author(s)**

Yu Zhao

**Examples**

```
cmp.firing(1, 'gaussmf', c(1, 2.5, 1), 'gbell', c(0.4, 2), step=100)
```

---

 convertfis

*Convert a fis*


---

**Description**

Convert a fis object from one type to another (e.g. from singleton to non-singleton)

**Usage**

```
convertfis(fis, option = "s2n", ...)
```

**Arguments**

fis	the fis object to be converted
option	the convert option. 's2n': singleton to non-singleton
...	For 's2n': fuzzification.method, fuzzification.params, firing.method. See details below for more information.

**Details**

- fuzzification.method, fuzzification.params, firing.method - see [addvar](#)

Usage:

1. convertfis(fis, option, mf.params, fuzzification.method, fuzzification.params)
2. convertfis(fis, option, mf.params, fuzzification.method, fuzzification.params, firing.method)

**Value**

Membership grade(s)

**Author(s)**

Chao Chen

**Examples**

```

fis <- tipper()
fis.ns.1 <- convertfis(fis, option='s2n', fuzzification.method='gauss', fuzzification.params=1)
fis.ns.2 <- convertfis(fis, option='s2n', fuzzification.method='gauss', fuzzification.params=1,
                      firing.method='tnorm.min.max')
```

---

defuzz *Defuzzify a set of values.*

---

### Description

Defuzzifies a given set of values using a specified range and defuzzification type producing a crisp value.

### Usage

```
defuzz(x, mf, type)
```

### Arguments

x	The range to be applied in the function (numeric vector).
mf	The values to be applied in the function (numeric vector).
type	The defuzzification method type, which should be either 'centroid', 'bisector', 'mom', 'som' or 'lom'.

### Value

Returns a defuzzified crisp value (double).

### Examples

```
Crisp_value = defuzz(1:10, c(1.5, 5), "centroid")
```

---

evalfis *Evaluate a Fuzzy Inference System (fis)*

---

### Description

Returns an evaluated crisp value for a given fis structure.

### Usage

```
evalfis(input_stack, fis, time = 1, point_n = 101, draw = FALSE)
```

### Arguments

input_stack	A matrix representing the input stack, number of inputs (columns) by number of outputs (rows).
fis	A fis must be provided.
time	default 1
point_n	number of discretised points, default 101
draw	whether to draw, TRUE or FALSE

**Value**

Returns a matrix of evaluated values.

**Examples**

```
Input_data <- matrix((1:2),1,2)
fis <- tipper()
evalfis(Input_data, fis)
```

---

 evalmf

*Evaluate fuzzy membership function*


---

**Description**

To obtain the corresponding membership grade(s) for given crsip input(s) x

**Usage**

```
evalmf(...)
```

**Arguments**

... For singleton fuzzification: x, mf.type, mf.params; x, mf.  
 Four additional parameters need to be used for non-singleton fuzzification: fuzzification.method, fuzzification.params, firing.method and input.range. See details below for more information.

**Details**

- x - the crisp input(s) on the universe of discourse for corresponding antecedent membership function
- mf.type - The type of fuzzy membership function
- mf.params - The parameters for the given type of membership function
- mf - the membership function generated by [genmf](#)
- fuzzification.method, fuzzification.params, firing.method and input.range - see [addvar](#)

Usage:

1. evalmf(x, mf.type, mf.params)
2. evalmf(x, mf)
3. evalmf(x, mf.type, mf.params, fuzzification.method, fuzzification.params, firing.method, input.range)
4. evalmf(x, mf, fuzzification.method, fuzzification.params, firing.method, input.range )

**Value**

Membership grade(s)

**Author(s)**

Chao Chen

**Examples**

```
evalmf(5, mf.type=gbellmf, mf.params=c(1,2,3))
evalmf(1:10, mf.type=gbellmf, mf.params=c(1,2,3))
evalmf(1:10, mf.type=gbellmf, mf.params=c(1,2,3), fuzzification.method='gauss',
      fuzzification.params=1, firing.method='tnorm.min.max', input.range=c(0,10))

mf <- genmf('gbellmf', c(1,2,3))
evalmf(5, mf)
evalmf(1:10, mf)
evalmf(1:10, mf, fuzzification.method='gauss', fuzzification.params=1,
      firing.method='tnorm.min.max', input.range=c(0,10))
```

---

evalmftype

*Evaluate fuzzy membership function with membership function type and parameters*

---

**Description**

To obtain the corresponding membership grade(s) for crisp input(s) x

**Usage**

```
evalmftype(x, mf.type, mf.params)
```

**Arguments**

x	A generic element of U, which is the universe of discourse for a fuzzy set
mf.type	The member function type
mf.params	The parameters for a member function

**Value**

Membership grade(s)

**Author(s)**

Chao Chen

**Examples**

```
evalmftype(5, mf.type=gbellmf, mf.params=c(1,2,3))
evalmftype(1:10, mf.type=gbellmf, mf.params=c(1,2,3))
```

---

 fis.builder

*TSK FIS builder*


---

**Description**

To build a one-output TSK FIS by automatically generating the input membership functions and the fuzzy rules

**Usage**

```

fis.builder(
  x.range,
  input.num,
  input.mf.num,
  input.mf.type,
  rule.num = prod(input.mf.num),
  rule.which = NULL,
  defuzzMethod = "default",
  params.ante,
  params.conse
)

```

**Arguments**

x.range	a vector/matrix as the range of input(s)
input.num	the number of inputs
input.mf.num	a list of the number of membership functions for all inputs
input.mf.type	designed for different membership function types, however, currently, 'T1' for gbellmf, else 'it2gbellmf'
rule.num	the number of rules
rule.which	selected rules to be used in the full rule list, for example, c(1,2,3) specify the first three rules
defuzzMethod	"default"
params.ante	parameter settings for initialising antecedent membership functions
params.conse	parameter settings for initialising consequent membership functions

**Author(s)**

Chao Chen

---

fuzzy.firing	<i>Fuzzy rule firing</i>
--------------	--------------------------

---

**Description**

To get the firing strength for the given input fuzzification membership function and the antecedent membership function in the domain of [lower, upper]

**Usage**

```
fuzzy.firing(operator, x.mf, ante.mf, lower, upper)
```

**Arguments**

operator	t-norm operator
x.mf	the fuzzy input membership function
ante.mf	the antecedent membership function
lower	lower bound of the input
upper	upper bound of the input

**Value**

the rule firing strength

**Author(s)**

Chao Chen

**Examples**

```
x.mf <- x.fuzzification(gbell.fuzzification, 3, c(1,2))
ante.mf <- genmf(gbellmf, c(1,2,6))
firing.strength <- fuzzy.firing(min, x.mf, ante.mf, lower=0, upper=10)
firing.strength
```

---

fuzzy.optimise	<i>Fuzzy optimisation</i>
----------------	---------------------------

---

**Description**

to get an approximation of the maximum membership grade for a given membership function in the domain of [lower, upper]

**Usage**

```
fuzzy.optimise(fuzzy.mf, lower, upper)
```

**Arguments**

fuzzy.mf	fuzzy member function
lower	lower bound of the input
upper	upper bound of the input

**Value**

an approximation of the maximum membership grade in the given domain

**Author(s)**

Chao Chen

**Examples**

```
mf <- genmf(gbellmf, c(1,2,3))
x <- seq(4, 5, by=0.01)
max(evalmf(x, mf))
fuzzy.optimise(mf, 4, 5)
```

---

fuzzy.t

*Fuzzy t-norm/t-conorm operation*


---

**Description**

To conduct t-norm or t-conorm operation for given fuzzy member functions

**Usage**

```
fuzzy.t(operator, ...)
```

**Arguments**

operator	The supported t-norm/t-conorm operators are min, prod, max
...	fuzzy membership functions

**Value**

A membership function, which is the t-norm/t-conorm of membership functions

**Author(s)**

Chao Chen

**Examples**

```
mf1 <- genmf(gbellmf, c(1,2,3))
mf2 <- genmf(gbellmf, c(4,5,6))
mf3 <- fuzzy.t(max, mf1, mf2)
tmp1 <- evalmf(1:10, mf1)
tmp2 <- evalmf(1:10, mf2)
tmp3 <- evalmf(1:10, mf3)
identical(tmp3, pmax(tmp1, tmp2))
tmp3
```

---

fuzzy.tconorm

*Fuzzy t-conorm*

---

**Description**

To conduct t-conorm operation for given fuzzy member functions

**Usage**

```
fuzzy.tconorm(operator, ...)
```

**Arguments**

operator	The t-conorm operator such as max
...	fuzzy membership functions

**Value**

A membership function, which is the t-conorm of membership functions

**Author(s)**

Chao Chen

**Examples**

```
mf1 <- genmf(gbellmf, c(1,2,3))
mf2 <- genmf(gbellmf, c(4,5,6))
mf3 <- fuzzy.tconorm(max, mf1, mf2)
tmp1 <- evalmf(1:10, mf1)
tmp2 <- evalmf(1:10, mf2)
tmp3 <- evalmf(1:10, mf3)
identical(tmp3, pmax(tmp1, tmp2))
tmp3
```

---

fuzzy.tnorm	<i>Fuzzy tnorm</i>
-------------	--------------------

---

**Description**

To conduct t-norm operation for given fuzzy member functions

**Usage**

```
fuzzy.tnorm(operator, ...)
```

**Arguments**

operator	The t-norm operator such as min, prod
...	fuzzy membership functions

**Value**

A membership function, which is the t-norm of membership functions

**Author(s)**

Chao Chen

**Examples**

```
mf1 <- genmf(gbellmf, c(1,2,3))
mf2 <- genmf(gbellmf, c(4,5,6))
mf3 <- fuzzy.tnorm(prod, mf1, mf2)
tmp1 <- evalmf(1:10, mf1)
tmp2 <- evalmf(1:10, mf2)
tmp3 <- evalmf(1:10, mf3)
identical(tmp3, tmp1*tmp2)
tmp3
```

---

fuzzyr.accuracy	<i>Fuzzy Accuracy</i>
-----------------	-----------------------

---

**Description**

This function is to provide performance indicators by using eight different accuracy measures including a new measure UMBRAE.

**Usage**

```
fuzzyr.accuracy(f, y, f.ref = 0, scale.mase = NULL)
```

**Arguments**

<code>f</code>	A vector of forecasting values produced by a model to be evaluated.
<code>y</code>	A vector of observed values.
<code>f.ref</code>	A vector of forecasting values produced by a benchmark method to be compared.
<code>scale.mase</code>	A single value which is the scaling factor of the measure MASE.

**Value**

A vector of results by each measure.

**Author(s)**

Chao Chen

**References**

[1] C. Chen, J. Twycross, and J. M. Garibaldi, “A new accuracy measure based on bounded relative error for time series forecasting,” PLOS ONE, vol. 12, no. 3, pp. 1–23, 2017.  
doi: [10.1371/journal.pone.0174202](https://doi.org/10.1371/journal.pone.0174202)

**Examples**

```
f <- rnorm(10)
y <- rnorm(10)
fuzzyr.accuracy(f, y)
```

---

<code>fuzzyr.match.fun</code>	<code>fuzzyr.match.fun</code>
-------------------------------	-------------------------------

---

**Description**

This is a modification of the original `match.fun`, where `parent.frame(2)` is changed to `parent.env(environment())`.

**Usage**

```
fuzzyr.match.fun(FUN, descend = TRUE)
```

**Arguments**

<code>FUN</code>	item to match as function: a function, symbol or character string.
<code>descend</code>	logical; control whether to search past non-function objects.

**Details**

See [match.fun](#).

---

gbell.fuzzification    *Generalised bell fuzzification*

---

**Description**

To generate a fuzzy membership function based on generalised bell fuzzification for the given crisp input  $x$

**Usage**

```
gbell.fuzzification(x, mf.params)
```

**Arguments**

<code>x</code>	the crisp input, which will be the parameter $c$ for a generalised bell membership function
<code>mf.params</code>	the parameters $c(a, b)$ or $c(a, b, h)$ for a generalised bell membership function

**Value**

The gbell MF centred at the crisp point  $x$

**Author(s)**

Chao Chen

**Examples**

```
mf <- gbell.fuzzification(3, c(1,2))
# This is the same as:
mf <- genmf('gbellmf', c(1,2,3))

evalmf(1:10, mf)
```

---

gbellmf    *Generalised bell membership function*

---

**Description**

To specify a generalised bell membership function with a pair of particular parameters

**Usage**

```
gbellmf(mf.params)
```

**Arguments**

`mf.params`      The parameters  $c(a, b, c)$  for a generalised bell membership function

**Details**

This is not an external function. It should be used through [genmf](#).

**Value**

The generalised bell membership function of  $x$  for a given pair of parameters, where  $x$  is a generic element of  $U$ , which is the universe of discourse of a fuzzy set  $X$

**Author(s)**

Chao Chen

**Examples**

```
mf <- gbellmf(c(1,2,3))
# This is the same as:
mf <- genmf('gbellmf', c(1,2,3))

evalmf(5, mf)
```

---

genmf

*Fuzzy membership function generator*

---

**Description**

To generate the corresponding membership function  $f(x)$ , also called fuzzy set, according to type and parameters

**Usage**

```
genmf(mf.type, mf.params)
```

**Arguments**

`mf.type`      The membership function type

`mf.params`      The parameters for a membership function

## Details

Built-in membership function types are: 'gbellmf', 'it2gbellmf', 'singletonmf', 'linearmf', 'gaussmf', 'trapmf', 'trimf'.

mf.params for

- 'gbellmf' is  $c(a, b, c)$ , where  $a$  denotes the width,  $b$  is usually positive and  $c$  locates the center of the curve.
- 'it2gbellmf' is  $c(a.lower, a.upper, b, c)$ , where  $a.upper > a.lower$  when  $b > 0$  and  $a.upper < a.lower$  when  $b < 0$
- 'singletonmf' is  $c(c)$ , where  $c$  is the location where the membership grade is 1.
- 'linearmf' is  $c(\dots)$ , which are the coefficients of the linear membership function.
- 'gaussmf' is  $c(sig, c)$ , which are the parameters for  $\exp(-(x - c)^2/(2 * sig^2))$ .
- 'trapmf' is  $c(a, b, c, d)$ , where  $a$  and  $d$  locate the "feet" of the trapezoid and  $b$  and  $c$  locate the "shoulders".
- 'trimf' is  $c(a, b, c)$ , where  $a$  and  $c$  locate the "feet" of the triangle and  $b$  locates the peak.

Note that users are able to define their own membership functions.

## Value

The desired type of membership function  $f(x)$ , where  $x$  is a generic element of  $U$ , which is the universe of discourse for a fuzzy set

## Author(s)

Chao Chen

## Examples

```
mf <- genmf('gbellmf', c(1,2,3))
evalmf(1:10, mf)
```

---

gensurf	<i>Produce a graphical evaluated fuzzy inference system.</i>
---------	--

---

**Description**

Produces a three dimensional graphical view of a specific fis object. This function is only works for FIS structures with 3 variables. It will only work for 2 inputs, and 1 output.

**Usage**

```
gensurf(fis, ix1 = 1, ix2 = 2, ox1 = 1)
```

**Arguments**

fis	A fis must be provided.
ix1	Optional input (1)
ix2	Optional input (2)
ox1	Optional output

**Value**

A three dimensional graphical model generated from the fis and other optional parameters.

**Examples**

```
fis <- tipper()
gensurf(fis)
```

---

it2tipper	<i>Produces an example it2fis object for Waiter-Tipping.</i>
-----------	--

---

**Description**

A function used primarily for example purposes, it creates a it2 fis with two input (service & food), output variables (tip) and their membership functions.

**Usage**

```
it2tipper()
```

**Value**

A fis object

**Examples**

```
it2fis <- it2tipper()
```

---

 km.da

*km.da*


---

### Description

A Direct Approach for Determining the Switch Points in the Karnik-Mendel Algorithm.

### Usage

km.da(wl, wr, f, maximum = F, w.which = F, sorted = F, k.which = F)

### Arguments

wl	A vector of lower membership grades.
wr	A vector of upper membership grades.
f	A vector of the primary values in the discrete universe of discourse X.
maximum	T, to calculate the maximum centroid; F, to calculate the minimum centroid.
w.which	T, to show which membership grade to be used to calculate maximum/minimum centroid for each primary value.
sorted	T, to indicate that the primary values have already been put in ascending order.
k.which	T, to show the index of the switch point selected by the algorithm.

### Value

w.which=T, a two-column matrix indicating which membership grades to be used; w.which=F and k.which=T, a vector of the centroid and the switch point; w.which=F and k.which=F, a single value of the centroid.

### Author(s)

Chao Chen

### References

- [1] C. Chen, R. John, J. Twycross, and J. M. Garibaldi, "A Direct Approach for Determining the Switch Points in the Karnik–Mendel Algorithm," *IEEE Transactions on Fuzzy Systems*, vol. 26, no. 2, pp. 1079–1085, Apr. 2018.  
doi: [10.1109/TFUZZ.2017.2699168](https://doi.org/10.1109/TFUZZ.2017.2699168)
- [2] C. Chen, D. Wu, J. M. Garibaldi, R. John, J. Twycross, and J. M. Mendel, "A Comment on 'A Direct Approach for Determining the Switch Points in the Karnik-Mendel Algorithm,'" *IEEE Transactions on Fuzzy Systems*, vol. 26, no. 6, pp. 3905–3907, 2018.  
doi: [10.1109/TFUZZ.2018.2865134](https://doi.org/10.1109/TFUZZ.2018.2865134)

**Examples**

```

wr <- runif(100, 0, 1)
wl <- wr * runif(100, 0, 1)
f <- abs(runif(100, 0, 1))
f <- sort(f)
km.da(wl, wr, f)

```

---

linearmf	<i>Linear membership function</i>
----------	-----------------------------------

---

**Description**

To specify a 1st order linear membership function with given parameters

**Usage**

```
linearmf(mf.params)
```

**Arguments**

mf.params      The linear parameters, which is a vector of the size of input numbers plus 1

**Value**

A linear membership function

**Author(s)**

Chao Chen

---

newfis	<i>Create a fis using newfis function</i>
--------	---

---

**Description**

Creates a fis object.

**Usage**

```

newfis(
  fisName,
  fisType = "mamdani",
  mfType = "t1",
  andMethod = "min",
  orMethod = "max",
  impMethod = "min",
  aggMethod = "max",
  defuzzMethod = "centroid"
)

```

**Arguments**

fisName	String representing the fis name.
fisType	Type of the fis, default is 'mamdani'.
mfType	Type of membership functions, 't1' or 'it2'
andMethod	The AND method for the fis, default is 'min'.
orMethod	The OR method for the fis, default is 'max'.
impMethod	The implication method for the fis, default is 'min'.
aggMethod	The aggregation method for the fis, default is 'max'.
defuzzMethod	The defuzzification method for the fis, default is 'centroid'.

**Value**

A new fis structure.

**Examples**

```
fis <- newfis("fisName")
```

---

plotmf

*Plots a 2D graph of all membership functions in a variable.*

---

**Description**

Plots a 2D graph of all membership functions from the specified variable which must be part of a fis object.

**Usage**

```
plotmf(  
  fis,  
  varType,  
  varIndex,  
  xx = NULL,  
  timelimit = 0,  
  xlab = NULL,  
  ylab = NULL,  
  main = NULL  
)
```

**Arguments**

<code>fis</code>	Requires an existing <code>fis</code> as an argument.
<code>varType</code>	Can be either 'input' or 'output', representing the type of variable.
<code>varIndex</code>	A numerical integer, representing the index of the input or output variable whose membership functions shall be plotted (base 1).
<code>xx</code>	primary inputs for extra lines
<code>timelimit</code>	for perturbation
<code>xlab</code>	X axis label using font, size and color
<code>ylab</code>	Y axis label, same font attributes as <code>xlab</code>
<code>main</code>	The main title (on top)

**Value**

A two dimensional graph displaying all the membership functions of a given variable.

**Examples**

```

fis <- tipper()
plotmf(fis, "input", 1)

```

---

<code>readfis</code>	<i>Read a <code>fis</code> object from a <code>.fis</code> file.</i>
----------------------	--

---

**Description**

Reads a `fis` object from a file with the `.fis` extension, and converts it into a data structure to be used within the environment.

**Usage**

```
readfis(fileName)
```

**Arguments**

<code>fileName</code>	Should be an absolute path given as a string to the file to be read, with escaped backslashes.
-----------------------	--

**Value**

A `fis` structure with its values generated from that of the files.

---

showfis	<i>Show a fis object.</i>
---------	---------------------------

---

**Description**

Shows a fis and all its data in an ordered format on the console.

**Usage**

```
showfis(fis)
```

**Arguments**

fis                    Requires a fis structure to be displayed.

**Value**

Returned the organised text regarding the fis is output to console.

**Examples**

```
fis <- tipper()
showfis(fis)
```

---

showGUI	<i>Show a Graphic User Interface of fis object</i>
---------	--

---

**Description**

Show a Graphic User Interface to display membership function plots for input and output, rules and evaluate the fis.

**Usage**

```
showGUI(fis, advancedGUI = FALSE)
```

**Arguments**

fis                    Requires a fis structure to display a GUI.  
advancedGUI           TRUE/FALSE; if TRUE, an advanced GUI with more features is provided (provided by science@sboldt.com).

**Details**

This function is purposed to display all the membership plots and rules of fis object in Graphic User Interface (GUI). It also provide a function to evaluate the fis object.

showGUI(fis) will display the GUI of fis object.

**Value**

Return the GUI to display membership function for input and output together with rules.

**Author(s)**

Tajul Razak

**Examples**

```
fis <- tipper()
fis <- showGUI(fis)
```

---

showrule

*Showing rule from fis object*

---

**Description**

All the rule is showing from fis object

**Usage**

```
showrule(fis)
```

**Arguments**

fis                    A fis must be provided.

**Value**

Show the total of rules inside fis object

**Examples**

```
fis <- tipper()
ruleList <- rbind(c(1,1,1,1,2), c(2,0,2,1,1), c(3,2,3,1,2))
fis <- addrule(fis, ruleList)
showrule(fis)
```

---

singleton.fuzzification  
*Singleton Fuzzification*

---

**Description**

To generate a fuzzy membership function based on singleton fuzzification for the given crisp input  $x$

**Usage**

```
singleton.fuzzification(x, mf.params = NULL)
```

**Arguments**

<code>x</code>	the crisp input
<code>mf.params</code>	NULL or h

**Value**

The singleton MF at the crisp point  $x$

**Author(s)**

Chao Chen

**Examples**

```
mf <- singleton.fuzzification(3)
evalmf(1:10, mf)
```

---

singletonmf                    *Singleton membership function*

---

**Description**

To specify a singleton membership function at the particular point

**Usage**

```
singletonmf(mf.params)
```

**Arguments**

<code>mf.params</code>	the particular singleton point
------------------------	--------------------------------

**Details**

This is not an external function. It should be used through [genmf](#).

**Value**

The singleton membership function of  $x$  at the particular point, where  $x$  is a generic element of  $U$ , which is the universe of discourse of a fuzzy set  $X$

**Author(s)**

Chao Chen

**Examples**

```
mf <- singletonmf(3)
# This is the same as:
mf <- genmf('singletonmf', 3)

evalmf(1:10, mf)
```

---

tipper

*Produces an example fis object for Waiter-Tipping.*

---

**Description**

A function used primarily for example purposes, it creates a fis with two input (service & food), output variables (tip) and their membership functions.

**Usage**

```
tipper()
```

**Value**

A fis is return

**Examples**

```
fis <- tipper()
```

---

`tipper.ns`*Produces an example non-singleton fis object for Waiter-Tipping.*

---

**Description**

A function used primarily for example purposes, it creates a nsfis with two input (service & food), output variables (tip) and their membership functions.

**Usage**

```
tipper.ns()
```

**Value**

A non-singleton fis object

**Author(s)**

Yu Zhao

**Examples**

```
fis <- tipper.ns()
```

---

`tipper.tsk`*Produces an example fis object (TSK type), which can also be optimised by ANFIS.*

---

**Description**

A function used primarily for example purposes, it creates a fis with two input (service & food), output variables (tip) and their membership functions.

**Usage**

```
tipper.tsk()
```

**Value**

A fis is return

**Examples**

```
fis <- tipper.tsk()
```

---

`tipperGUI`*Graphic User Interface for Waiter-Tipping*

---

**Description**

Graphic User Interface for Waiter-Tipping to display the membership function (input & output) and rules.

**Usage**

```
tipperGUI()
```

**Value**

Return graphic user interface for Waiter-Tipping

**Author(s)**

Tajul Razak

**Examples**

```
fis <- tipperGUI()
```

---

`tipperGUI2`*Graphic User Interface for Waiter-Tipping (another style)*

---

**Description**

Another style of Graphic User Interface for Waiter-Tipping to display the membership function (input & output) and rules.

**Usage**

```
tipperGUI2()
```

**Value**

Return graphic user interface for Waiter-Tipping

**Author(s)**

Tajul Razak

**Examples**

```
fis <- tipperGUI2()
```

---

writefis	<i>Write a fis object to a .fis file.</i>
----------	---

---

**Description**

Write a fis object to a file with the .fis extension.

**Usage**

```
writefis(fis, fileName = "fuzzy.fis")
```

**Arguments**

fis	The fuzzy inference system data structure to be saved.
fileName	filename

---

x.fuzzification	<i>Fuzzification</i>
-----------------	----------------------

---

**Description**

To convert the crisp input x to a fuzzy membership function with specified fuzzification method

**Usage**

```
x.fuzzification(fuzzification.method, x, mf.params)
```

**Arguments**

fuzzification.method	The fuzzification method
x	The required parameters for a fuzzification method
mf.params	The parameters for a membership function

**Value**

The corresponding fuzzy membership function

**Author(s)**

Chao Chen

**Examples**

```
x <- 3
mf <- x.fuzzification(gbell.fuzzification, x, c(1,2))
# This is the same as:
mf <- genmf(gbellmf, c(1,2,x))

evalmf(1:10, mf)
```

# Index

addmf, 3  
addrule, 4  
addvar, 5, 27, 29  
anfis.builder, 6  
anfis.dE.d01, 7  
anfis.dE.d02, 8  
anfis.dE.d03, 8  
anfis.dE.d04, 9  
anfis.dE.d05, 10  
anfis.dE.dP1, 10  
anfis.dE.dP1.gbellmf, 11  
anfis.dE.dP1.it2gbellmf, 12  
anfis.dE.dP4, 12  
anfis.dMF.dP.gbellmf, 13  
anfis.d02.d01, 14  
anfis.d03.d02, 14  
anfis.d04.d03, 15  
anfis.d05.d04, 16  
anfis.eval, 16, 17–22  
anfis.L1.eval, 17  
anfis.L2.eval, 18  
anfis.L2.which, 18  
anfis.L3.eval, 19  
anfis.L4.eval, 20  
anfis.L4.mf.eval, 20  
anfis.L5.eval, 21  
anfis.LI.eval, 22  
anfis.optimise, 22  
anfis.plotmf, 24  
anfis.tipper, 25  
  
cmp.firing, 26  
convertfis, 27  
  
defuzz, 28  
  
evalfis, 28  
evalmf, 29  
evalmfstype, 30  
fis.builder, 31  
  
fuzzy.firing, 32  
fuzzy.optimise, 32  
fuzzy.t, 33  
fuzzy.tconorm, 34  
fuzzy.tnorm, 35  
fuzzyr.accuracy, 35  
fuzzyr.match.fun, 36  
  
gbell.fuzzification, 5, 37  
gbellmf, 37  
genmf, 29, 38, 38, 48  
gensurf, 40  
  
it2tipper, 40  
  
km.da, 41  
  
linearmf, 42  
  
match.fun, 36  
  
newfis, 6, 42  
  
plotmf, 43  
  
readfis, 44  
  
showfis, 45  
showGUI, 45  
showrule, 46  
singleton.fuzzification, 47  
singletonmf, 47  
  
tipper, 48  
tipper.ns, 49  
tipper.tsk, 49  
tipperGUI, 50  
tipperGUI2, 50  
  
writefis, 51  
x.fuzzification, 51