

Package ‘GroupComparisons’

May 7, 2026

Type Package

Title Paired/Unpaired Parametric/Non-Parametric Group Comparisons

Version 0.1.0

Author Aaron England <aaron.england24@gmail.com>

Maintainer Aaron England <aaron.england24@gmail.com>

Description Receives two vectors, computes appropriate function for group comparison (i.e., t-test, Mann-Whitney; equality of variances), and reports the findings (mean/median, standard deviation, test statistic, p-value, effect size) in APA format (Fay, M.P., & Proschan, M.A. (2010)<[DOI:10.1214/09-SS051](https://doi.org/10.1214/09-SS051)>).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.1.0

Depends car

NeedsCompilation no

Repository CRAN

Date/Publication 2018-10-24 23:00:06 UTC

Contents

Group_Comparison_Paired	2
Group_Comparison_Unpaired	2
Index	4

 Group_Comparison_Paired

Paired Parametric/Non-Parametric Group Comparisons

Description

Receives two vectors, computes appropriate function for paired group comparison (t-test, Mann-Whitney), and reports the findings (mean/median, standard deviation, test statistic, p-value, effect size) in APA format (Field, A. (2013). *Discovering statistics using IBM SPSS statistics*. New York, NY: SAGE.).

Usage

```
Group_Comparison_Paired(vec1, vec2)
```

Arguments

vec1	A vector of numbers
vec2	A vector of numbers

Value

This function returns a sentence summarizing the findings and reporting them in APA format (effect size included)

Examples

```
dt <- mtcars
vector1 <- dt$mpg
vector2 <- dt$hp
Group_Test <- Group_Comparison_Paired(vector1, vector2)
Group_Test
```

 Group_Comparison_Unpaired

Unpaired Parametric/Non-Parametric Group Comparisons

Description

Receives two vectors, computes best function for unpaired group comparison (t-test, Mann-Whitney), and reports the findings (mean/median, standard deviation, test statistic, p-value, effect size) in APA format (Field, A. (2013). *Discovering statistics using IBM SPSS statistics*. New York, NY: SAGE.).

Usage

```
Group_Comparison_Unpaired(vec1, vec2)
```

Arguments

vec1	A vector of numbers
vec2	A vector of numbers

Value

This function returns a sentence summarizing the findings and reporting them in APA format (effect size included)

Examples

```
dt <- mtcars
vector1 <- dt$mpg
vector2 <- dt$hp
Group_Test <- Group_Comparison_Unpaired(vector1, vector2)
Group_Test
```

Index

Group_Comparison_Paired, [2](#)
Group_Comparison_Unpaired, [2](#)