

# Package ‘JuliaFormulae’

May 7, 2026

**Title** Translate R Regression Model Formulae to 'Julia' Syntax

**Version** 0.1.0

**Description** Metaprogramming utilities for converting R regression model formulae to equivalents in 'Julia' <[doi:10.1137/141000671](https://doi.org/10.1137/141000671)>, via modifications to the abstract syntax tree. Supports translations in zero correlation random effects syntax, protection of expressions to be evaluated as-is, interaction terms, and more. Accepts strings or R formula objects and returns modified R formula objects where possible (or a modified string, if not a valid formula in R).

**License** MIT + file LICENSE

**Depends** R (>= 4.1.0)

**Imports** rapply, stats, utils

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**NeedsCompilation** no

**Author** June Choe [aut, cre] (ORCID: <<https://orcid.org/0000-0002-0701-921X>>)

**Maintainer** June Choe <jchoe001@gmail.com>

**Repository** CRAN

**Date/Publication** 2024-06-24 12:10:09 UTC

## Contents

has_bars . . . . .	2
julia_formula . . . . .	2
<b>Index</b>	<b>4</b>

---

has_bars	<i>Utilities for formula random effects structure</i>
----------	---

---

**Description**

Utilities for formula random effects structure

**Usage**

```
has_bars(x, type = c("both", "single", "double"))
```

```
find_bars(x)
```

```
no_bars(x)
```

**Arguments**

x                    A formula object

type                One of "both", "single", or "double". Defaults to "both".

**Value**

A modified formula object

**Examples**

```
has_bars(y ~ x)
has_bars(y ~ x + (x | g))
has_bars(y ~ x + (x | g), type = "double")
```

```
find_bars(y ~ x)
find_bars(y ~ x + (x | g))
```

```
no_bars(y ~ x)
no_bars(y ~ x + (x | g))
```

---

julia_formula	<i>Convert R formula to Julia syntax</i>
---------------	--

---

**Description**

Convert R formula to Julia syntax

**Usage**

```
julia_formula(x)
```

**Arguments**

x                    A formula object

**Value**

A Julia-compatible formula object

**Examples**

```
julia_formula(y ~ a)
```

```
julia_formula(y ~ a + I(a ^ 2) + (a || b))
```

# Index

`find_bars (has_bars), 2`

`has_bars, 2`

`julia_formula, 2`

`no_bars (has_bars), 2`