

Package ‘MLmetrics’

May 7, 2026

Type Package

Title Machine Learning Evaluation Metrics

Version 1.1.3

Description A collection of evaluation metrics, including loss, score and utility functions, that measure regression, classification and ranking performance.

URL <https://github.com/yanyachen/MLmetrics>

BugReports <https://github.com/yanyachen/MLmetrics/issues>

Depends R (>= 2.10)

Imports stats, utils, ROCR

Suggests e1071

License GPL-2

RoxygenNote 5.0.1

NeedsCompilation no

Author Yachen Yan [aut, cre]

Maintainer Yachen Yan <yanyachen21@gmail.com>

Repository CRAN

Date/Publication 2024-04-13 23:50:05 UTC

Contents

| | |
|----------------------------|---|
| Accuracy | 2 |
| Area_Under_Curve | 3 |
| AUC | 4 |
| ConfusionMatrix | 4 |
| F1_Score | 5 |
| FBeta_Score | 6 |
| GainAUC | 6 |
| Gini | 7 |
| KS_Stat | 8 |
| LiftAUC | 8 |

| | |
|---------------------------|----|
| LogLoss | 9 |
| MAE | 9 |
| MAPE | 10 |
| MedianAE | 11 |
| MedianAPE | 11 |
| MLmetrics | 12 |
| MSE | 12 |
| MultiLogLoss | 13 |
| NormalizedGini | 13 |
| Poisson_LogLoss | 14 |
| PRAUC | 14 |
| Precision | 15 |
| R2_Score | 16 |
| RAE | 16 |
| Recall | 17 |
| RMSE | 18 |
| RMSLE | 18 |
| RMSPE | 19 |
| RRSE | 19 |
| Sensitivity | 20 |
| Specificity | 21 |
| ZeroOneLoss | 21 |

| | |
|--------------|-----------|
| Index | 23 |
|--------------|-----------|

Accuracy

Accuracy

Description

Compute the accuracy classification score.

Usage

Accuracy(y_pred, y_true)

Arguments

| | |
|--------|--|
| y_pred | Predicted labels vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Accuracy

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
Accuracy(y_pred = pred, y_true = mtcars$vs)
```

Area_Under_Curve

Calculate the Area Under the Curve

Description

Calculate the area under the curve.

Usage

```
Area_Under_Curve(x, y, method = c("trapezoid", "step", "spline"),
                 na.rm = FALSE)
```

Arguments

| | |
|--------|---|
| x | the x-points of the curve |
| y | the y-points of the curve |
| method | can be "trapezoid" (default), "step" or "spline" |
| na.rm | a logical value indicating whether NA values should be stripped before the computation proceeds |

Value

Area Under the Curve (AUC)

Examples

```
x <- seq(0, pi, length.out = 200)
plot(x = x, y = sin(x), type = "l")
Area_Under_Curve(x = x, y = sin(x), method = "trapezoid", na.rm = TRUE)
```

AUC *Area Under the Receiver Operating Characteristic Curve (ROC AUC)*

Description

Compute the Area Under the Receiver Operating Characteristic Curve (ROC AUC) from prediction scores.

Usage

```
AUC(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Area Under the ROC Curve (ROC AUC)

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
AUC(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

ConfusionMatrix *Confusion Matrix*

Description

Compute confusion matrix to evaluate the accuracy of a classification.

Usage

```
ConfusionMatrix(y_pred, y_true)
```

Arguments

| | |
|--------|--|
| y_pred | Predicted labels vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

a table of Confusion Matrix

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
ConfusionMatrix(y_pred = pred, y_true = mtcars$vs)
```

F1_Score

F1 Score

Description

Compute the F1 Score.

Usage

```
F1_Score(y_true, y_pred, positive = NULL)
```

Arguments

| | |
|----------|---|
| y_true | Ground truth (correct) 0-1 labels vector |
| y_pred | Predicted labels vector, as returned by a classifier |
| positive | An optional character string for the factor level that corresponds to a "positive" result |

Value

F1 Score

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
F1_Score(y_pred = pred, y_true = mtcars$vs, positive = "0")
F1_Score(y_pred = pred, y_true = mtcars$vs, positive = "1")
```

 FBeta_Score

F-Beta Score

Description

Compute the F-Beta Score

Usage

```
FBeta_Score(y_true, y_pred, positive = NULL, beta = 1)
```

Arguments

| | |
|----------|---|
| y_true | Ground truth (correct) 0-1 labels vector |
| y_pred | Predicted labels vector, as returned by a classifier |
| positive | An optional character string for the factor level that corresponds to a "positive" result |
| beta | Weight of precision in harmonic mean |

Value

F-Beta Score

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
FBeta_Score(y_pred = pred, y_true = mtcars$vs, positive = "0", beta = 2)
FBeta_Score(y_pred = pred, y_true = mtcars$vs, positive = "1", beta = 2)
```

 GainAUC

Area Under the Gain Chart

Description

Compute the Area Under the Gain Chart from prediction scores.

Usage

```
GainAUC(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Area Under the Gain Chart

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
GainAUC(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

Gini

Gini Coefficient

Description

Compute the Gini Coefficient.

Usage

```
Gini(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Gini Coefficient

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
Gini(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

| | |
|---------|-------------------------------------|
| KS_Stat | <i>Kolmogorov-Smirnov Statistic</i> |
|---------|-------------------------------------|

Description

Compute the Kolmogorov-Smirnov statistic.

Usage

```
KS_Stat(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Kolmogorov-Smirnov statistic

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
KS_Stat(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

| | |
|---------|----------------------------------|
| LiftAUC | <i>Area Under the Lift Chart</i> |
|---------|----------------------------------|

Description

Compute the Area Under the Lift Chart from prediction scores.

Usage

```
LiftAUC(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Area Under the Lift Chart

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
LiftAUC(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

| | |
|---------|--------------------------------------|
| LogLoss | <i>Log loss / Cross-Entropy Loss</i> |
|---------|--------------------------------------|

Description

Compute the log loss/cross-entropy loss.

Usage

```
LogLoss(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities vector, as returned by a classifier |
| y_true | Ground truth (correct) 0-1 labels vector |

Value

Log loss/Cross-Entropy Loss

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
LogLoss(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

| | |
|-----|---------------------------------|
| MAE | <i>Mean Absolute Error Loss</i> |
|-----|---------------------------------|

Description

Compute the mean absolute error regression loss.

Usage

```
MAE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Mean Absolute Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
MAE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

| | |
|------|--|
| MAPE | <i>Mean Absolute Percentage Error Loss</i> |
|------|--|

Description

Compute the mean absolute percentage error regression loss.

Usage

```
MAPE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Mean Absolute Percentage Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
MAPE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

| | |
|----------|-----------------------------------|
| MedianAE | <i>Median Absolute Error Loss</i> |
|----------|-----------------------------------|

Description

Compute the median absolute error regression loss.

Usage

```
MedianAE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Median Absolute Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
MedianAE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

| | |
|-----------|--|
| MedianAPE | <i>Median Absolute Percentage Error Loss</i> |
|-----------|--|

Description

Compute the Median absolute percentage error regression loss.

Usage

```
MedianAPE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Median Absolute Percentage Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
MedianAPE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

MLmetrics*MLmetrics: Machine Learning Evaluation Metrics*

Description

A collection of evaluation metrics, including loss, score and utility functions, that measure regression and classification performance.

MSE*Mean Square Error Loss*

Description

Compute the mean squared error regression loss.

Usage

```
MSE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Mean Square Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
MSE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

| | |
|--------------|-----------------------------|
| MultiLogLoss | <i>Multi Class Log Loss</i> |
|--------------|-----------------------------|

Description

Compute the multi class log loss.

Usage

```
MultiLogLoss(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted probabilities matrix, as returned by a classifier |
| y_true | Ground truth (correct) labels vector or a matrix of correct labels indicating by 0-1, same format as probabilities matrix |

Value

Multi Class Log Loss

Examples

```
data(iris)
svm.model <- e1071::svm(Species~., data = iris, probability = TRUE)
pred <- predict(svm.model, iris, probability = TRUE)
MultiLogLoss(y_true = iris$Species, y_pred = attr(pred, "probabilities"))
```

| | |
|----------------|------------------------------------|
| NormalizedGini | <i>Normalized Gini Coefficient</i> |
|----------------|------------------------------------|

Description

Compute the Normalized Gini Coefficient.

Usage

```
NormalizedGini(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted labels vector, as returned by a model |
| y_true | Ground truth (correct) labels vector |

Value

Normalized Gini Coefficient

Examples

```
d_AD <- data.frame(treatment = gl(3,3), outcome = gl(3,1,9),
                  counts = c(18,17,15,20,10,20,25,13,12))
glm_poisson <- glm(counts ~ outcome + treatment,
                  family = poisson(link = "log"), data = d_AD)
NormalizedGini(y_pred = glm_poisson$fitted.values, y_true = d_AD$counts)
```

| | |
|-----------------|-------------------------|
| Poisson_LogLoss | <i>Poisson Log loss</i> |
|-----------------|-------------------------|

Description

Compute the log loss/cross-entropy loss.

Usage

```
Poisson_LogLoss(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Predicted labels vector, as returned by a model |
| y_true | Ground truth (correct) labels vector |

Value

Log loss/Cross-Entropy Loss

Examples

```
d_AD <- data.frame(treatment = gl(3,3), outcome = gl(3,1,9),
                  counts = c(18,17,15,20,10,20,25,13,12))
glm_poisson <- glm(counts ~ outcome + treatment,
                  family = poisson(link = "log"), data = d_AD)
Poisson_LogLoss(y_pred = glm_poisson$fitted.values, y_true = d_AD$counts)
```

| | |
|-------|---|
| PRAUC | <i>Area Under the Precision-Recall Curve (PR AUC)</i> |
|-------|---|

Description

Compute the Area Under the Precision-Recall Curve (PR AUC) from prediction scores.

Usage

```
PRAUC(y_pred, y_true)
```

Arguments

`y_pred` Predicted probabilities vector, as returned by a classifier
`y_true` Ground truth (correct) 0-1 labels vector

Value

Area Under the PR Curve (PR AUC)

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
PRAUC(y_pred = logreg$fitted.values, y_true = mtcars$vs)
```

Precision

Precision

Description

Compute the precision score.

Usage

```
Precision(y_true, y_pred, positive = NULL)
```

Arguments

`y_true` Ground truth (correct) 0-1 labels vector
`y_pred` Predicted labels vector, as returned by a classifier
`positive` An optional character string for the factor level that corresponds to a "positive" result

Value

Precision

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
Precision(y_pred = pred, y_true = mtcars$vs, positive = "0")
Precision(y_pred = pred, y_true = mtcars$vs, positive = "1")
```

| | |
|----------|--|
| R2_Score | <i>R-Squared (Coefficient of Determination) Regression Score</i> |
|----------|--|

Description

Compute the R-Squared (Coefficient of Determination) Regression Score.

Usage

```
R2_Score(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

R² Score

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
R2_Score(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

| | |
|-----|-------------------------------------|
| RAE | <i>Relative Absolute Error Loss</i> |
|-----|-------------------------------------|

Description

Compute the relative absolute error regression loss.

Usage

```
RAE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Relative Absolute Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
RAE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

Recall

Recall

Description

Compute the recall score.

Usage

```
Recall(y_true, y_pred, positive = NULL)
```

Arguments

| | |
|-----------------------|---|
| <code>y_true</code> | Ground truth (correct) 0-1 labels vector |
| <code>y_pred</code> | Predicted labels vector, as returned by a classifier |
| <code>positive</code> | An optional character string for the factor level that corresponds to a "positive" result |

Value

Recall

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
Recall(y_pred = pred, y_true = mtcars$vs, positive = "0")
Recall(y_pred = pred, y_true = mtcars$vs, positive = "1")
```

RMSE

Root Mean Square Error Loss

Description

Compute the root mean squared error regression loss.

Usage

```
RMSE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Root Mean Square Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
RMSE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

RMSLE

Root Mean Squared Logarithmic Error Loss

Description

Compute the root mean squared logarithmic error regression loss.

Usage

```
RMSLE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Root Mean Squared Logarithmic Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
RMSLE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

RMSPE*Root Mean Square Percentage Error Loss*

Description

Compute the root mean squared percentage error regression loss.

Usage

```
RMSPE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Root Mean Squared Percentage Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
RMSPE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

RRSE*Root Relative Squared Error Loss*

Description

Compute the root relative squared error regression loss.

Usage

```
RRSE(y_pred, y_true)
```

Arguments

| | |
|--------|---|
| y_pred | Estimated target values vector |
| y_true | Ground truth (correct) target values vector |

Value

Root Relative Squared Error Loss

Examples

```
data(cars)
reg <- lm(log(dist) ~ log(speed), data = cars)
RRSE(y_pred = exp(reg$fitted.values), y_true = cars$dist)
```

Sensitivity

Sensitivity

Description

Compute the sensitivity score.

Usage

```
Sensitivity(y_true, y_pred, positive = NULL)
```

Arguments

| | |
|-----------------------|---|
| <code>y_true</code> | Ground truth (correct) 0-1 labels vector |
| <code>y_pred</code> | Predicted labels vector, as returned by a classifier |
| <code>positive</code> | An optional character string for the factor level that corresponds to a "positive" result |

Value

Sensitivity

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
Sensitivity(y_pred = pred, y_true = mtcars$vs, positive = "0")
Sensitivity(y_pred = pred, y_true = mtcars$vs, positive = "1")
```

| | |
|-------------|--------------------|
| Specificity | <i>Specificity</i> |
|-------------|--------------------|

Description

Compute the specificity score.

Usage

```
Specificity(y_true, y_pred, positive = NULL)
```

Arguments

| | |
|-----------------------|---|
| <code>y_true</code> | Ground truth (correct) 0-1 labels vector |
| <code>y_pred</code> | Predicted labels vector, as returned by a classifier |
| <code>positive</code> | An optional character string for the factor level that corresponds to a "positive" result |

Value

Specificity

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
Specificity(y_pred = pred, y_true = mtcars$vs, positive = "0")
Specificity(y_pred = pred, y_true = mtcars$vs, positive = "1")
```

| | |
|-------------|---|
| ZeroOneLoss | <i>Normalized Zero-One Loss (Classification Error Loss)</i> |
|-------------|---|

Description

Compute the normalized zero-one classification loss.

Usage

```
ZeroOneLoss(y_pred, y_true)
```

Arguments

| | |
|---------------------|--|
| <code>y_pred</code> | Predicted labels vector, as returned by a classifier |
| <code>y_true</code> | Ground truth (correct) 0-1 labels vector |

Value

Zero-One Loss

Examples

```
data(cars)
logreg <- glm(formula = vs ~ hp + wt,
              family = binomial(link = "logit"), data = mtcars)
pred <- ifelse(logreg$fitted.values < 0.5, 0, 1)
ZeroOneLoss(y_pred = pred, y_true = mtcars$vs)
```

Index

Accuracy, [2](#)
Area_Under_Curve, [3](#)
AUC, [4](#)

ConfusionMatrix, [4](#)

F1_Score, [5](#)
FBeta_Score, [6](#)

GainAUC, [6](#)
Gini, [7](#)

KS_Stat, [8](#)

LiftAUC, [8](#)
LogLoss, [9](#)

MAE, [9](#)
MAPE, [10](#)
MedianAE, [11](#)
MedianAPE, [11](#)
MLmetrics, [12](#)
MLmetrics-package (MLmetrics), [12](#)
MSE, [12](#)
MultiLogLoss, [13](#)

NormalizedGini, [13](#)

Poisson_LogLoss, [14](#)
PRAUC, [14](#)
Precision, [15](#)

R2_Score, [16](#)
RAE, [16](#)
Recall, [17](#)
RMSE, [18](#)
RMSLE, [18](#)
RMSPE, [19](#)
RRSE, [19](#)

Sensitivity, [20](#)
Specificity, [21](#)

ZeroOneLoss, [21](#)