

Package ‘Newdistns’

May 7, 2026

Type Package

Title Computes Pdf, Cdf, Quantile and Random Numbers, Measures of Inference for 19 General Families of Distributions

Version 2.1

Date 2016-03-24

Author Saralees Nadarajah, Ricardo Rocha

Maintainer Saralees Nadarajah <Saralees.Nadarajah@manchester.ac.uk>

Depends AdequacyModel

Description Computes the probability density function, cumulative distribution function, quantile function, random numbers and measures of inference for the following general families of distributions (each family defined in terms of an arbitrary cdf G): Marshall Olkin G distributions, exponentiated G distributions, beta G distributions, gamma G distributions, Kumaraswamy G distributions, generalized beta G distributions, beta extended G distributions, gamma G distributions, gamma uniform G distributions, beta exponential G distributions, Weibull G distributions, log gamma G I distributions, log gamma G II distributions, exponentiated generalized G distributions, exponentiated Kumaraswamy G distributions, geometric exponential Poisson G distributions, truncated-exponential skew-symmetric G distributions, modified beta G distributions, and exponentiated exponential Poisson G distributions.

License GPL (≥ 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2016-03-25 00:10:07

Contents

Newdistns-package	2
beg	4
betaexpg	6
betag	8
eepg	9
eg	11
expg	13

expkumg	15
gammag	17
gammag1	18
gammag2	20
gbg	22
gepg	24
kumg	26
loggammag1	27
loggammag2	29
mbetag	31
mog	33
tessg	35
weibullg	36

Index	39
--------------	-----------

Newdistns-package	<i>Computes Pdf, Cdf, Quantile, Random Numbers and Measures of Inference for 19 General Families of Distributions</i>
-------------------	---

Description

Computes the probability density function, cumulative distribution function, quantile function, random numbers and measures of inference for the following general families of distributions (each family defined in terms of an arbitrary cdf G): Marshall Olkin G distributions due to Marshall and Olkin (1997), exponentiated G distributions due to Gupta et al. (1998), beta G distributions due to Eugene et al. (2002), gamma G distributions due to Zografos and Balakrishnan (2009), Kumaraswamy G distributions due to Cordeiro and Castro (2011), generalized beta G distributions due to Alexander et al. (2012), beta extended G distributions due to Cordeiro et al. (2012), gamma G distributions due to Ristic and Balakrishnan (2012), gamma uniform G distributions due to Torabi and Montazeri (2012), beta exponential G distributions due to Alzaatreh et al. (2013), Weibull G distributions also due to Alzaatreh et al. (2013), log gamma G I distributions due to Amini et al. (2013), log gamma G II distributions also due to Amini et al. (2013), exponentiated generalized G distributions due to Cordeiro et al. (2013), exponentiated Kumaraswamy G distributions due to Lemonte et al. (2013), geometric exponential Poisson G distributions due to Nadarajah et al. (2013a), truncated-exponential skew-symmetric G distributions due to Nadarajah et al. (2013b), modified beta G distributions due to Nadarajah et al. (2013c), and exponentiated exponential Poisson G distributions due to Ristic and Nadarajah (2013).

Details

Package: Newdistns
 Type: Package
 Version: 2.1
 Date: 2016-03-24
 License: GPL(>=2)

probability density function, cumulative distribution function, quantile function, random numbers and measures of inference

Author(s)

Saralees Nadarajah, Ricardo Rocha

Maintainer: Saralees Nadarajah <Saralees.Nadarajah@manchester.ac.uk>

References

- C. Alexander, G. M. Cordeiro, E. M. M. Ortega, Generalized beta-generated distributions, *Computational Statistics and Data Analysis* 56 (2012) 1880-1897
- A. Alzaatreh, C. Lee, F. Famoye, A new method for generating families of continuous distributions, *METRON* 71 (2013) 63-79
- M. Amini, S. M. T. K. MirMostafaei, J. Ahmadi, Log-gamma-generated families of distributions, *Statistics*, 2013, doi: 10.1080/02331888.2012.748775
- G. M. Cordeiro, M. Castro, A new family of generalized distributions, *Journal of Statistical Computation and Simulation* 81 (2011) 883-898
- G. M. Cordeiro, E. M. M. Ortega, D. C. C. da Cunha, The exponentiated generalized class of distributions, *Journal of Data Science* 11 (2013) 1-27
- G. M. Cordeiro, E. M. M. Ortega, G. Silva, The beta extended Weibull family, *Journal of Probability and Statistical Science* 10 (2012) 15-40
- N. Eugene, C. Lee, F. Famoye, Beta-normal distribution and its applications, *Communications in Statistics—Theory and Methods*, 31 (2002) 497-512
- R. C. Gupta, P. L. Gupta, R. D. Gupta, Modeling failure time data by Lehman alternatives, *Communications in Statistics—Theory and Methods* 27 (1998) 887-904
- A. J. Lemonte, W. Barreto-Souza, G. M. Cordeiro, The exponentiated Kumaraswamy distribution and its log-transform, *Brazilian Journal of Probability and Statistics* 27 (2013) 31-53
- A. W. Marshall, I. Olkin, A new method for adding a parameter to a family of distributions with application to the exponential and Weibull families, *Biometrika* 84 (1997) 641-652
- S. Nadarajah and R. Rocha, Newdistns: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- S. Nadarajah, V. G. Cancho, E. M. M. Ortega, The geometric exponential Poisson distribution, *Stat Methods Appl* 22 (2013a) 355-380
- S. Nadarajah, V. Nassiri, A. Mohammadpour, Truncated-exponential skew-symmetric distributions, *Statistics*, 2013b, to appear
- S. Nadarajah, M. Teimouri, S. H. Shih, Modified beta distributions, *Sankhya*, 2013c, to appear
- M. M. Ristic, S. Nadarajah, A new lifetime distribution, *Journal of Statistical Computation and Simulation*, doi: 10.1080/00949655.2012.697163
- H. Torabi, N. H. Montazeri, The gamma uniform distribution and its applications, *Kybernetika* 48 (2012) 16-30
- K. Zografos, N. Balakrishnan, On families of beta- and generalized gamma-generated distributions and associated inference, *Statistical Methodology* 6 (2009) 344-362

beg

*Beta Extended G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the beta extended distribution due to Cordeiro et al. (2012) specified by the pdf

$$f(x) = \frac{\alpha g(x)}{B(a, b)} \{1 - \exp[-\alpha G(x)]\}^{a-1} \exp[-\alpha b G(x)]$$

for G any valid cdf, g the corresponding pdf, $\alpha > 0$, the scale parameter, $a > 0$, the first shape parameter, and $b > 0$, the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dbeg(x, spec, alpha = 1, a = 1, b = 1, log = FALSE, ...)
pbeg(x, spec, alpha = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qbeg(p, spec, alpha = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rbeg(n, spec, alpha = 1, a = 1, b = 1, ...)
mbeg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed, must be between 0 and 1 - exp(-alpha)
n	number of random numbers to be generated
alpha	the value of the scale parameter, must be positive, the default is 1
a	the value of the first shape parameter, must be positive, the default is 1
b	the value of the second shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters

<code>g</code>	same as <code>spec</code> but must be one of <code>chisquare</code> ("chisq"), <code>exponential</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (<code>r</code>) or two parameters (<code>r</code> , <code>s</code>), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (<code>alpha</code> , <code>a</code> , <code>b</code> , <code>r</code>) if <code>g</code> has one parameter or initial values of (<code>alpha</code> , <code>a</code> , <code>b</code> , <code>r</code> , <code>s</code>) if <code>g</code> has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Mises statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Note

NaNs can be produced if $p \notin [0, 1 - \exp(-\alpha)]$.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, *Newdistsn: An R Package for New Families of Distributions*, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- G. M. Cordeiro, E. M. M. Ortega, G. Silva, *The beta extended Weibull family*, *Journal of Probability and Statistical Science* 10 (2012) 15-40

Examples

```
x=runif(10,min=0,max=1)
dbeg(x,"exp",alpha=1,a=1,b=1)
pbeg(x,"exp",alpha=1,a=1,b=1)
qbeg(x,"exp",alpha=1,a=1,b=1)
rbeg(10,"exp",alpha=1,a=1,b=1)
mbeg("exp",rexp(100),starts=c(1,1,1,1),method="BFGS")
```

Description

Computes the pdf, cdf, quantile and random numbers of the beta exponential G distribution due to Alzaatreh et al. (2013) specified by the pdf

$$f(x) = \frac{\lambda}{B(a, b)} g(x) [1 - G(x)]^{\lambda b - 1} \left\{ 1 - [1 - G(x)]^\lambda \right\}^{a - 1}$$

for G any valid cdf, g the corresponding pdf, $\lambda > 0$, the first shape parameter, $a > 0$, the second shape parameter, and $b > 0$, the third shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dbetaexp(x, spec, lambda = 1, a = 1, b = 1, log = FALSE, ...)
pbetaexp(x, spec, lambda = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qbetaexp(p, spec, lambda = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rbetaexp(n, spec, lambda = 1, a = 1, b = 1, ...)
mbetaexp(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>lambda</code>	the value of the first parameter, must be positive, the default is 1
<code>a</code>	the value of the second shape parameter, must be positive, the default is 1
<code>b</code>	the value of the third shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters

<code>g</code>	same as <code>spec</code> but must be one of <code>chisq</code> ("chisq"), <code>exp</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (<code>r</code>) or two parameters (<code>r</code> , <code>s</code>), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (<code>lambda</code> , <code>a</code> , <code>b</code> , <code>r</code>) if <code>g</code> has one parameter or initial values of (<code>lambda</code> , <code>a</code> , <code>b</code> , <code>r</code> , <code>s</code>) if <code>g</code> has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Mises statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- A. Alzaatreh, C. Lee, F. Famoye, A new method for generating families of continuous distributions, *METRON* 71 (2013) 63-79

Examples

```
x=runif(10,min=0,max=1)
dbetaexpg(x,"exp",lambda=1,a=1,b=1)
pbetaexpg(x,"exp",lambda=1,a=1,b=1)
qbetaexpg(x,"exp",lambda=1,a=1,b=1)
rbetaexpg(10,"exp",lambda=1,a=1,b=1)
mbetaexpg("exp",rexp(100),starts=c(1,1,1,1),method="BFGS")
```

betag

*Beta G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the beta G distribution due to Eugene et al. (2002) specified by the pdf

$$f(x) = \frac{1}{B(a, b)} g(x) [G(x)]^{a-1} [1 - G(x)]^{b-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, and $b > 0$, the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dbetag(x, spec, a = 1, b = 1, log = FALSE, ...)
pbetag(x, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qbetag(p, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rbetag(n, spec, a = 1, b = 1, ...)
mbetag(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the first shape parameter, must be positive, the default is 1
<code>b</code>	the value of the second shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)

data	a vector of data values for which the distribution is to be fitted
starts	initial values of (a, b, r) if g has one parameter or initial values of (a, b, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- N. Eugene, C. Lee, F. Famoye, Beta-normal distribution and its applications, *Communications in Statistics—Theory and Methods*, 31 (2002) 497-512

Examples

```
x=runif(10,min=0,max=1)
dbetag(x,"exp",a=1,b=1)
pbetag(x,"exp",a=1,b=1)
qbetag(x,"exp",a=1,b=1)
rbetag(10,"exp",a=1,b=1)
mbetag("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

eepg

Exponentiated Exponential Poisson G Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the exponentiated exponential Poisson G distribution due to Ristic and Nadarajah (2013) specified by the pdf

$$f(x) = a\lambda \{1 - \exp(-\lambda)\}^{-1} g(x)G^{a-1}(x) \exp[-\lambda G^a(x)]$$

for G any valid cdf, g the corresponding pdf, $\lambda > 0$, the scale parameter, and $a > 0$, the shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
deepg(x, spec, lambda = 1, a = 1, log = FALSE, ...)
peepg(x, spec, lambda = 1, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
qeepg(p, spec, lambda = 1, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
reepg(n, spec, lambda = 1, a = 1, ...)
meepg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
lambda	the value of the scale parameter, must be positive, the default is 1
a	the value of the shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (λ, a, r) if g has one parameter or initial values of (λ, a, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n , giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

M. M. Ristic, S. Nadarajah, A new lifetime distribution, Journal of Statistical Computation and Simulation, doi: 10.1080/00949655.2012.697163

Examples

```
x=runif(10,min=0,max=1)
deepg(x,"exp",lambda=1,a=1)
peepg(x,"exp",lambda=1,a=1)
qeepg(x,"exp",lambda=1,a=1)
reepg(10,"exp",lambda=1,a=1)
meepg("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

 eg

Exponentiated Generalized G Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the exponentiated generalized G distribution due to Cordeiro et al. (2013) specified by the pdf

$$f(x) = abg(x) [1 - G(x)]^{a-1} \{1 - [1 - G(x)]^a\}^{b-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, and $b > 0$, the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
deg(x, spec, a = 1, b = 1, log = FALSE, ...)
peg(x, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qeg(p, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
reg(n, spec, a = 1, b = 1, ...)
meg(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the first shape parameter, must be positive, the default is 1
<code>b</code>	the value of the second shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (a, b, r) if g has one parameter or initial values of (a, b, r, s) if g has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

G. M. Cordeiro, E. M. M. Ortega, D. C. C. da Cunha, The exponentiated generalized class of distributions, Journal of Data Science 11 (2013) 1-27

Examples

```
x=runif(10,min=0,max=1)
deg(x,"exp",a=1,b=1)
peg(x,"exp",a=1,b=1)
qeg(x,"exp",a=1,b=1)
reg(10,"exp",a=1,b=1)
meg("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

 expg

Exponentiated G Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the exponentiated G distribution due to Gupta et al. (1998) specified by the pdf

$$f(x) = ag(x)G^{a-1}(x)$$

for G any valid cdf, g the corresponding pdf and $a > 0$, the shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dexpg(x, spec, a = 1, log = FALSE, ...)
pexpg(x, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
qexpg(p, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
rexp(n, spec, a = 1, ...)
mexp(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of <code>G</code> and <code>g</code> (for example, "norm" if <code>G</code> and <code>g</code> correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as <code>spec</code> but must be one of <code>chisquare</code> ("chisq"), <code>exponential</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (<code>r</code>) or two parameters (<code>r</code> , <code>s</code>), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (<code>a</code> , <code>r</code>) if <code>g</code> has one parameter or initial values of (<code>a</code> , <code>r</code> , <code>s</code>) if <code>g</code> has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- R. C. Gupta, P. L. Gupta, R. D. Gupta, Modeling failure time data by Lehman alternatives, *Communications in Statistics—Theory and Methods* 27 (1998) 887-904

Examples

```
x=runif(10,min=0,max=1)
dexpg(x,"exp",a=1)
pexpg(x,"exp",a=1)
qexpg(x,"exp",a=1)
rexp(10,"exp",a=1)
mexpg("exp",rexp(100),starts=c(1,1),method="BFGS")
```

expkumg

*Exponentiated Kumaraswamy G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the exponentiated Kumaraswamy G distribution due to Lemonte et al. (2013) specified by the pdf

$$f(x) = abcg(x)G^{a-1}(x) [1 - G^a(x)]^{b-1} \left\{ 1 - [1 - G^a(x)]^b \right\}^{c-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, $b > 0$, the second shape parameter and $c > 0$, the third shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike's Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dexpkumg(x, spec, a = 1, b = 1, c = 1, log = FALSE, ...)
pexpkumg(x, spec, a = 1, b = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
qexpkumg(p, spec, a = 1, b = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
rexp(10, spec, a = 1, b = 1, c = 1, ...)
mexpkumg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
a	the value of the first shape parameter, must be positive, the default is 1
b	the value of the second shape parameter, must be positive, the default is 1
c	the value of the third shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned

log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (a, b, c, r) if g has one parameter or initial values of (a, b, c, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for optim

Value

An object of the same length as x, giving the pdf or cdf values computed at x or an object of the same length as p, giving the quantile values computed at p or an object of the same length as n, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10
- A. J. Lemonte, W. Barreto-Souza, G. M. Cordeiro, The exponentiated Kumaraswamy distribution and its log-transform, Brazilian Journal of Probability and Statistics 27 (2013) 31-53

Examples

```
x=runif(10,min=0,max=1)
dexpkumg(x,"exp",a=1,b=1,c=1)
pexpkumg(x,"exp",a=1,b=1,c=1)
qexpkumg(x,"exp",a=1,b=1,c=1)
rexp(10,"exp",a=1,b=1,c=1)
mexpkumg("exp",rexp(100),starts=c(1,1,1,1),method="BFGS")
```

gammag

*Gamma Uniform G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the gamma uniform G distribution due to Torabi and Montazeri (2012) specified by the pdf

$$f(x) = \frac{1}{\Gamma(a)} \frac{g(x)}{[1 - G(x)]^2} \left[\frac{G(x)}{1 - G(x)} \right]^{a-1} \exp \left[-\frac{G(x)}{1 - G(x)} \right]$$

for G any valid cdf, g the corresponding pdf, and $a > 0$, the first shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dgammag(x, spec, a = 1, log = FALSE, ...)
pgammag(x, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
qgammag(p, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
rgammag(n, spec, a = 1, ...)
mgammag(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
a	the value of the shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)

data	a vector of data values for which the distribution is to be fitted
starts	initial values of (a, r) if g has one parameter or initial values of (a, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

H. Torabi, N. H. Montazeri, The gamma uniform distribution and its applications, Kybernetika 48 (2012) 16-30

Examples

```
x=runif(10,min=0,max=1)
dgammag(x,"exp",a=1)
pgammag(x,"exp",a=1)
qgammag(x,"exp",a=1)
rgammag(10,"exp",a=1)
mgammag("exp",rexp(100),starts=c(1,1),method="BFGS")
```

gammag1

Gamma G Distribution due to Zografos and Balakrishnan (2009)

Description

Computes the pdf, cdf, quantile and random numbers of the gamma G distribution due to Zografos and Balakrishnan (2009) specified by the pdf

$$f(x) = \frac{1}{\Gamma(a)} g(x) \{-\log[1 - G(x)]\}^{a-1}$$

for G any valid cdf, g the corresponding pdf, and $a > 0$, the shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dgammag1(x, spec, a = 1, log = FALSE, ...)
pgammag1(x, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
qgammag1(p, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
rgammag1(n, spec, a = 1, ...)
mgammag1(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
a	the value of the shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (a, r) if g has one parameter or initial values of (a, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n ,

giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike's Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10

K. Zografos, N. Balakrishnan, On families of beta- and generalized gamma-generated distributions and associated inference, *Statistical Methodology* 6 (2009) 344-362

Examples

```
x=runif(10,min=0,max=1)
dgammag1(x,"exp",a=1)
pgammag1(x,"exp",a=1)
qgammag1(x,"exp",a=1)
rgammag1(10,"exp",a=1)
mgammag1("exp",rexp(100),starts=c(1,1),method="BFGS")
```

gammag2

Gamma G Distribution due to Ristic and Balakrishnan (2012)

Description

Computes the pdf, cdf, quantile and random numbers of the gamma G distribution due to Ristic and Balakrishnan (2012) specified by the pdf

$$f(x) = \frac{1}{\Gamma(a)} g(x) \{-\log G(x)\}^{a-1}$$

for G any valid cdf, g the corresponding pdf, and $a > 0$, the shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike's Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dgammag2(x, spec, a = 1, log = FALSE, ...)
pgammag2(x, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
qgammag2(p, spec, a = 1, log.p = FALSE, lower.tail = TRUE, ...)
rgammag2(n, spec, a = 1, ...)
mgammag2(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of <code>G</code> and <code>g</code> (for example, "norm" if <code>G</code> and <code>g</code> correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as <code>spec</code> but must be one of <code>chisquare</code> ("chisq"), <code>exponential</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (<code>r</code>) or two parameters (<code>r</code> , <code>s</code>), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (<code>a</code> , <code>r</code>) if <code>g</code> has one parameter or initial values of (<code>a</code> , <code>r</code> , <code>s</code>) if <code>g</code> has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- M. M. Ristic, N. Balakrishnan, The gamma exponentiated exponential distribution, *Journal of Statistical Computation and Simulation* 82 (2012) 1191-1206

Examples

```
x=runif(10,min=0,max=1)
dggmag2(x,"exp",a=1)
pgggmag2(x,"exp",a=1)
qggmag2(x,"exp",a=1)
rgggmag2(10,"exp",a=1)
mgggmag2("exp",rexp(10),starts=c(1,1),method="BFGS")
```

gbg

*Generalized Beta G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the generalized beta G distribution due to Alexander et al. (2012) specified by the pdf

$$f(x) = \frac{c}{B(a,b)} g(x) G^{ac-1}(x) [1 - G^c(x)]^{b-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, $b > 0$, the second shape parameter and $c > 0$, the third shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dgbg(x, spec, a = 1, b = 1, c = 1, log = FALSE, ...)
pgbg(x, spec, a = 1, b = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
qgbg(p, spec, a = 1, b = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
rgbg(n, spec, a = 1, b = 1, c = 1, ...)
mgbg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
a	the value of the first shape parameter, must be positive, the default is 1
b	the value of the second shape parameter, must be positive, the default is 1
c	the value of the third shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned

<code>log.p</code>	if TRUE then <code>log(cdf)</code> are returned and quantiles are computed for <code>exp(p)</code>
<code>lower.tail</code>	if FALSE then <code>1-cdf</code> are returned and quantiles are computed for <code>1-p</code>
<code>...</code>	other parameters
<code>g</code>	same as <code>spec</code> but must be one of <code>chisquare</code> ("chisq"), <code>exponential</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (<code>r</code>) or two parameters (<code>r</code> , <code>s</code>), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (<code>a</code> , <code>b</code> , <code>c</code> , <code>r</code>) if <code>g</code> has one parameter or initial values of (<code>a</code> , <code>b</code> , <code>c</code> , <code>r</code> , <code>s</code>) if <code>g</code> has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- C. Alexander, G. M. Cordeiro, E. M. M. Ortega, Generalized beta-generated distributions, *Computational Statistics and Data Analysis* 56 (2012) 1880-1897

Examples

```
x=runif(10,min=0,max=1)
dgbg(x,"exp",a=1,b=1,c=1)
pgbg(x,"exp",a=1,b=1,c=1)
qgbg(x,"exp",a=1,b=1,c=1)
rgbg(10,"exp",a=1,b=1,c=1)
mgbg("exp",rexp(100),starts=c(1,1,1,1),method="BFGS")
```

Description

Computes the pdf, cdf, quantile and random numbers of the geometric exponential Poisson G distribution due to Nadarajah et al. (2013) specified by the pdf

$$f(x) = \frac{\theta(1 - \eta) [1 - \exp(-\theta)] g(x) \exp[-\theta + \theta G(x)]}{\{1 - \exp(-\theta) - \eta + \eta \exp[-\theta + \theta G(x)]\}^2}$$

for G any valid cdf, g the corresponding pdf, $\theta > 0$, the first scale parameter, and $0 < \eta < 1$, the second scale parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dgepg(x, spec, theta = 1, eta = 0.5, log = FALSE, ...)
pgepg(x, spec, theta = 1, eta = 0.5, log.p = FALSE, lower.tail = TRUE, ...)
qgepg(p, spec, theta = 1, eta = 0.5, log.p = FALSE, lower.tail = TRUE, ...)
rgepg(n, spec, theta = 1, eta = 0.5, ...)
mgepg(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>theta</code>	the value of first scale parameter, must be positive, the default is 1
<code>eta</code>	the value of second scale parameter, must be in the open unit interval, the default is 0.5
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as <code>spec</code> but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear

	failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (θ, η, r) if g has one parameter or initial values of (θ, η, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n , giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10

S. Nadarajah, V. G. Cancho, E. M. M. Ortega, The geometric exponential Poisson distribution, *Stat Methods Appl* 22 (2013) 355-380

Examples

```
x=runif(10,min=0,max=1)
dgepg(x,"exp",theta=1,eta=0.5)
pgepg(x,"exp",theta=1,eta=0.5)
qgepg(x,"exp",theta=1,eta=0.5)
rgepg(10,"exp",theta=1,eta=0.5)
mgepg("exp",rexp(100),starts=c(1,0.5,1),method="BFGS")
```

Description

Computes the pdf, cdf, quantile and random numbers of the Kumaraswamy G distribution due to Cordeiro and Castro (2011) specified by the pdf

$$f(x) = abg(x)G^{a-1}(x)[1 - G^a(x)]^{b-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, and $b > 0$, the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dkumg(x, spec, a = 1, b = 1, log = FALSE, ...)
pkumg(x, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qkumg(p, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rkumg(n, spec, a = 1, b = 1, ...)
mkumg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
a	the value of the first shape parameter, must be positive, the default is 1
b	the value of the second shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)

data	a vector of data values for which the distribution is to be fitted
starts	initial values of (a, b, r) if g has one parameter or initial values of (a, b, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistns: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

G. M. Cordeiro, M. Castro, A new family of generalized distributions, Journal of Statistical Computation and Simulation 81 (2011) 883-898

Examples

```
x=runif(10,min=0,max=1)
dkumg(x,"exp",a=1,b=1)
pkumg(x,"exp",a=1,b=1)
qkumg(x,"exp",a=1,b=1)
rkumg(10,"exp",a=1,b=1)
mkumg("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

Description

Computes the pdf, cdf, quantile and random numbers of the log gamma G I distribution due to Amini et al. (2013) specified by the pdf

$$f(x) = \frac{b^a}{\Gamma(a)} g(x) \{-\log[1 - G(x)]\}^{a-1} [1 - G(x)]^{b-1}$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, $b > 0$, and the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dloggamag1(x, spec, a = 1, b = 1, log = FALSE, ...)
ploggamag1(x, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qloggamag1(p, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rloggamag1(n, spec, a = 1, b = 1, ...)
mloggamag1(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the first shape parameter, must be positive, the default is 1
<code>b</code>	the value of the second shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (a, b, r) if g has one parameter or initial values of (a, b, r, s) if g has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n , giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

M. Amini, S. M. T. K. MirMostafae, J. Ahmadi, Log-gamma-generated families of distributions, Statistics, 2013, doi: 10.1080/02331888.2012.748775

Examples

```
x=runif(10,min=0,max=1)
dloggammag1(x,"exp",a=1,b=1)
ploggammag1(x,"exp",a=1,b=1)
qloggammag1(x,"exp",a=1,b=1)
rloggammag1(10,"exp",a=1,b=1)
mloggammag1("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

loggammag2

Log Gamma G II Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the log gamma G II distribution due to Amini et al. (2013) specified by the pdf

$$f(x) = \frac{b^a}{\Gamma(a)} g(x) \{-\log G(x)\}^{a-1} G^{b-1}(x)$$

for G any valid cdf, g the corresponding pdf, $a > 0$, the first shape parameter, $b > 0$, and the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dloggammag2(x, spec, a = 1, b = 1, log = FALSE, ...)
ploggammag2(x, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qloggammag2(p, spec, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rloggammag2(n, spec, a = 1, b = 1, ...)
mloggammag2(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>a</code>	the value of the first shape parameter, must be positive, the default is 1
<code>b</code>	the value of the second shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (a, b, r) if g has one parameter or initial values of (a, b, r, s) if g has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistns: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

M. Amini, S. M. T. K. MirMostafaei, J. Ahmadi, Log-gamma-generated families of distributions, Statistics, 2013, doi: 10.1080/02331888.2012.748775

Examples

```
x=runif(10,min=0,max=1)
dloggammag2(x,"exp",a=1,b=1)
ploggammag2(x,"exp",a=1,b=1)
qloggammag2(x,"exp",a=1,b=1)
rloggammag2(10,"exp",a=1,b=1)
mloggammag2("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

mbetag

Modified Beta G Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the modified beta G distribution due to Nadarajah et al. (2013) specified by the pdf

$$f(x) = \frac{\beta^a}{B(a,b)} \frac{g(x) [G(x)]^{a-1} [1 - G(x)]^{b-1}}{[1 - (1 - \beta)G(x)]^{a+b}}$$

for G any valid cdf, g the corresponding pdf, $\beta > 0$, the scale parameter, $a > 0$, the first shape parameter and $b > 0$, the second shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dmbetag(x, spec, beta = 1, a = 1, b = 1, log = FALSE, ...)
pmbetag(x, spec, beta = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
qmbetag(p, spec, beta = 1, a = 1, b = 1, log.p = FALSE, lower.tail = TRUE, ...)
rmbetag(n, spec, beta = 1, a = 1, b = 1, ...)
mmbetag(g, data, starts, method = "BFGS")
```

Arguments

<code>x</code>	scaler or vector of values at which the pdf or cdf needs to be computed
<code>p</code>	scaler or vector of probabilities at which the quantile needs to be computed
<code>n</code>	number of random numbers to be generated
<code>beta</code>	the value of the scale parameter, must be positive, the default is 1
<code>a</code>	the value of the first shape parameter, must be positive, the default is 1
<code>b</code>	the value of the second shape parameter, must be positive, the default is 1
<code>spec</code>	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
<code>log</code>	if TRUE then log(pdf) are returned
<code>log.p</code>	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
<code>lower.tail</code>	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
<code>...</code>	other parameters
<code>g</code>	same as <code>spec</code> but must be one of <code>chisquare</code> ("chisq"), <code>exponential</code> ("exp"), <code>F</code> ("f"), <code>gamma</code> ("gamma"), <code>lognormal</code> ("lognormal"), <code>Weibull</code> ("weibull"), <code>Burr XII</code> ("burrxii"), <code>Chen</code> ("chen"), <code>Frechet</code> ("frechet"), <code>Gompertz</code> ("gompertz"), <code>linear failure rate</code> ("lfr"), <code>log-logistic</code> ("log-logistic"), <code>Lomax</code> ("lomax") and <code>Rayleigh</code> ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
<code>data</code>	a vector of data values for which the distribution is to be fitted
<code>starts</code>	initial values of (β, a, b, r) if g has one parameter or initial values of (β, a, b, r, s) if g has two parameters
<code>method</code>	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n , giving the random numbers generated or an object giving the values of Cramer-von Mises statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike's Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- S. Nadarajah, M. Teimouri, S. H. Shih, Modified beta distributions, *Sankhya*, 2013, to appear

Examples

```
x=runif(10,min=0,max=1)
dmbetag(x,"exp",beta=1,a=1,b=1)
pmbetag(x,"exp",beta=1,a=1,b=1)
qmbetag(x,"exp",beta=1,a=1,b=1)
rmbetag(10,"exp",beta=1,a=1,b=1)
mmbetag("exp",rexp(100),starts=c(1,1,1,1),method="BFGS")
```

mog

*Marshall Olkin G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the Marshall Olkin distribution due to Marshall and Olkin (1997) specified by the pdf

$$\frac{\beta g(x)}{[\beta + (1 - \beta)G(x)]^2}$$

for G any valid cdf, g the corresponding pdf and $\beta > 0$, the scale parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dmog(x, spec, beta = 1, log = FALSE, ...)
pmog(x, spec, beta = 1, log.p = FALSE, lower.tail = TRUE, ...)
qmog(p, spec, beta = 1, log.p = FALSE, lower.tail = TRUE, ...)
rmog(n, spec, beta = 1, ...)
mmog(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
beta	the value of the scale parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p

...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (beta, r) if g has one parameter or initial values of (beta, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as `x`, giving the pdf or cdf values computed at `x` or an object of the same length as `p`, giving the quantile values computed at `p` or an object of the same length as `n`, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

- S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, *Journal of Statistical Software*, 69(10), 1-32, doi:10.18637/jss.v069.i10
- A. W. Marshall, I. Olkin, A new method for adding a parameter to a family of distributions with application to the exponential and Weibull families, *Biometrika* 84 (1997) 641-652

Examples

```
x=runif(10,min=0,max=1)
dmog(x,"exp",beta=1)
pmog(x,"exp",beta=1)
qmog(x,"exp",beta=1)
rmog(10,"exp",beta=1)
mmog("exp",rexp(100),starts=c(1,1),method="BFGS")
```

tessg

*Truncated-Exponential Skew-Symmetric G Distribution***Description**

Computes the pdf, cdf, quantile and random numbers of the truncated-exponential skew-symmetric G distribution due to Nadarajah et al. (2013) specified by the pdf

$$f(x) = \frac{\lambda}{1 - \exp(-\lambda)} g(x) \exp\{-\lambda G(x)\}$$

for G any valid cdf, g the corresponding pdf, and $-\infty < \lambda < \infty$, the skewness parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status when the distribution is fitted to some data

Usage

```
dtessg(x, spec, lambda = 1, log = FALSE, ...)
ptessg(x, spec, lambda = 1, log.p = FALSE, lower.tail = TRUE, ...)
qtessg(p, spec, lambda = 1, log.p = FALSE, lower.tail = TRUE, ...)
rtessg(n, spec, lambda = 1, ...)
mtessg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
lambda	the value of skewness parameter, can be any real value, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (r) or two parameters (r, s), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)

data	a vector of data values for which the distribution is to be fitted
starts	initial values of (lambda, r) if g has one parameter or initial values of (lambda, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for optim

Value

An object of the same length as x, giving the pdf or cdf values computed at x or an object of the same length as p, giving the quantile values computed at p or an object of the same length as n, giving the random numbers generated or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistns: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

S. Nadarajah, V. Nassiri, A. Mohammadpour, Truncated-exponential skew-symmetric distributions, Statistics, to appear

Examples

```
x=runif(10,min=0,max=1)
dtessg(x,"exp",lambda=1)
ptessg(x,"exp",lambda=1)
qtessg(x,"exp",lambda=1)
rtessg(10,"exp",lambda=1)
mtessg("exp",rexp(100),starts=c(1,1),method="BFGS")
```

weibullg

Weibull G Distribution

Description

Computes the pdf, cdf, quantile and random numbers of the Weibull G distribution due to Alzaatreh et al. (2013) specified by the pdf

$$f(x) = \frac{c}{\beta} \frac{g(x)}{1-G(x)} \left\{ -\frac{\log[1-G(x)]}{\beta} \right\}^{c-1} \exp \left\{ -\left[-\frac{\log[1-G(x)]}{\beta} \right]^c \right\}$$

for G any valid cdf, g the corresponding pdf, $\beta > 0$, the scale parameter and $c > 0$, the shape parameter. Also computes the Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status

Usage

```
dweibullg(x, spec, beta = 1, c = 1, log = FALSE, ...)
pweibullg(x, spec, beta = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
qweibullg(p, spec, beta = 1, c = 1, log.p = FALSE, lower.tail = TRUE, ...)
rweibullg(n, spec, beta = 1, c = 1, ...)
mweibullg(g, data, starts, method = "BFGS")
```

Arguments

x	scaler or vector of values at which the pdf or cdf needs to be computed
p	scaler or vector of probabilities at which the quantile needs to be computed
n	number of random numbers to be generated
beta	the value of the scale parameter, must be positive, the default is 1
c	the value of the shape parameter, must be positive, the default is 1
spec	a character string specifying the distribution of G and g (for example, "norm" if G and g correspond to the standard normal).
log	if TRUE then log(pdf) are returned
log.p	if TRUE then log(cdf) are returned and quantiles are computed for exp(p)
lower.tail	if FALSE then 1-cdf are returned and quantiles are computed for 1-p
...	other parameters
g	same as spec but must be one of chisquare ("chisq"), exponential ("exp"), F ("f"), gamma ("gamma"), lognormal ("lognormal"), Weibull ("weibull"), Burr XII ("burrxii"), Chen ("chen"), Frechet ("frechet"), Gompertz ("gompertz"), linear failure rate ("lfr"), log-logistic ("log-logistic"), Lomax ("lomax") and Rayleigh ("rayleigh"). Each of these distributions has one parameter (a) or two parameters (a, b), for details including the density function and parameter specifications see Nadarajah and Rocha (2014)
data	a vector of data values for which the distribution is to be fitted
starts	initial values of (beta, c, r) if g has one parameter or initial values of (beta, c, r, s) if g has two parameters
method	the method for optimizing the log likelihood function. It can be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" or "SANN". The default is "BFGS". The details of these methods can be found in the manual pages for <code>optim</code>

Value

An object of the same length as x , giving the pdf or cdf values computed at x or an object of the same length as p , giving the quantile values computed at p or an object of the same length as n , giving the random numbers generated, or an object giving the values of Cramer-von Misses statistic, Anderson Darling statistic, Kolmogorov Smirnov test statistic and p-value, maximum likelihood estimates, Akaike Information Criterion, Consistent Akaike Information Criterion, Bayesian Information Criterion, Hannan-Quinn information criterion, standard errors of the maximum likelihood estimates, minimum value of the negative log-likelihood function and convergence status.

Author(s)

Saralees Nadarajah, Ricardo Rocha

References

S. Nadarajah and R. Rocha, Newdistsn: An R Package for New Families of Distributions, Journal of Statistical Software, 69(10), 1-32, doi:10.18637/jss.v069.i10

A. Alzaatreh, C. Lee, F. Famoye, A new method for generating families of continuous distributions, METRON 71 (2013) 63-79

Examples

```
x=runif(10,min=0,max=1)
dweibullg(x,"exp",beta=1,c=1)
pweibullg(x,"exp",beta=1,c=1)
qweibullg(x,"exp",beta=1,c=1)
rweibullg(10,"exp",beta=1,c=1)
mweibullg("exp",rexp(100),starts=c(1,1,1),method="BFGS")
```

Index

- * **Beta G distribution**
 - betag, 8
 - * **Beta exponential G distribution**
 - betaexpg, 6
 - * **Beta extended G distribution**
 - beg, 4
 - * **Exponentiated G distribution**
 - expg, 13
 - * **Exponentiated Kumaraswamy G distribution**
 - expkumg, 15
 - * **Exponentiated exponential Poisson G distribution**
 - eepg, 9
 - * **Exponentiated generalized G distribution**
 - eg, 11
 - * **Gamma G distribution due to Ristic and Balakrishnan (2012)**
 - gammag2, 20
 - * **Gamma G distribution due to Zografos and Balakrishnan (2009)**
 - gammag1, 18
 - * **Gamma uniform G distribution**
 - gammag, 17
 - * **Generalized beta G distribution**
 - gbg, 22
 - * **Geometric exponential Poisson G distribution**
 - gepg, 24
 - * **Kumaraswamy G distribution**
 - kumg, 26
 - * **Log gamma G I distribution**
 - loggammag1, 27
 - * **Log gamma G II distribution**
 - loggammag2, 29
 - * **Marshall Olkin G distribution**
 - mog, 33
 - * **Modified beta G distribution**
 - mbetag, 31
 - * **Truncated-exponential skew-symmetric G distribution**
 - tessg, 35
 - * **Weibull G distribution**
 - weibullg, 36
 - * **package**
 - Newdistns-package, 2
- beg, 4
betaexpg, 6
betag, 8
- dbeg (beg), 4
dbetaexpg (betaexpg), 6
dbetag (betag), 8
deepg (eepg), 9
deg (eg), 11
dexpg (expg), 13
dexpkumg (expkumg), 15
dgammag (gammag), 17
dgammag1 (gammag1), 18
dgammag2 (gammag2), 20
dgbg (gbg), 22
dgepg (gepg), 24
dkumg (kumg), 26
dloggammag1 (loggammag1), 27
dloggammag2 (loggammag2), 29
dmbetag (mbetag), 31
dmog (mog), 33
dtessg (tessg), 35
dweibullg (weibullg), 36
- eepg, 9
eg, 11
expg, 13
expkumg, 15
- gammag, 17
gammag1, 18
gammag2, 20

