

Package ‘PSDistr’

May 7, 2026

Title Distributions Derived from Normal Distribution

Version 0.0.1

Description Presentation of distributions such as: two-piece power normal (TPPN), plasticizing component (PC), DS normal (DSN), expnormal (EN), Sulewski plasticizing component (SPC), easily changeable kurtosis (ECK) distributions. Density, distribution function, quantile function and random generation are presented. For details on this method see: Sulewski (2019) <[doi:10.1080/03610926.2019.1674871](https://doi.org/10.1080/03610926.2019.1674871)>, Sulewski (2021) <[doi:10.1080/03610926.2021.1911111](https://doi.org/10.1080/03610926.2021.1911111)>, Sulewski (2022) <[doi:10.1080/03610926.2022.2081111](https://doi.org/10.1080/03610926.2022.2081111)>, Sulewski (2023) <[doi:10.1080/03610926.2023.2211111](https://doi.org/10.1080/03610926.2023.2211111)>, Sulewski, Volodin (2022) <[doi:10.1134/S1995080222110270](https://doi.org/10.1134/S1995080222110270)>, Sulewski (2023) <[doi:10.17713/ajs.v52i3.1434](https://doi.org/10.17713/ajs.v52i3.1434)>.

Depends R (>= 3.5.0)

Imports pracma

License GPL-3

Language en-US

Encoding UTF-8

RoxygenNote 7.2.3

Suggests testthat (>= 3.0.0), knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Piotr Sulewski [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-0788-6567>>)

Maintainer Piotr Sulewski <piotr.sulewski@aps1.edu.pl>

Repository CRAN

Date/Publication 2023-09-13 09:50:05 UTC

Contents

ddsn	2
deck	3
den	4
dpc	5
dspc	6

dtpn	7
pdsn	8
peck	9
pen	10
ppc	11
PSDistr	12
pspc	13
ptpn	14
qdsn	15
qeck	16
qen	17
qpc	18
qspc	19
qtpn	20
rdsn	21
reck	22
ren	23
rpc	24
rspc	25
rtpn	26

Index 28

ddsn

DS Normal Distribution

Description

Density, distribution function, quantile function and random generation for the DS normal distribution with parameters a, b, c and d.

Usage

```
ddsn(x, a, b, c, teta)
```

Arguments

x	real argument
a	non-negative multipurpose parameter and $a+b>0$
b	non-negative multipurpose parameter and $a+b>0$
c	real multipurpose parameter
teta	real position parameter

Details

Probability density function in Latex see formula (5) in the paper Cumulative distribution function in Latex see formula (6) Quantile function see formulas (8,9,10) Random number generator see Theorem (5)

Value

The function returns the value of the probability density function for the DS normal distribution

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian University in Slupsk.

References

Sulewski P. (2021). *DS Normal Distribution: properties and applications*. Lobachevskii Journal of Mathematics 42(12), 2980-2999.

Examples

```
ddsn(-0.5, 2, 2, 2, 0)
pdsn(-0.5, 2, 2, 2, 0)
qdsn(0.5, 2, 2, 2, 0)
rdsn(10, 2, 2, 2, 0)
```

 deck

Easily Changeable Kurtosis Distribution

Description

Density, distribution function, quantile function and random generation for the Easily Changeable Kurtosis Distribution with parameters a and p.

Usage

```
deck(x, a, p)
```

Arguments

x	-a < x < a for -1 < p < 0 or -a <= x <= a for p >= 1
a	positive scale parameter
p	shape parameter: p > -1

Details

Probability density function see formula (1) or (3) in the article Cumulative distribution function see formula (4) Quantile function see formula (20) Random number generator see formula (41)

Value

The function returns the value of the probability density function for the Easily Changeable Kurtosis Distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups1.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2022). *Easily Changeable Kurtosis Distribution*. Austrian Journal of Statistics 52, 1-24.

Examples

```
deck(1, 2, 3)
peck(1, 2, 3)
qeck(0.5, 2, 3)
reck(10, 2, 3)
```

 den

Expnormal Distribution

Description

Density, distribution function, quantile function and random generation for the Expnormal distribution with parameters a_1 , b_1 , a_2 , b_2 and c .

Usage

```
den(x, a1, b1, a2, b2, c)
```

Arguments

x	real argument
a1	position parameter
b1	positive scale parameter
a2	position parameter
b2	positive scale parameter
c	semi-fraction parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.3) Quantile function see proposition (2.2) Random number generator see proposition (2.6)

Value

The function returns the value of the probability density function for the Expnormal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2022). *New Members of The Johnson Family of Probability Distributions: Properties and Application*, Accepted: February 2022. REVSTAT-Statistical Journal.

Examples

```
den(1,1,2,2,2,1)
pen(1,1,2,2,2,1)
qen(0.5,1,2,2,2,1)
ren(10,1,2,2,2,1)
```

dpc

Plasticizing Component

Description

Density, distribution function, quantile function and random generation for the plasticizing component with parameters teta, s2 and c.

Usage

```
dpc(x, teta, s2, c)
```

Arguments

x	real argument
teta	position parameter
s2	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (2) in the article Cumulative distribution function see formula (4) Quantile function see formula (9) Random number generator see formula (23)

Value

The function returns the value of the probability density function for the plasticizing component.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2020). *Normal Distribution with Plasticizing Component*, Communications in Statistics ? Theory and Method 51(11), 3806-3835.

Examples

```
dpc(0,1,2,2)
ppc(0,1,2,2)
qpc(0.5,1,2,2)
rpc(10,1,2,2)
```

 dspc

Sulewski Plasticizing Component Distribution

Description

Density, distribution function, quantile function and random generation for the Sulewski plasticizing component distribution with parameters a, b, c, d and teta.

Usage

```
dspc(x, a, b, c, d, teta)
```

Arguments

x	real argument
a	multipurpose parameter ($a \geq 0$)
b	multipurpose parameter ($b \geq 0, a+b > 0$)
c	multipurpose parameter
d	multipurpose parameter ($d \geq 1$)
teta	position parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.2) Quantile function see formulas (2.3-2.5) Random number generator see proposition (4)

Value

The function returns the value of the probability density function for the Sulewski plasticizing component distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P., Volodin, A. (2022). *Sulewski Plasticizing Component Distribution: properties and applications*. Lobachtetavskii Journal of Mathtetamatics 43(8), 2286-2300.

Examples

```
dspc(0,1,1,1,1,0)
pspc(0,1,1,1,1,0)
qspc(0.5,1,1,1,1,0)
rspc(10,1,1,1,1,0)
```

dtpn

Two-Piece Power Normal Distribution

Description

Density, distribution function, quantile function and random generation for the two-piece power normal distribution with parameters $teta$, $s1$, $s2$ and c .

Usage

```
dtpn(x, teta, s1, s2, c)
```

Arguments

x	real argument
$teta$	position parameter
$s1$	positive scale parameter
$s2$	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (4) in the article Cumulative distribution function see formula (5) Quantile function see formula (10) Random number generator see formula (21)

Value

The function returns the value of the probability density function for the two-piece power normal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2021). *Two-Piece Power Normal Distribution*, Communications in Statistics - Theory and Method 50(11), 2619-2639.

Examples

```
dtpn(2,1,1,1,2)
ptpn(2,1,1,1,2)
qtpn(0.5,1,1,1,2)
rtpn(10,1,1,1,2)
```

pdsn

DS Normal Distribution

Description

Density, distribution function, quantile function and random generation for the DS normal distribution with parameters a, b, c and d.

Usage

```
pdsn(x, a, b, c, teta)
```

Arguments

x	real argument
a	non-negative multipurpose parameter and $a+b>0$
b	non-negative multipurpose parameter and $a+b>0$
c	real multipurpose parameter
teta	real position parameter

Details

Probability density function in Latex see formula (5) in the paper Cumulative distribution function in Latex see formula (6) Quantile function see formulas (8,9,10) Random number generator see Theorem (5)

Value

The function returns the value of the cumulative distribution function for the DS normal distribution

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski P. (2021). *DS Normal Distribution: properties and applications*. Lobachevskii Journal of Mathematics 42(12), 2980-2999.

Examples

```
ddsn(-0.5, 2, 2, 2, 0)
pdsn(-0.5, 2, 2, 2, 0)
qdsn(0.5, 2, 2, 2, 0)
rdsn(10, 2, 2, 2, 0)
```

 peck

Easily Changeable Kurtosis Distribution

Description

Density, distribution function, quantile function and random generation for the Easily Changeable Kurtosis Distribution with parameters a and p .

Usage

```
peck(x, a, p)
```

Arguments

x	$-a < x < a$ for $-1 < p < 0$ or $-a \leq x \leq a$ for $p \geq 0$
a	positive scale parameter
p	shape parameter: $p > -1$

Details

Probability density function see formula (1) or (3) in the article Cumulative distribution function see formula (4) Quantile function see formula (20) Random number generator see formula (41)

Value

The function returns the value of the cumulative distribution function for the Easily Changeable Kurtosis Distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups.l.edu.pl>, Pomeranian University in Slupsk.

References

Sulewski, P. (2022). *Easily Changeable Kurtosis Distribution*. Austrian Journal of Statistics 52, 1-24.

Examples

```
deck(1,2,3)
peck(1,2,3)
qeck(0.5,2,3)
reck(10,2,3)
```

pen

Expnormal Distribution

Description

Density, distribution function, quantile function and random generation for the Expnormal distribution with parameters a_1 , b_1 , a_2 , b_2 and c .

Usage

```
pen(x, a1, b1, a2, b2, c)
```

Arguments

x	real argument
a1	position parameter
b1	positive scale parameter
a2	position parameter
b2	positive scale parameter
c	semi-fraction parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.3) Quantile function see proposition (2.2) Random number generator see proposition (2.6)

Value

The function returns the value of the cumulative distribution function for the Expnormal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups.l.edu.pl>, Pomeranian University in Slupsk.

References

Sulewski, P. (2022). *New Members of The Johnson Family of Probability Distributions: Properties and Application*, Accepted: February 2022. REVSTAT-Statistical Journal.

Examples

```
den(1,1,2,2,2,1)
pen(1,1,2,2,2,1)
qen(0.5,1,2,2,2,1)
ren(10,1,2,2,2,1)
```

ppc

*Plasticizing Component***Description**

Density, distribution function, quantile function and random generation for the plasticizing component with parameters $teta$, $s2$ and c .

Usage

```
ppc(x, teta, s2, c)
```

Arguments

x	real argument
teta	position parameter
s2	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (2) in the article Cumulative distribution function see formula (4) Quantile function see formula (9) Random number generator see formula (23)

Value

The function returns the value of the cumulative distribution function for the plasticizing component.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2020). *Normal Distribution with Plasticizing Component*, Communications in Statistics ? Theory and Method 51(11), 3806-3835.

Examples

```
dpc(0,1,2,2)
ppc(0,1,2,2)
qpc(0.5,1,2,2)
rpc(10,1,2,2)
```

PSDistr

The list of package functions and their demonstration

Description

The **PSDistr** presents the following distribution derived from the normal distribution: two-piece power normal (TPPN), plasticizing component (PC), DS normal (DSN), expnormal (EN), Sulewski plasticizing component (SPC), easily changeable kurtosis (ECK) distributions. Density, distribution function, quantile function and random generation are presented. The list of package functions is as follows:

Functions for the two-piece power normal distribution

```
dtppn
ptppn
qtppn
rtppn
```

Functions for the plasticizing component distribution

```
dpc
ppc
qpc
rpc
```

Functions for the DS normal distribution

```
ddsn
pdsn
qdsn
rdsn
```

#' @section Functions for the expnormal distribution:

```
den
pen
qen
ren
```

#' @section Functions for the Sulewski plasticizing component distribution:

[dspc](#)

[pspc](#)

[qspc](#)

[rspc](#)

#' @section Functions for the easily changeable kurtosis distribution:

[deck](#)

[peck](#)

[qeck](#)

[reck](#)

pspc

Sulewski Plasticizing Component Distribution

Description

Density, distribution function, quantile function and random generation for the Sulewski plasticizing component distribution with parameters a , b , c , d and $teta$.

Usage

```
pspc(x, a, b, c, d, teta)
```

Arguments

x	real argument
a	multipurpose parameter ($a \geq 0$)
b	multipurpose parameter ($b \geq 0, a+b > 0$)
c	multipurpose parameter
d	multipurpose parameter ($d \geq 1$)
$teta$	position parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.2) Quantile function see formulas (2.3-2.5) Random number generator see proposition (4)

Value

The function returns the value of the cumulative distribution function for the Sulewski plasticizing component distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P., Volodin, A. (2022). *Sulewski Plasticizing Component Distribution: properties and applications*. Lobachtetavskii Journal of Mathtetamatics 43(8), 2286-2300.

Examples

```
dspc(0,1,1,1,1,0)
pspc(0,1,1,1,1,0)
qspc(0.5,1,1,1,1,0)
rspc(10,1,1,1,1,0)
```

 ptpn

Two-Piece Power Normal Distribution

Description

Density, distribution function, quantile function and random generation for the two-piece power normal distribution with parameters $teta$, $s1$, $s2$ and c .

Usage

```
ptppn(x, teta, s1, s2, c)
```

Arguments

x	real argument
$teta$	position parameter
$s1$	positive scale parameter
$s2$	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (4) in the article Cumulative distribution function see formula (5) Quantile function see formula (10) Random number generator see formula (21)

Value

The function returns the value of the cumulative distribution function for the two-piece power normal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2021). *Two-Piece Power Normal Distribution*, Communications in Statistics - Theory and Method 50(11), 2619-2639.

Examples

```
dtpnn(2,1,1,1,2)
ptppn(2,1,1,1,2)
qtpnn(0.5,1,1,1,2)
rtppn(10,1,1,1,2)
```

qdsn

DS Normal Distribution

Description

Density, distribution function, quantile function and random generation for the DS normal distribution with parameters a, b, c and d.

Usage

```
qdsn(p, a, b, c, teta)
```

Arguments

p	probability between 0 and 1
a	non-negative multipurpose parameter and $a+b>0$
b	non-negative multipurpose parameter and $a+b>0$
c	real multipurpose parameter
teta	real position parameter

Details

Probability density function in Latex see formula (5) in the paper Cumulative distribution function in Latex see formula (6) Quantile function see formulas (8,9,10) Random number generator see Theorem (5)

Value

The function returns the value of the quantile function for the DS normal distribution

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski P. (2021). *DS Normal Distribution: properties and applications*. Lobachevskii Journal of Mathematics 42(12), 2980-2999.

Examples

```
ddsn(-0.5, 2, 2, 2, 0)
pdsn(-0.5, 2, 2, 2, 0)
qdsn(0.5, 2, 2, 2, 0)
rdsn(10, 2, 2, 2, 0)
```

 qeck

Easily Changeable Kurtosis Distribution

Description

Density, distribution function, quantile function and random generation for the Easily Changeable Kurtosis Distribution with parameters a and p.

Usage

```
qeck(q, a, p)
```

Arguments

q	probability between 0 and 1
a	positive scale parameter
p	shape parameter: $p > -1$

Details

Probability density function see formula (1) or (3) in the article Cumulative distribution function see formula (4) Quantile function see formula (20) Random number generator see formula (41)

Value

The function returns the value of the quantile function for the Easily Changeable Kurtosis Distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2022). *Easily Changeable Kurtosis Distribution*. *Austrian Journal of Statistics* 52, 1-24.

Examples

```
deck(1, 2, 3)
peck(1, 2, 3)
qeck(0.5, 2, 3)
reck(10, 2, 3)
```

qen

Expnormal Distribution

Description

Density, distribution function, quantile function and random generation for the Expnormal distribution with parameters a_1 , b_1 , a_2 , b_2 and c .

Usage

```
qen(p, a1, b1, a2, b2, c)
```

Arguments

p	probability between 0 and 1
a1	position parameter
b1	positive scale parameter
a2	position parameter
b2	positive scale parameter
c	semi-fraction parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.3) Quantile function see proposition (2.2) Random number generator see proposition (2.6)

Value

The function returns the value of the quantile function for the Expnormal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2022). *New Members of The Johnson Family of Probability Distributions: Properties and Application*, Accepted: February 2022. REVSTAT-Statistical Journal.

Examples

```
den(1,1,2,2,2,1)
pen(1,1,2,2,2,1)
qen(0.5,1,2,2,2,1)
ren(10,1,2,2,2,1)
```

qpc	<i>Plasticizing Component</i>
-----	-------------------------------

Description

Density, distribution function, quantile function and random generation for the plasticizing component with parameters $teta$, $s2$ and c .

Usage

```
qpc(p, teta, s2, c)
```

Arguments

p	probability between 0 and 1
teta	position parameter
s2	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (2) in the article Cumulative distribution function see formula (4) Quantile function see formula (9) Random number generator see formula (23)

Value

The function returns the value of the quantile function for the plasticizing component.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups1.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

SSulewski, P. (2020). *Normal Distribution with Plasticizing Component*, Communications in Statistics ? Theory and Method 51(11), 3806-3835.

Examples

```
dpc(0, 1, 2, 2)
ppc(0, 1, 2, 2)
qpc(0.5, 1, 2, 2)
rpc(10, 1, 2, 2)
```

qspc

*Sulewski Plasticizing Component Distribution***Description**

Density, distribution function, quantile function and random generation for the Sulewski plasticizing component distribution with parameters a , b , c , d and $teta$.

Usage

```
qspc(p, a, b, c, d, teta)
```

Arguments

p	probability between 0 and 1
a	multipurpose parameter ($a \geq 0$)
b	multipurpose parameter ($b \geq 0, a+b > 0$)
c	multipurpose parameter
d	multipurpose parameter ($d \geq 1$)
$teta$	position parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.2) Quantile function see formulas (2.3-2.5) Random number generator see proposition (4)

Value

The function returns the value of the quantile function for the Sulewski plasticizing component distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P., Volodin, A. (2022). *Sulewski Plasticizing Component Distribution: properties and applications*. Lobachtetavskii Journal of Mathtetamatics 43(8), 2286-2300.

Examples

```

dspc(0,1,1,1,1,0)
pspc(0,1,1,1,1,0)
qspc(0.5,1,1,1,1,0)
rspc(10,1,1,1,1,0)

```

qtppn

Two-Piece Power Normal Distribution

Description

Density, distribution function, quantile function and random generation for the two-piece power normal distribution with parameters $teta$, $s1$, $s2$ and c .

Usage

```
qtppn(p, teta, s1, s2, c)
```

Arguments

p	probability between 0 and 1
$teta$	position parameter
$s1$	positive scale parameter
$s2$	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (4) in the article Cumulative distribution function see formula (5) Quantile function see formula (10) Random number generator see formula (21)

Value

The function returns the value of the quantile function for the two-piece power normal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2021). *Two-Piece Power Normal Distribution*, Communications in Statistics - Theory and Method 50(11), 2619-2639.

Examples

```

dtpn(2,1,1,1,2)
ptpn(2,1,1,1,2)
qtpn(0.5,1,1,1,2)
rtpn(10,1,1,1,2)

```

rdsn

DS Normal Distribution

Description

Density, distribution function, quantile function and random generation for the DS normal distribution with parameters a, b, c and d.

Usage

```
rdsn(n, a, b, c, teta)
```

Arguments

n	positive number of observations
a	non-negative multipurpose parameter and $a+b>0$
b	non-negative multipurpose parameter and $a+b>0$
c	real multipurpose parameter
teta	real position parameter

Details

Probability density function in Latex see formula (5) in the paper Cumulative distribution function in Latex see formula (6) Quantile function see formulas (8,9,10) Random number generator see Theorem (5)

Value

The function returns random generator values for the DS normal distribution

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski P. (2021). *DS Normal Distribution: properties and applications*. Lobachevskii Journal of Mathematics 42(12), 2980-2999.

Examples

```
ddsn(-0.5, 2, 2, 2, 0)
pdsn(-0.5, 2, 2, 2, 0)
qdsn(0.5, 2, 2, 2, 0)
rdsn(10, 2, 2, 2, 0)
```

reck

Easily Changeable Kurtosis Distribution

Description

Density, distribution function, quantile function and random generation for the Easily Changeable Kurtosis Distribution with parameters a and p .

Usage

```
reck(n, a, p)
```

Arguments

n	positive number of observations
a	positive scale parameter
p	shape parameter: $p > -1$

Details

Probability density function see formula (1) or (3) in the article Cumulative distribution function see formula (4) Quantile function see formula (20) Random number generator see formula (41)

Value

The function returns random generation values for the Easily Changeable Kurtosis Distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups1.edu.pl>, Pomeranian University in Slupsk.

References

Sulewski, P. (2022). *Easily Changeable Kurtosis Distribution*. Austrian Journal of Statistics 52, 1-24.

Examples

```
deck(1,2,3)
peck(1,2,3)
qeck(0.5,2,3)
reck(10,2,3)
```

ren	<i>Expnormal Distribution</i>
-----	-------------------------------

Description

Density, distribution function, quantile function and random generation for the Expnormal distribution with parameters a_1 , b_1 , a_2 , b_2 and c .

Usage

```
ren(n, a1, b1, a2, b2, c)
```

Arguments

n	positive number of observations
a1	position parameter
b1	positive scale parameter
a2	position parameter
b2	positive scale parameter
c	semi-fraction parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.3) Quantile function see proposition (2.2) Random number generator see proposition (2.6)

Value

The function returns random generator values for the Expnormal distribution

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2022). *New Members of The Johnson Family of Probability Distributions: Properties and Application*, Accepted: February 2022. REVSTAT-Statistical Journal.

Examples

```
den(1,1,2,2,2,1)
pen(1,1,2,2,2,1)
qen(0.5,1,2,2,2,1)
ren(10,1,2,2,2,1)
```

rpc

Plasticizing Component

Description

Density, distribution function, quantile function and random generation for the plasticizing component with parameters teta, s2 and c.

Usage

```
rpc(n, teta, s2, c)
```

Arguments

n	positive number of observations
teta	position parameter
s2	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (2) in the article Cumulative distribution function see formula (4) Quantile function see formula (9) Random number generator see formula (23)

Value

The function returns random generator values for the plasticizing component.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups1.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2020). *Normal Distribution with Plasticizing Component*, Communications in Statistics ? Theory and Method 51(11), 3806-3835.

Examples

```
dpc(0,1,2,2)
ppc(0,1,2,2)
qpc(0.5,1,2,2)
rpc(10,1,2,2)
```

 rspc

Sulewski Plasticizing Component Distribution

Description

Density, distribution function, quantile function and random generation for the Sulewski plasticizing component distribution with parameters a, b, c, d and teta.

Usage

```
rspc(n, a, b, c, d, teta)
```

Arguments

n	positive number of observations
a	multipurpose parameter ($a \geq 0$)
b	multipurpose parameter ($b \geq 0, a+b > 0$)
c	multipurpose parameter
d	multipurpose parameter ($d \geq 1$)
teta	position parameter

Details

Probability density function see formula (2.1) in the article Cumulative distribution function see formula (2.2) Quantile function see formulas (2.3-2.5) Random number generator see proposition (4)

Value

The function returns random generator values for the Sulewski plasticizing component distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@ups.l.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P., Volodin, A. (2022). *Sulewski Plasticizing Component Distribution: properties and applications*. Lobachtetavskii Journal of Mathtetamatics 43(8), 2286-2300.

Examples

```

dspc(0,1,1,1,1,0)
pspc(0,1,1,1,1,0)
qspc(0.5,1,1,1,1,0)
rspc(10,1,1,1,1,0)

```

rtppn

Two-Piece Power Normal Distribution

Description

Density, distribution function, quantile function and random generation for the two-piece power normal distribution with parameters $teta$, $s1$, $s2$ and c .

Usage

```
rtppn(n, teta, s1, s2, c)
```

Arguments

n	positive number of observations
$teta$	position parameter
$s1$	positive scale parameter
$s2$	positive scale parameter
c	shape parameter ($c \geq 1$)

Details

Probability density function see formula (4) in the article Cumulative distribution function see formula (5) Quantile function see formula (10) Random number generator see formula (21)

Value

The function returns random generator values for the two-piece power normal distribution.

Author(s)

Piotr Sulewski, <piotr.sulewski@upsl.edu.pl>, Pomeranian UNiwersity in Slupsk.

References

Sulewski, P. (2021). *Two-Piece Power Normal Distribution*, Communications in Statistics - Theory and Method 50(11), 2619-2639.

Examples

```
dtpn(2,1,1,1,2)
ptpn(2,1,1,1,2)
qtpn(0.5,1,1,1,2)
rtpn(10,1,1,1,2)
```

Index

ddsn, [2](#), [12](#)
deck, [3](#), [13](#)
den, [4](#), [12](#)
dpc, [5](#), [12](#)
dspc, [6](#), [13](#)
dtpn, [7](#), [12](#)

pdsn, [8](#), [12](#)
peck, [9](#), [13](#)
pen, [10](#), [12](#)
ppc, [11](#), [12](#)
PSDistr, [12](#)
PSDistr-package (PSDistr), [12](#)
pspc, [13](#), [13](#)
ptpn, [12](#), [14](#)

qdsn, [12](#), [15](#)
qeck, [13](#), [16](#)
qen, [12](#), [17](#)
qpc, [12](#), [18](#)
qspc, [13](#), [19](#)
qtpn, [12](#), [20](#)

rdsn, [12](#), [21](#)
reck, [13](#), [22](#)
ren, [12](#), [23](#)
rpc, [12](#), [24](#)
rspc, [13](#), [25](#)
rtpn, [12](#), [26](#)