

Package ‘ROI.plugin.ecos’

May 7, 2026

Version 1.0-2

Title 'ECOS' Plugin for the 'R' Optimization Infrastructure

Description Enhances the 'R' Optimization Infrastructure ('ROI') package with the Embedded Conic Solver ('ECOS') for solving conic optimization problems.

Imports methods, slam, Matrix, ROI (>= 1.0-0), ECOSolveR (>= 0.5.4)

License GPL-3

URL <https://roigrp.gitlab.io>,
<https://gitlab.com/roigrp/solver/ROI.plugin.ecos>

NeedsCompilation no

Author Florian Schwendinger [aut, cre]

Maintainer Florian Schwendinger <FlorianSchwendinger@gmx.at>

Repository CRAN

Date/Publication 2023-07-06 23:30:09 UTC

Contents

Example-1	1
Example-2	2
Example-3	3

Index	4
--------------	----------

Example-1	<i>SOCP 1</i>
-----------	---------------

Description

$$\begin{aligned} & \text{maximize } x + y \\ & \text{subject to } x^2 + y^2 \leq 1 \\ & \quad x \geq 0, y \geq 0 \end{aligned}$$

Examples

```

library(ROI)
obj <- L_objective(c(1, 1))
## NOTE: chol(diag(2)) == diag(2)
con <- C_constraint(L = rbind(0, -diag(2)),
                  cones = K_soc(3),
                  rhs = c(1, 0, 0))
op <- OP(obj, con, maximum=TRUE)
x <- ROI_solve(op, solver="ecos")
x
## Optimal solution found.
## The objective value is: 1.414214e+00
solution(x)
## [1] 0.7071068 0.7071068

```

Example-2

SOCP 2

Description

The following example is also known as Problem 10 from the Hock-Schittkowski-Collection Hock and Schittkowski (1981).

$$\begin{aligned}
 & \text{minimize } x - y \\
 & \text{subject to } -3x^2 + 2xy + 1 \geq 0
 \end{aligned}$$

References

W. Hock, K. Schittkowski (1981): Test Examples for Nonlinear Programming Codes, Lecture Notes in Economics and Mathematical Systems, Vol. 187, Springer

Examples

```

library(ROI)
obj <- L_objective(c(1, -1))
L <- chol(rbind(c(3, -1), c(-1, 1)))
con <- C_constraint(L = rbind(0, -L),
                  cones = K_soc(3),
                  rhs = c(1, 0, 0))
op <- OP(objective = obj, constraints = con,
        bounds = V_bound(li=1:2, lb=rep(-Inf, 2)))
x <- ROI_solve(op, solver="ecos")
x
## Optimal solution found.
## The objective value is: -1.000000e+00
solution(x)
## [1] 1.996387e-10 1.000000e+00

```

Example-3

SOCP 3

Description

The following example is originally from the CVXOPT (<http://cvxopt.org/userguide/coneprog.html>) homepage.

$$\text{minimize } -2x_1 + x_2 + 5x_3$$

subject to

$$\begin{aligned} \left\| \begin{array}{l} -13x_1 + 3x_2 + 5x_3 - 3 \\ -12x_1 + 12x_2 - 6x_3 - 2 \end{array} \right\|_2 &\leq -12x_1 - 6x_2 + 5x_3 - 12 \\ \left\| \begin{array}{l} -3x_1 + 6x_2 + 2x_3 \\ x_1 + 9x_2 + 2x_3 + 3 \\ -x_1 - 19x_2 + 3x_3 - 42 \end{array} \right\|_2 &\leq -3x_1 + 6x_2 - 10x_3 + 27 \end{aligned}$$

References

[CVXOPT] Andersen, Martin S and Dahl, Joachim and Vandenberghe, Lieven (2016) CVXOPT: A Python package for convex optimization, version 1.1.8, <http://cvxopt.org/>

Examples

```
library(ROI)
lo <- L_objective(c(-2, 1, 5))
lc1 <- rbind(c(12, 6, -5), c(13, -3, -5), c(12, -12, 6))
lc2 <- rbind(c(3, -6, 10), c(3, -6, -2), c(-1, -9, -2), c(1, 19, -3))
lc <- C_constraint(L = rbind(lc1, lc2), cones = K_soc(c(3, 4)),
  rhs=c(c(-12, -3, -2), c(27, 0, 3, -42)))
vb <- V_bound(li=1:3, lb=rep(-Inf, 3))
op <- OP(objective = lo, constraints = lc, bounds = vb)
x <- ROI_solve(op, solver="ecos")
x
## Optimal solution found.
## The objective value is: -3.834637e+01
solution(x)
## [1] -5.014767 -5.766924 -8.521796
```

Index

Example-1, 1

Example-2, 2

Example-3, 3