

Package ‘SAGMM’

May 7, 2026

Type Package

Title Clustering via Stochastic Approximation and Gaussian Mixture Models

Version 0.2.5

Date 2025-09-20

Description

Computes clustering by fitting Gaussian mixture models (GMM) via stochastic approximation following the methods of Nguyen and Jones (2018) <[doi:10.1201/9780429446177](https://doi.org/10.1201/9780429446177)>. It also provides some test data generation and plotting functionality to assist with this process.

License GPL-3

Encoding UTF-8

Imports Rcpp (>= 0.12.13), MixSim, mclust, stats, lowmemtkmeans

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.3.3

Suggests testthat, ggplot2

NeedsCompilation yes

Author Andrew Thomas Jones [aut, cre],
Hien Duy Nguyen [aut]

Maintainer Andrew Thomas Jones <andrewthomasjones@gmail.com>

Repository CRAN

Date/Publication 2025-09-20 09:10:08 UTC

Contents

| | |
|---------------------------|----------|
| gainFactors | 2 |
| generateSimData | 2 |
| SAGMM | 3 |
| SAGMMFit | 3 |
| Index | 5 |

| | |
|-------------|---|
| gainFactors | <i>Return Gamma, a sequence of gain factors</i> |
|-------------|---|

Description

Generate a series of gain factors.

Usage

```
gainFactors(Number, Burnin)
```

Arguments

| | |
|--------|---|
| Number | Number of values required. |
| Burnin | Number of 'Burnin' values at the beginning of sequence. |

Value

Gamma, a vector of gain factors.

Examples

```
g<-gainFactors(10^4, 2*10^3)
```

| | |
|-----------------|--|
| generateSimData | <i>Generate data for simulations to test the SAGMM package..</i> |
|-----------------|--|

Description

This function is primarily a convenience wrapper for MixSim.

Usage

```
generateSimData(ngroups = 5, Dimensions = 5, Number = 10^4)
```

Arguments

| | |
|------------|--|
| ngroups | Number of mixture components. Default 5. |
| Dimensions | number of Dimensions. Default 5. |
| Number | number of samples. Default 10^4. |

Value

List of results: X, Y, simobject.

Examples

```
sims<-generateSimData(ngroups=10, Dimensions=10, Number=10^4)
sims<-generateSimData()
```

| | |
|-------|--|
| SAGMM | <i>SAGMM: A package for Clustering via Stochastic Approximation and Gaussian Mixture Models.</i> |
|-------|--|

Description

The SAGMM package allows for computation of gaussian mixture models using stochastic approximation to increase efficiency with large data sets. The primary function `SAGMMFit` allows this to be performed in a relative flexible manner.

Author(s)

Andrew T. Jones and Hien D. Nguyen

References

Nguyen & Jones (2018). Big Data-Appropriate Clustering via Stochastic Approximation and Gaussian Mixture Models. In *Data Analytics* (pp. 79-96). CRC Press.

| | |
|----------|--|
| SAGMMFit | <i>Clustering via Stochastic Approximation and Gaussian Mixture Models (GMM)</i> |
|----------|--|

Description

Fit a GMM via Stochastic Approximation. See Reference.

Usage

```
SAGMMFit(X, Y = NULL, Burnin = 5, ngroups = 5, kstart = 10, plot = FALSE)
```

Arguments

| | |
|---------|--|
| X | numeric matrix of the data. |
| Y | Group membership (if known). Where groups are integers in 1:ngroups. If provided ngroups can |
| Burnin | Ratio of observations to use as a burn in before algorithm begins. |
| ngroups | Number of mixture components. If Y is provided, and groups is not then is overridden by Y. |
| kstart | number of kmeans starts to initialise. |
| plot | If TRUE generates a plot of the clustering. |

Value

| | |
|---------|--|
| | A list containing |
| Cluster | The clustering of each observation. |
| plot | A plot of the clustering (if requested). |
| l2 | Estimate of Lambda^2 |
| ARI1 | Adjusted Rand Index 1 - using k-means |
| ARI2 | Adjusted Rand Index 2 - using GMM Clusters |
| ARI3 | Adjusted Rand Index 3 - using intialiation k-means |
| KM | Initial K-means clustering of the data. |
| pi | The cluster proportions (vector of length ngroups) |
| tau | tau matrix of conditional probabilities. |
| fit | Full output details from inner C++ loop. |

Author(s)

Andrew T. Jones and Hien D. Nguyen

References

Nguyen & Jones (2018). Big Data-Appropriate Clustering via Stochastic Approximation and Gaussian Mixture Models. In Data Analytics (pp. 79-96). CRC Press.

Examples

```
sims<-generateSimData(ngroups=10, Dimensions=10, Number=10^4)
res1<-SAGMMFit(sims$X, sims$Y)
res2<-SAGMMFit(sims$X, ngroups=5)
```

Index

`gainFactors`, [2](#)

`generateSimData`, [2](#)

SAGMM, [3](#)

SAGMM-package (SAGMM), [3](#)

SAGMMfit, [3](#)