

Package ‘SphericalCubature’

May 7, 2026

Type Package

Title Numerical Integration over Spheres and Balls in n-Dimensions;
Multivariate Polar Coordinates

Version 1.5

Date 2021-01-09

Author John P. Nolan, American University

Maintainer John P. Nolan <jpnolan@american.edu>

Depends R (>= 3.0), cubature, SimplicialCubature (>= 1.3), mvmesh,
abind

Description Provides several methods to integrate functions over the unit
sphere and ball in n-dimensional Euclidean space. Routines for converting to/from
multivariate polar/spherical coordinates are also provided.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2021-01-10 17:10:35 UTC

Contents

SphericalCubature-package	2
adaptIntegrateBallTri	5
adaptIntegrateSpherePolar	7
adaptIntegrateSphereTri	9
integrateSpherePolynomial	12
integrateSphereStroud11	13
rect2polar	14
sphereArea	15
SphericalMisc	16

Index	18
--------------	-----------

SphericalCubature-package

Numerical integration over spheres and balls in n-dimensions; multi-variate polar/spherical coordinates

Description

Provides functions to integrate a function $f(x)=f(x[1],\dots,x[n])$ over the unit sphere and unit ball in n-dimensional Euclidean space:

$$\int_S f(s)ds \quad \text{and} \quad \int_B f(x)dx,$$

where the first integral is over the unit sphere S, an (n-1) dimensional surface, and the second integral is over the unit ball B, an n dimensional solid. Vector valued integrands are allowed in some functions; see functions with an argument named `fDim`.

Integration over general spheres and balls can be done by adjusting the integrand function: if S2 is sphere with center x_0 and radius R and B2 is a ball with same center and radius, a simple change of variable shows that

$$\int_{S2} f(t)dt = \int_S R^{n-1} f(x_0 + Rs)ds \quad \text{and} \quad \int_{B2} f(y)dy = \int_B R^n f(x_0 + Rx)dx.$$

See the example in [adaptIntegrateBallTri](#).

The package also includes functions to convert to/from polar coordinates in higher dimensions.

There are three cubature methods:

1. exact methods for polynomials in any dimension (fast)
2. a method due to Stroud for smooth integrands on the sphere (in dimensions $n=3,4,\dots,16$) (slower)
3. adaptive methods for integrands with different behavior in different regions (slowest)

Methods 2 and 3 are approximations: like any numerical quadrature algorithm, they may give inaccurate results if the integrand changes abruptly on a small region. This happens even in one dimension, and is more difficult to find and deal with in higher dimensions. (One attempt to handle this difficulty is the 'split' versions of the adaptive methods, functions `adaptIntegrateSpherePolarSplit()` and `adaptIntegrateBallPolarSplit()`, where one can split the region of integration based on knowledge of the integrand. This can also be done in functions `adaptIntegrateSphereTri()` and `adaptIntegrateBallTri()` by specifying an appropriate partition in the simplices.)

It is expected that these methods will yield several significant digits, but not many digits of precision. This seems to be the state of the art in multivariate integration.

Version 1.1 of this package introduces new methods to integrate over spheres. Earlier versions used only polar coordinate representations of the sphere. Now one can use both polar representations and triangulations of the sphere. The latter has advantages in some cases: it avoids the problems with polar coordinates giving regions that are sometimes rectangles and sometimes triangles (which occurs at the poles), triangles can be approximately equal area in any dimension, etc.

While adding these new routines, names became confusing. Apologies to anyone who has trouble because of this, but it seems better in the long run to explicitly name functions based on their approach. Hence `adaptIntegrateSphere()` has been renamed `adaptIntegrateSpherePolar()` to indicate that it uses polar coordinates, while the functions `adaptIntegrateSphereTri()` and `adaptIntegrateBallTri()` uses spherical triangles.

An explicit goal was to get beyond the cases where $n=2$, so some efficiency has been sacrificed. In all the methods, the higher the dimension n , the longer the compute time. For methods 2 and 3, compute times get noticeable when $n > 5$. One application that motivated this package required the ability to work reliably with integrands that have spikes. That requires some sort of adaptive technique, with the possibility of telling the integration algorithm where the spikes are.

This package is an attempt to provide methods for integrating over spheres and balls in multiple dimensions, not a final answer. One possible improvement is speed: coding routines in C would give a significant increase in speed. Another possible extension is to include other multivariate integration methods, e.g. the package `R2cuba`. This may provide a way to approximate higher dimensional integrals in some cases, if the integrand is well behaved.

Please let me know if you find any mistakes. Constructive comments for improvements are welcome. Fixing bugs or implementing suggestions will be dependent on my workload.

Version history:

- 1.0.0 (2013-05-16) original package
- 1.0.1 (2013-05-24) fix mistake in `adaptIntegrateBallPolarSplit`, fix example in `integratePolynomialSphere`, add more documentation
- 1.0.2 (2013-12-18) add function `adaptIntegrateSphereTri3d` to integrate over spherical triangles in 3-dimensions
- 1.1 (2016-05-14) add function `adaptIntegrateSphereTri` to integrate over spherical triangles in n -dimensions.
- 1.2 (2016-07-23) improve `adaptIntegrateSphereTri` where the integration over octants worked, but integrals over other subdivisions did not. New version works over any subdivision that doesn't cross into different octants (this is checked). Minor changes to documentation were made and more checks on input values were added.
- 1.3 (2017-09-16) Improve changes in version 1.2: remove the restriction on simplices in `adaptIntegrateSphereTri`: the input simplices are analyzed and if a simplex is in more than one orthant, it is automatically subdivided, giving a list of simplices that exactly cover the same part of the sphere and respect each orthant. Fix `adaptIntegrateSphericalCubatureTri` to correctly pass optional arguments to the integrand function. Change the word "octant" to "orthant" throughout the code to stress that the code works in higher dimensions.
- 1.4 (2017-09-16) minor tweaks
- 1.5 (2021-01-04) (a) Fix bug in function `rect2polar()` (conversion from rectangular to polar coordinates) that occurred along an axis. Thanks to Prof. Eckard Liebscher for finding this mistake. (b) Add function `adaptIntegrateBallSimplices()`. (c) Use the new function `adaptIntegrateVectorFunc()` from package `SimplicialCubature` to handle the 2-dimensional case of integrating over a sphere. (d) Add a required argument to function `adaptIntegrateSphereTri()`. (e) Add function `adaptIntegrateBallRadial()` to integrate a radial function over the unit ball. (f) Recode function `Orthants()` to be a standalone function, not requiring package `mvmesh`. (g) add to documentation.

Author(s)

John P. Nolan

Maintainer: John P. Nolan <jpnolan@american.edu>

This research was supported by an agreement with Cornell University, Operations Research & Information Engineering, under contract W911NF-12-1-0385 from the Army Research Development and Engineering Command.

See Also

[integrateSpherePolynomial](#), [integrateBallPolynomial](#), [integrateSphereStroud11](#), [sphereArea](#), [ballVolume](#), [polar2rect](#), [rect2polar](#), [adaptIntegrateSpherePolar](#), [adaptIntegrateSpherePolarSplit](#), [adaptIntegrateSphereTri](#), [adaptIntegrateSphereTri3d](#), [adaptIntegrateBallPolar](#), [adaptIntegrateBallPolarSp](#), [adaptIntegrateBallTri](#), [adaptIntegrateBallRadial](#)

Examples

```
# integral should just be the area of sphere in n dimensions
f1 <- function( x ) { return(1.0) }
n <- 3
adaptIntegrateBallTri( f1, n ) # exact answer = volume of ball = (4/3)*pi = 4.18879

# other methods
integrateSphereStroud11( f1, n )
adaptIntegrateSpherePolar( f1, n )$integral
# exact value for a polynomial
p <- list(coef=1.0,k=matrix( rep(0L,n), nrow=1,ncol=n))
integrateSpherePolynomial( p )

# test of exact polynomial integration
f2 <- function( x ) { return(x[1]^2) }
sphereArea(n)/n # exact answer
integrateSphereStroud11( f2, n )
p <- list(coef=1.0,k=matrix( c(2L,rep(0L,n-1)), nrow=1) )
integrateSpherePolynomial( p )
adaptIntegrateSpherePolar( f2, n )$integral

# integration over a ball
adaptIntegrateSphereTri( f1, n ) # exact answer = surface area of sphere = 4*pi = 12.56637

# vector valued integrands
f3 <- function( x ) { c( x[1]^2, x[2]^3 ) }
adaptIntegrateBallTri( f3, n, fDim=2 )
adaptIntegrateSphereTri( f3, n, fDim=2 )

# radial function
g <- function( x ) { sum(x^2) }
adaptIntegrateBallRadial( g, n=3 )

# for more examples enter: demo(SphericalCubature)
```

adaptIntegrateBallTri *Adaptive integration over the unit ball*

Description

Adaptively integrate a function over the ball, specified by a set of spherical triangles to define a ball (or a part of a ball). Function `adaptIntegrateBallTri()` uses spherical triangles and works in n -dimensions; it uses function `adaptIntegrateSimplex()` in R package `SimplicialCubature`, which is based on code of Alan Genz. `adaptIntegrateBallRadial()` integrates radial functions of the form $f(x) = g(|x|)$ over the unit ball.

Usage

```
adaptIntegrateBallTri( f, n, S=Orthants(n), fDim=1L, maxEvals=20000L, absError=0.0,
  tol=1.0e-5, integRule=3L, partitionInfo=FALSE, ... )
adaptIntegrateBallRadial( g, n, fDim=1, maxEvals=20000L, absError=0.0,
  tol=1e-05, integRule=3L, partitionInfo=FALSE, ... )
```

Arguments

<code>f</code>	integrand function f defined on the sphere in \mathbb{R}^n
<code>g</code>	integrand function g defined on the real line
<code>n</code>	dimension of the space
<code>S</code>	array of spherical triangles, $\dim(S)=c(n,n,nS)$. Columns of S should be points on the unit sphere: $\sum(S[,i,j]^2)=1$. Execution will be faster if every simplex $S[,j]$ is contained within any single orthant. This will happen automatically if function <code>Orthants</code> is used to generate orthants, or if S is a tessellation coming from function <code>UnitSphere</code> in package <code>mvmesh</code> . If one or more simplices intersect multiple orthants, the simplices will automatically be subdivided so that each subsimplex is in a single orthant.
<code>fDim</code>	integer dimension of the integrand function
<code>maxEvals</code>	maximum number of evaluations allowed
<code>absError</code>	desired absolute error
<code>tol</code>	desired relative tolerance
<code>integRule</code>	integration rule to use in call to function <code>adsimp</code>
<code>partitionInfo</code>	if TRUE, return the final partition after subdivision
<code>...</code>	optional arguments to function $f(x, \dots)$ or $g(x, \dots)$

Details

`adaptIntegrateBallTri()` takes as input a function f defined on the unit sphere in n -dimensions and a list of spherical triangles S and attempts to integrate f over (part of) the unit sphere described by S . It uses the R package `SimplicialCubature` to evaluate the integrals. The spherical triangles in S should individually be contained in an orthant.

If the integrand is nonsmooth, you can specify a set of spherical triangles that focus the cubature routines on that region. See the example below with integrand function `f3`.

Value

A list containing

<code>status</code>	a string describing result, ideally it should be "success", otherwise it is an error/warning message.
<code>integral</code>	approximation to the value of the integral
<code>I0</code>	vector of approximate integral over each triangle in K
<code>numRef</code>	number of refinements
<code>nk</code>	number of triangles in K
<code>K</code>	array of spherical triangles after subdivision, $\dim(K)=c(3,3,nk)$
<code>est.error</code>	estimated error
<code>subsimplices</code>	if <code>partitionInfo=TRUE</code> , this gives an array of subsimplices, see function <code>adsimp</code> for more details.
<code>subsimplicesIntegral</code>	if <code>partitionInfo=TRUE</code> , this array gives estimated values of each component of the integral on each subsimplex, see function <code>adsimp</code> for more details.
<code>subsimplicesAbsError</code>	if <code>partitionInfo=TRUE</code> , this array gives estimated values of the absolute error of each component of the integral on each subsimplex, see function <code>adsimp</code> for more details.
<code>subsimplicesVolume</code>	if <code>partitionInfo=TRUE</code> , vector of m -dim. volumes of subsimplices; this is not d -dim. volume if $m < n$.

Examples

```
# integrate over ball in R^3
n <- 3
f <- function( x ) { x[1]^2 }
adaptIntegrateBallTri( f, n )

# integrate over first orthant only
S <- Orthants( n, positive.only=TRUE )
a <- adaptIntegrateSphereTri( f, n, S )
b <- adaptIntegrateSphereTri3d( f, S )
# exact answer, adaptIntegrateSphereTri approximation, adaptIntegrateSphereTri3d approximation
sphereArea(n)/(8*n); a$integral; b$integral

# integrate a vector valued function
f2 <- function( x ) { c(x[1]^2,x[2]^3) }
adaptIntegrateBallTri( f2, n=2, fDim=2 )

# example of specifying spherical triangles that make the integration easier
f3 <- function( x ) { sqrt( abs( x[1]-3*x[2] ) ) } # has a cusp along the line x[1]=3*x[2]
a <- adaptIntegrateBallTri( f3, n=2, absError=0.0001, partitionInfo=TRUE )
str(a) # note that returnCode = 1, e.g. maxEvals exceeded

# define problem specific spherical triangles, using direction of the cusp
```

```

phi <- atan(1/3); c1 <- cos(phi); s1 <- sin(phi)
S <- array( c(1,0,c1,s1,  c1,s1,0,1,  0,1,-1,0,  -1,0,-c1,-s1,
             -c1,-s1,0,-1,  0,-1,1,0), dim=c(2,2,6) )
b <- adaptIntegrateBallTri( f3, n=2, S, absError=0.0001, partitionInfo=TRUE )
str(b) # here returnCode=0, less than 1/2 the function evaluations and smaller estAbsError

# integrate x[1]^2 over nested balls of radius 2 and 5 (see discussion in ?SphericalCubature)
f4 <- function( x ) { c( 2^2 * (2*x[1])^2, 5^2 * (5*x[1])^2 ) }
bb <- adaptIntegrateBallTri( f4, n=2, fDim=2 )
str(bb)
bb$integral[2]-bb$integral[1] # = integral of x[1]^2 over the annulus 2 <= |x| <= 5

```

adaptIntegrateSpherePolar

Adaptive integration over sphere or ball in n-dimensions

Description

Approximate the integral over the sphere or ball in n-dimensions using polar coordinates. Can also integrate over sectors of the sphere/ball, see details. These functions will be slow, but may be necessary to get accurate answers if the integrand function $f(x)$ is not smooth. If the integrand changes rapidly in certain regions, the basic routines `adaptIntegrateSpherePolar()` and `codeadaptIntegrateBallPolar()` will likely miss these abrupt changes and give inaccurate results. For cases where the location of the rapid changes are known, the functions `adaptIntegrateSpherePolarSplit()` and `adaptIntegrateBallPolarSplit()` allow you to split the region of integration and capture those changes.

Usage

```

adaptIntegrateSpherePolar(f, n, lowerLimit = rep(0, n - 1),
  upperLimit = c(rep(pi, n - 2), 2 * pi), tol = 1e-05, ...)
adaptIntegrateSpherePolarSplit(f, n, xstar, width = 0, lowerLimit = rep(0, n - 1),
  upperLimit = c(rep(pi, n - 2), 2 * pi), tol = 1e-05, ...)

adaptIntegrateBallPolar(f, n, lowerLimit = rep(0, n - 1),
  upperLimit = c(rep(pi, n - 2), 2 * pi), R = c(0, 1), tol = 1e-05, ...)
adaptIntegrateBallPolarSplit(f, n, xstar, width = 0, lowerLimit = rep(0, n - 1),
  upperLimit = c(rep(pi, n - 2), 2 * pi), R = c(0, 1), tol = 1e-05, ...)

```

Arguments

f	Integrand function $f(x)=f(x[1],\dots,x[n])$.
n	dimension of the space. The sphere is an (n-1) dimensional manifold inside n-space, the ball is an n-dimensional solid.
lowerLimit	Polar angular coordinates of lower limit
upperLimit	Polar angular coordinates of upper limit

<code>tol</code>	tolerance, the desired accuracy of the result. The functions try to get $\text{abs}(\text{exact-integral}) < \text{tol}$
<code>...</code>	optional arguments passed to <code>f</code> . If used, these should be specified with a tag, e. g. <code>param1=7</code>
<code>R</code>	a numeric vector of length 2, integration is performed over the region with $R[1] < \text{radius} < R[2]$.
<code>xstar</code>	($n \times m$) matrix whose columns give the directions where the integrand changes quickly, where the region will be subdivided to focus on that region. (The length of a column vector is not used, just it's direction.)
<code>width</code>	width of 'splitting regions', a vector of length m . If it is of length 1, then that value is repeated for each j in $1:m$. If $\text{width}[j]=0$, the angular region is split just at the points given by the columns <code>xstar[,j]</code> . If $\text{width}[j] > 0$, then angular region is split at an angle plus and minus $\text{width}[j]$.

Details

Approximate the integral of $f(x)$ over all/part of the sphere or ball in n -space. The approach is simplistic: reparameterize the region in polar coordinates. For the sphere, this makes the region of integration a rectangle in dimension $(n-1)$ in the angle space (here the radius is fixed: $R=1$). For the ball, the polar representation in terms of angles and radius gives an region of integration that is an n dimensional rectangle. The `R` package `cubature` is used to evaluate the transformed integral.

The region of integration can be a subset of the sphere/ball by specifying a patch/sector in polar coordinates. To integrate over a subregion, bounds for the polar integration have be specified. For example, in two dimensions, you can integrate over the top half of the circle by specifying `lowerLimit=0.0` and `upperLimit=pi` to `adaptIntegrateSpherePolar()`. Likewise for the ball, to integrate over the part of the annulus with inner radius `.2` and outer radius `.7` that is in the first quadrant, specify `lowerLimit=0.0`, `upperLimit=pi/2`, `R=c(.2,.7)`.

Value

For `adaptIntegrateSpherePolar()` and `adaptIntegrateBallPolar()`, the function returns a list containing several fields. There is always a field

`integral` Giving the approximate value of the integral.

The other fields depend on the dimension: when $n=2$, the other fields are what is returned by the function `integrate()` in base `R`; when $n > 2$, the other fields are the fields returned by package `cubature`.

For `adaptIntegrateSpherePolarSplit()` and `adaptIntegrateBallPolarSplit()`, a single value is returned. (This is because these functions make multiple calls to the adaptive integration routine and the results of each call are not saved.)

See Also

[polar2rect](#), [rect2polar](#)

Examples

```

f1 <- function( x ) { return(x[1]^2+3*x[2]+exp(x[3])) }
n <- 3
adaptIntegrateSpherePolar( f1, n )
adaptIntegrateSpherePolarSplit( f1, n, xstar=matrix(c(1,1,1),nrow=3) )
adaptIntegrateBallPolar( f1, n )
adaptIntegrateBallPolarSplit( f1, n, xstar=matrix(c(1,1,1),nrow=3) )

# test of adaptive integration with deliberate splitting
# function f3 has a sharp spike in the direction (1,2),
# elsewhere it has value 1
f3 <- function( x ) {
  x0 <- c(1.0,2.0)/sqrt(5.0)
  dist <- sqrt(sum( (x-x0)^2 ) )
  y <- 10-5000*dist
  y <- 1 + max(y,0)
  return(y) }

# no splitting: this straightforward attempt at integration misses
# the spike and sees the integrand as =1 everywhere, so returns 2*pi
n <- 2
adaptIntegrateSpherePolar( f3, n )

# deliberate splitting at specified points, but still misses spike
# default width=0 splits the region of integration from [0,2*pi] to [0,a] union [a,2*pi],
# where tan(a)=2/1.
xstar <- matrix( c(1.0,2.0,-1.0,1.0), nrow=2 )
adaptIntegrateSpherePolarSplit( f3, n, xstar=xstar )

# deliberate splitting around specified points, 'smart' choice of width gets the spike
# Here the region of integration is split into [0,a-.01] U [a-.01,a+.01] U [a+.01,2*pi]
adaptIntegrateSpherePolarSplit( f3, n, xstar=xstar, width=c(0.01,0.01) )

```

adaptIntegrateSphereTri

Adaptive integration over spherical triangles

Description

Adaptively integrate a function over a set of spherical triangles. Function `adaptIntegrateSphereTri()` uses spherical triangles and works in n-dimensions; it uses function `adaptIntegrateSimplex()` in package `SimplicialCubature`, which is based on code of Alan Genz. `adaptIntegrateSphereTri3d()` works only in 3-dimensions and is described in the paper by N. Boal and F-J. Sayas; it is not as sophisticated and is slower than `adaptIntegrateSphereTri()`, but can be useful and is self contained.

Usage

```
adaptIntegrateSphereTri( f, n, S, fDim=1L, maxEvals=20000L, absError=0.0,
```

```

    tol=1.0e-5, integRule=3L, partitionInfo=FALSE, ... )
adaptIntegrateSphereTri3d( f, S, maxRef=50, relTol=0.001, maxTri=50000, gamma=1.5 )
adaptIntegrateSphereTriI0( f, K )
adaptIntegrateSphereTriI1( f, K )
adaptIntegrateSphereTriSubdivideK( K )

```

Arguments

f	function f defined on the sphere
S	array of spherical triangles, $\dim(S)=c(n,n,nS)$. Columns of S should be points on the unit sphere: $\sum(S[,i,j]^2)=1$. Execution will be faster if every simplex $S[,j]$ is contained within any single orthant. This will happend automatically if function <code>Orthants()</code> is used to generate orthants, or if S is a tessellation coming from function <code>UnitSphere()</code> in package <code>mvmesh</code> . If one or more simplices intersect multiple orthants, the simplices will automatically be subdivided so that each subsimplex is in a single orthant.
n	dimension of the ball
fDim	integer dimension of the integrand function
maxEvals	maximum number of evaluations allowed
absError	desired absolute error
tol	desired relative tolerance
integRule	integration rule to use in call to function <code>adsimp</code>
partitionInfo	if TRUE, return the final partition after subdivision
...	optional arguments to function <code>f(x,...)</code>
maxRef	maximum number of refinements allowed
relTol	desired relative tolerance
maxTri	maximum number of triangles allowed while refining
gamma	threshold parameter for when a triangle is subdivided, should be ≥ 1
K	a single spherical triangle in 3 space, $\dim(K)=c(3,3)$

Details

`adaptIntegrateSphereTri3d()` takes as input a function `f` defined on the unit sphere in 3-dimensions and a list of spherical triangles `K0` and attempts to integrate `f` over the part of the unit sphere described by `K0`. The triangles in `K0` should individually contained in an orthant. The algorithm estimates the integral over each triangle, then estimates error on each triangle, and subdivides triangles with large errors. This is repeated until either the desired accuracy is achieved, or there are too many subdivisions.

Functions `adaptIntegrateSphereI0()`, `adaptIntegrateSphereI1()`, and `adaptIntegrateSphereSubdivideK()` are internal functions that compute the integral `I0` for a spherical triangle, integral `I1` for a spherical triangle, and subdivide spherical triangle `K` into 4 smaller spherical triangles (using midpoints of each side).

`adaptIntegrateSphereTri()` takes as input a function `f` defined on the unit sphere in `n`-dimensions and a list of spherical triangles `S` and attempts to integrate `f` over (part of) the unit sphere described by `S`. It uses the `R` package `SimplicialCubature` to evaluate the integrals. The spherical

triangles in S should individually be contained in an orthant. The algorithm estimates the integral over each triangle, then estimates error on each triangle, and subdivides triangles with large errors. This is repeated until either the desired accuracy is achieved, or there are too many subdivisions. This function is more general than `adaptIntegrateSphereTri3d` in two ways: (1) it works in dimension $n \geq 2$, and (2) it allows vector integrands f . It also is generally faster than `adaptIntegrateSphereTri()`. Use the function `Orthants()` to get a rough triangulation of the sphere; see the examples below. For finer resolution triangulation can be obtained from `UnitSphere()` in R package `mvmesh`. For description of `adaptIntegrateSphereTri3d()` see www.unizar.es/galdeano/actas_pau/PDFVIII/pp61-69.pdf.

Thoughtful choice of the spherical triangles can result in faster and more accurate results, see the example below with function `f3()`.

Value

A list containing

<code>status</code>	a string describing result, ideally it should be "success", otherwise it is an error/warning message.
<code>integral</code>	approximation to the value of the integral
<code>I0</code>	vector of approximate integral over each triangle in K
<code>numRef</code>	number of refinements
<code>nk</code>	number of triangles in K
<code>K</code>	array of spherical triangles after subdivision, $\dim(K)=c(3,3,nk)$
<code>est.error</code>	estimated error
<code>subsimplices</code>	if <code>partitionInfo=TRUE</code> , this gives an array of subsimplices, see function <code>adsimp</code> for more details.
<code>subsimplicesIntegral</code>	if <code>partitionInfo=TRUE</code> , this array gives estimated values of each component of the integral on each subsimplex, see function <code>adsimp</code> for more details.
<code>subsimplicesAbsError</code>	if <code>partitionInfo=TRUE</code> , this array gives estimated values of the absolute error of each component of the integral on each subsimplex, see function <code>adsimp</code> for more details.
<code>subsimplicesVolume</code>	if <code>partitionInfo=TRUE</code> , vector of m -dim. volumes of subsimplices; this is not d -dim. volume if $m < n$.

Examples

```
# test of polynomial integration f(s)=s[1]^2
f <- function( s ) { return( s[1]^2 ) }
n <- 3

# integrate over whole sphere
S <- Orthants( n )
a <- adaptIntegrateSphereTri( f, n, S )
b <- adaptIntegrateSphereTri3d( f, S )
```

```

# exact answer, adaptIntegrateSphereTri approximation, adaptIntegrateSphereTri3d approximation
sphereArea(n)/n; a$integral; b$integral

# integrate over first orthant only
S <- Orthants( n, positive.only=TRUE )
a <- adaptIntegrateSphereTri( f, n, S )
b <- adaptIntegrateSphereTri3d( f, S )
# exact answer, adaptIntegrateSphereTri approximation, adaptIntegrateSphereTri3d approximation
sphereArea(n)/(8*n); a$integral; b$integral

# example of specifying spherical triangles that make the integration easier
f3 <- function( x ) { sqrt( abs( x[1]-3*x[2] ) ) } # has a cusp along the line x[1]=3*x[2]
a <- adaptIntegrateSphereTri( f3, n=2, partitionInfo=TRUE )
str(a)

# define problem specific spherical triangles, using direction of the cusp
phi <- atan(1/3); c1 <- cos(phi); s1 <- sin(phi)
S <- array( c(1,0,c1,s1, c1,s1,0,1, 0,1,-1,0, -1,0,-c1,-s1,
             -c1,-s1,0,-1, 0,-1,1,0), dim=c(2,2,6) )
b <- adaptIntegrateSphereTri( f3, n=2, S, partitionInfo=TRUE )
str(b) # estAbsError here is 1/6 of above with approx. the same number of function evaluations

```

integrateSpherePolynomial

Integration of polynomials over sphere or ball.

Description

Exact integration of polynomial over sphere or ball in n-dimensions.

Usage

```

integrateSpherePolynomial(p, valueOnly = TRUE)
integrateBallPolynomial(p, R = c(0, 1))

```

Arguments

p	a list specifying the coefficients and powers of the polynomial. See details below
valueOnly	boolean saying whether to return only the value of the integral, or return both the value and a intermediate terms. These intermediate terms are used by integrateBallPolynomial().
R	inner and outer radius of the annular region: R[1] <= radius <= R[2].

Details

Compute the exact integral over the sphere in n dimensions of a polynomial $p(x[1], \dots, x[n]) = \sum (\text{coef}[i] * x[1]^{k[i,1]} * \dots * x[n]^{k[i,n]})$, where the sum is over $i=1, \dots, m$. The polynomial is specified as a list p with fields

- coef, an m-vector of doubles
- k, an (m x n) matrix of integers

m and n are given implicitly in the sizes of these arrays output is normally just a number, the value of the integral. If integrateSpherePolynomial is called with valueOnly=FALSE, a list with two fields:

- integral, a double containing the value of the integral
- term, a vector of length m of values used in function IntegratePolynomialBall()

Value

integrateSpherePolynomial() normally just returns a value of the integral, but if valueOnly=FALSE, it will return a list containing the value and intermediate terms. These intermediate terms correspond to the integral of each monomial term in the polynomial; they are used by integrateBallPolynomial().

integrateBallPolynomial() returns just the value of the integral.

References

Method is from How to Integrate a Polynomial over a Sphere, by G. Folland (2001), MAA Monthly 108, pg. 446-448.

Examples

```
n <- 3
# specify the polynomial p(x) = 1.0 * x[1]^2 * x[2]^0 * x[3]^0 + 7.0 * x[1]^0 * x[2]^3 * x[3]
p <- list(coef=c(1.0,7.0),k=matrix( c(2L,0L,0L,0L,3L,0L), byrow=TRUE, nrow=2) )
integrateSpherePolynomial( p )
integrateBallPolynomial( p )

# compare to adaptive integration
f4 <- function( x ) { return( x[1]^2 + 7*x[2]^2*x[3] ) }
adaptIntegrateSpherePolar( f4, n )$integral
adaptIntegrateBallPolar( f4, n )$integral
```

integrateSphereStroud11

Integrate a function over the sphere in n-dimensions.

Description

Approximate the integral of a function $f(x)=f(x[1],\dots,x[n])$ over the unit sphere in n-space using Stroud's method of degree 11.

Usage

```
integrateSphereStroud11(f, n, ...)
```

Arguments

f function $f(x)=f(x[1],\dots,x[n])$ to integrate
n dimension of the space, implemented for n in the range 3:16.
... optional arguments passed to f(). If these are specified, they should be labeled with a tag, e.g. param1=3.4

Details

This method works if the integrand is smooth. If the function changes rapidly, adaptive integration can be tried as described in 'See Also' below.

Value

A single number, the approximation to the integral.

References

Stroud integration and related functions, adapted from fortran code by John Burkhart found at http://people.sc.fsu.edu/~jburkardt/f77_src/stroud/stroud.html
Based on the book by A. H. Stroud, Approximate Calculation of multiple integrals, 1971, page 296-297.

See Also

[adaptIntegrateSpherePolar](#), [adaptIntegrateBallPolar](#), [adaptIntegrateSphereTri](#)

Examples

```
f2 <- function( x ) { return(x[1]^2) }
integrateSphereStroud11( f2, n=3 )
```

rect2polar

n-dimensional polar coordinate transformations

Description

Convert between polar and rectangular coordinates in n-dimensions. The point $(x[1],\dots,x[n])$ in rectangular coordinates corresponds to the point $(r,\text{phi}[1],\dots,\text{phi}[n-1])$ in polar coordinates.

Usage

```
polar2rect(r, phi)
rect2polar(x)
```

Arguments

`r` a vector of radii of length `m`.
`phi` angles, a matrix of size $(n-1) \times m$.
`x` $(n \times m)$ matrix, with column `j` being the point in n -dimensional space.

Details

n dimensional polar coordinates are given by the following:
 rectangular $x=(x[1],\dots,x[n])$ corresponds to polar $(r,\text{phi}[1],\dots,\text{phi}[n-1])$ by
 $x[1] = r \cdot \cos(\text{phi}[1])$
 $x[j] = r \cdot \prod(\sin(\text{phi}[1:(j-1)])) \cdot \cos(\text{phi}[j])$, $2 \leq j \leq n-1$
 ...
 $x[n] = r \cdot \sin(\text{phi}[1]) \cdot \sin(\text{phi}[2]) \cdot \dots \cdot \sin(\text{phi}[n-2]) \cdot \sin(\text{phi}[n-1])$

This is the definition used in Wikipedia under the topic 'n-sphere'. There are variations of this definition in use. Here $\text{phi}[1],\dots,\text{phi}[n-2]$ are in $[0,\pi)$, and $\text{phi}[n-1]$ is in $[0,2\pi)$. For multivariate integration, the determinant of the Jacobian of the above transformation is $J(r,\text{phi}) = r^{(n-1)} \cdot \prod(\sin(\text{phi}[1:(n-2)]))^{(n-2):1}$; note that $\text{phi}[n-1]$ does not appear in the Jacobian.

Value

For `polar2rect()`, an $(n \times m)$ matrix of rectangular coordinates.

For `rect2polar()`, a list with fields:

`r` a vector of length `m` containing the radii
`phi` angles, a matrix of size $(n \times m)$

Examples

```
x <- matrix( 1:9, nrow=3 )
x
a <- rect2polar( x )
a
polar2rect( a$r, a$phi )
```

 sphereArea

Surface area of spheres, volumes of balls in n-dimensions.

Description

Calculates the $(n-1)$ dimensional surface area of a sphere and the n dimensional volume of a ball in n -space.

Usage

```
sphereArea(n, R = 1)
ballVolume(n, R = 1)
```

Arguments

n	Dimension of the space.
R	Radius of the sphere/ball.

Value

Single number that is the area of the sphere/volume of the ball.

Examples

```
sphereArea(n=5)
ballVolume(n=5)
```

SphericalMisc

Miscellaneous internal functions used by SphericalCubature package.

Description

These functions are not intended for general use, they are only listed here to document their existence.

adaptIntegrateCheck is used by the adaptive integration functions to check input parameters, partitionRegion is used by the 'split' versions of the the adaptive integration functions, nextGraySubset is used by IntegrateSphereStroud11, nextMultiIndex is used by adaptive integration functions, nextBinary is used by Orthants.

Usage

```
adaptIntegrateSphereCheck( n, lowerLimit, upperLimit, R, xstar, width )
partitionRegion( xstar, width, lowerLimit, upperLimit )
nextGraySubset( gray.list )
nextMultiIndex( j, size )
CheckUnitVectors( S, eps=1.0e-14 )
Orthants( n, positive.only=FALSE )
SubdivideSphereTriByOrthant( S, eps=1.0e-14 )
nextBinary( b )
```

Arguments

n	dimension of the space
lowerLimit	lower angular limit for integration region
upperLimit	upper angular limit for integration region
R	inner and outer radii for integration region
xstar	directions where function changes rapidly
width	width of subdivisions
gray.list	list used by Stroud integration

<code>j</code>	current multi-index
<code>size</code>	length of multi-index
<code>S</code>	a matrix or array specifying simplices
<code>eps</code>	tolerance used in test for unit vectors
<code>positive.only</code>	logical; if TRUE, only the first orthant is returned, if FALSE, all 2^n orthants are returned
<code>b</code>	a vector of integers, representing a number in base 2

Details

`Orthant()` returns an array of simplices in the V representation; each one gives the points on the axes that are on the boundary of one orthant. `CheckSphereTri()` performs validity checks on the simplices in `S`.

Index

- * **cubature**
 - adaptIntegrateSpherePolar, 7
 - integrateSpherePolynomial, 12
 - integrateSphereStroud11, 13
- * **multivariate integration**
 - adaptIntegrateSpherePolar, 7
 - integrateSpherePolynomial, 12
 - integrateSphereStroud11, 13
- * **polar coordinates**
 - rect2polar, 14
- adaptIntegrateBallPolar, 4, 14
- adaptIntegrateBallPolar
 - (adaptIntegrateSpherePolar), 7
- adaptIntegrateBallPolarSplit, 4
- adaptIntegrateBallPolarSplit
 - (adaptIntegrateSpherePolar), 7
- adaptIntegrateBallRadial, 4
- adaptIntegrateBallRadial
 - (adaptIntegrateBallTri), 5
- adaptIntegrateBallTri, 2, 4, 5
- adaptIntegrateSphereCheck
 - (SphericalMisc), 16
- adaptIntegrateSpherePolar, 4, 7, 14
- adaptIntegrateSpherePolarSplit, 4
- adaptIntegrateSpherePolarSplit
 - (adaptIntegrateSpherePolar), 7
- adaptIntegrateSphereTri, 4, 9, 14
- adaptIntegrateSphereTri3d, 4
- adaptIntegrateSphereTri3d
 - (adaptIntegrateSphereTri), 9
- adaptIntegrateSphereTriI0
 - (adaptIntegrateSphereTri), 9
- adaptIntegrateSphereTriI1
 - (adaptIntegrateSphereTri), 9
- adaptIntegrateSphereTriSubdivideK
 - (adaptIntegrateSphereTri), 9
- ballVolume, 4
- ballVolume (sphereArea), 15
- CheckUnitVectors (SphericalMisc), 16
- integrateBallPolynomial, 4
- integrateBallPolynomial
 - (integrateSpherePolynomial), 12
- integrateSpherePolynomial, 4, 12
- integrateSphereStroud11, 4, 13
- nextBinary (SphericalMisc), 16
- nextGraySubset (SphericalMisc), 16
- nextMultiIndex (SphericalMisc), 16
- Orthants (SphericalMisc), 16
- partitionRegion (SphericalMisc), 16
- polar2rect, 4, 8
- polar2rect (rect2polar), 14
- rect2polar, 4, 8, 14
- sphereArea, 4, 15
- SphericalCubature
 - (SphericalCubature-package), 2
- SphericalCubature-package, 2
- SphericalMisc, 16
- SubdivideSphereTriByOrthant
 - (SphericalMisc), 16