

Package ‘TRAMPR’

May 7, 2026

Title 'TRFLP' Analysis and Matching Package for R

Version 1.0-10

License GPL-2

Depends R (>= 2.4)

URL <https://github.com/richfitz/TRAMPR>

Description Matching terminal restriction fragment length polymorphism ('TRFLP') profiles between unknown samples and a database of known samples. 'TRAMPR' facilitates analysis of many unknown profiles at once, and provides tools for working directly with electrophoresis output through to generating summaries suitable for community analyses with R's rich set of statistical functions. 'TRAMPR' also resolves the issues of multiple 'TRFLP' profiles within a species, and shared 'TRFLP' profiles across species.

NeedsCompilation no

Author Rich FitzJohn [aut, cre],
Ian Dickie [aut]

Maintainer Rich FitzJohn <rich.fitzjohn@gmail.com>

Repository CRAN

Date/Publication 2022-02-07 18:40:02 UTC

Contents

TRAMPR-package	2
add.known	3
build.knowns	6
combine	8
combine.TRAMPsamples	8
create.diffsmatrix	9
demo.knowns	11
demo.samples	11
group.knowns	12

load.abi	16
plot.TRAMP	18
plot.TRAMPknowns	20
plot.TRAMPsamples	22
read.abi	23
read.write	24
rebuild.TRAMP	26
remove.TRAMP.match	26
summary.TRAMP	27
TRAMP	28
TRAMPindexing	30
TRAMPknowns	32
TRAMPsamples	34
update.TRAMP	36
Index	38

TRAMPR-package	<i>The TRAMPR Package (TRFLP Analysis and Matching Package for R)</i>
----------------	---

Description

This package contains a collection of functions to help analyse terminal restriction fragment length polymorphism (TRFLP) profiles, by matching unknown peaks to known TRFLP profiles in order to identify species.

The TRAMPR package contains a vignette, which includes a worked example; type `vignette("TRAMPRdemo")` to view it. To see all documented help topics, type `library(help=TRAMPR)`.

Details

Start by reading the `TRAMP` (and perhaps `create.diffsmatrix`) help pages, which explain the matching algorithm.

Then read `load.abi` to learn how to load ABI format data into the program. Alternatively, read `TRAMPsamples` and `read.TRAMPsamples` to load already-processed data.

If you already have a collection of knowns, read `TRAMPknowns` and `read.TRAMPknowns` to learn how to load them. Otherwise, read `build.knowns` to learn how to automatically generate a set of known profiles from your data.

Once your data are loaded, reread `TRAMP` to do the analysis, then read `plot.TRAMP` and `summary.TRAMP` to examine the analysis. `update.TRAMP` may also be useful for modifying your matches. `summary.TRAMP` is also useful for preparing presence/absence matrices for analysis with other tools (e.g. the **vegan** package; see the vignette indicated below).

TRAMPR works with database-like objects, and a basic understanding of relational databases and primary/foreign keys will aid in understanding some aspects of the package.

Citation

Please see `citation("TRAMPR")` for the citation of TRAMPR.

Note

TRAMPR is designed specifically for “database TRFLP” (identifying species based on a database of known TRFLP profiles: see Dicke et al. 2002. It is not designed for direct community analysis of TRFLP profiles as in peak-profile TRFLP.

Author(s)

Rich FitzJohn and Ian Dickie, Landcare Research

References

Dicke IA, FitzJohn RG 2007: Using terminal-restriction fragment length polymorphism (T-RFLP) to identify mycorrhizal fungi; a methods review. *Mycorrhiza* 17: 259-270.

Dickie IA, Xu B, Koide RT 2002. Vertical distribution of ectomycorrhizal hyphae in soil as shown by T-RFLP analysis. *New Phytologist* 156: 527-535.

FitzJohn RG, Dickie IA 2007: TRAMPR: An R package for analysis and matching of terminal-restriction fragment length polymorphism (TRFLP) profiles. *Molecular Ecology Notes* [doi:10.1111/j.1471-8286.2007.01744.x].

 add.known

Add Knowns To TRAMPknowns Databases

Description

Add a single known or many knowns to a knowns database in a [TRAMPknowns](#) object. `add.known` takes a [TRAMPknowns](#) object, and adds the peak profile of a single sample from a [TRAMPsamples](#) object. `combine.TRAMPknowns` combines two [TRAMPknowns](#) objects (similar to `combine.TRAMPsamples`). `add.known` and `combine` are generic, so if `x` argument is a [TRAMP](#) object, then the knowns component of that object will be updated.

Usage

```
add.known(x, ...)
## S3 method for class 'TRAMPknowns'
add.known(x, samples, sample.fk, prompt=TRUE, default.species=NULL, ...)
## S3 method for class 'TRAMP'
add.known(x, sample.fk, rebuild=TRUE, ...)

## S3 method for class 'TRAMPknowns'
combine(x, y, rewrite.knowns.pk=FALSE, ...)
## S3 method for class 'TRAMP'
combine(x, y, rebuild=TRUE, ...)
```

Arguments

<code>x</code>	A <code>TRAMPknowns</code> or <code>TRAMP</code> object, containing identified TRFLP patterns.
<code>samples</code>	A <code>TRAMPsamples</code> object, containing unidentified samples.
<code>sample.fk</code>	<code>sample.fk</code> of sample in <code>samples</code> to add to the knowns database. If <code>x</code> is a <code>TRAMP</code> object, then <code>sample.fk</code> refers to a sample in the <code>TRAMPsamples</code> object used in the creation of that <code>TRAMP</code> object (stored as <code>x\$samples</code> : see <code>labels(x\$samples)</code> for codes).
<code>prompt</code>	Logical: Should the function interactively prompt for a new species name?
<code>default.species</code>	Default species name. If NULL (the default), the name chosen will be the value of <code>samples\$info\$species</code> for the current sample. Set to NA if no name is currently known (see <code>group.knowns</code> - identical non-NA names are considered related).
<code>y</code>	A second <code>TRAMPknowns</code> object, containing knowns to add to <code>x</code> .
<code>rewrite.knowns.pk</code>	Logical: If the new knowns data contain <code>knowns.pk</code> values that conflict with those in the original <code>TRAMPknowns</code> object, should the new knowns be renumbered? If this is TRUE, do not rely on <i>any</i> <code>knowns.pk</code> values staying the same for the newly added knowns. <code>knowns.pk</code> values in the original <code>TRAMPknowns</code> object will never be changed.
<code>rebuild</code>	Logical: should the <code>TRAMP</code> object be rebuilt after adding knowns, by running <code>rebuild.TRAMP</code> on it? This is important to determine if the new known(s) match any of the samples in the <code>TRAMP</code> object. This should be left as TRUE unless you plan on manually rebuilding the object later.
<code>...</code>	Additional arguments passed to future methods.

Details

(add.known only): When adding the profile of a single individual via `add.known`, if more than one peak per enzyme/primer combination is present we select the most likely profile by picking the highest peak (largest height value) for each enzyme/primer combination (a warning will be given). If two peaks are of the same height, then the peak taken is unspecified (similar to `build.knowns` with `min.ratio=0`).

(combine only): `rewrite.knowns.pk` provides a simple way of merging knowns databases that use the same values of `knowns.pk`. Because `knowns.pk` must be unique, if `y` (the new knowns database) uses `knowns.pk` values present in `x` (the original database), then the `knowns.pk` values in `y` must be rewritten. This will be done by adding `max(labels(x))` to *every* `knowns.pk` value in `y$info` and `knowns.fk` value in `y$data`.

If retaining `knowns.pk` information is important, we suggest saving the value of `knowns.pk` before running this function, e.g.

```
info$knowns.pk.old <- info$knowns.pk
```

If more control over the renaming process is required, manually adjust `y$info$knowns.pk` yourself before calling this function. However, by default no translation will be done, and an error will occur if `x` and `y` share `knowns.pk` values.

For `add.known`, only a subset of columns are passed to the knowns object (a future version may be more inclusive):

- From `samples$info`: `sample.pk` (as `knowns.pk`.)
- From `samples$data`: `sample.fk` (as `knowns.fk`), `primer`, `enzyme`, `size`.

For `combine`, the data and info elements of the resulting `TRAMPknowns` object will have the union of the columns present in both sets of `knowns`. If any additional elements exist as part of the second `TRAMPknowns` object (e.g. passed as `...` to `TRAMPknowns` when creating `y`), these will be ignored.

Value

An object of the same class as `x`: if a `TRAMP` object is supplied, a new `TRAMP` object with an updated `TRAMPknowns` component will be returned, and if the object is a `TRAMPknowns` object an updated `TRAMPknowns` object will be returned.

Note

If the `TRAMPknowns` object has a `file.pat` element (see `TRAMPknowns`), then the new `knowns` database will be written to file. This may be confusing when operating on `TRAMP` objects directly, since both the `TRAMPknowns` object used in the `TRAMP` object and the original `TRAMPknowns` object will share the same `file.pat` argument, but contain different data as soon as `add.known` or `combine` is used. In short - be careful! To avoid this issue, either set `file.pat` to `NULL` before using `add.known` or `combine`.

See Also

`build.knowns`, which automatically builds a `knowns` database, and `TRAMPknowns`, which documents the object containing the `knowns` database.

`combine.TRAMPsamples`, which combines a pair of `TRAMPsamples` objects.

Examples

```
data(demo.knowns)
data(demo.samples)

## (1) Using add.known(), to add a single known:

## Sample "101" looks like a potential known, add it to our knowns
## database:
plot(demo.samples, 101)

## Add this to a knowns database:
## Because there is more than one peak per enzyme/primer combination, a
## warning will be given. In this case, since there are clear peaks it
## is harmless.
demo.knowns.2 <- add.known(demo.knowns, demo.samples, 101,
                          prompt=FALSE)

## The known has been added:
demo.knowns.2[101]
try(demo.knowns[101]) # error - known didn't exist in original knowns

## Same, but adding to an existing TRAMP object.
```

```

res <- TRAMP(demo.samples, demo.knowns)
plot(res, 101)
res2 <- add.known(res, 101, prompt=FALSE, default.species="New known")

## Now the new known matches itself.
plot(res2, 101)

## (2) Using combine() to combine knowns databases.

## Let's split the original knowns database in two:
demo.knowns.a <- demo.knowns[head(labels(demo.knowns), 10)]
demo.knowns.b <- demo.knowns[tail(labels(demo.knowns), 10)]

## Combining these is easy:
demo.knowns.c <- combine(demo.knowns.a, demo.knowns.b)

## Knowns from both the small database are present in the new one:
identical(c(labels(demo.knowns.a), labels(demo.knowns.b)),
          labels(demo.knowns.c))

## Demonstration of knowns rewriting:
demo.knowns.d <- demo.knowns.a
demo.knowns.a$info$from <- "a"
demo.knowns.d$info$from <- "d"

try(combine(demo.knowns.a, demo.knowns.d)) # error
demo.knowns.e <- combine(demo.knowns.a, demo.knowns.d,
                        rewrite.knowns.pk=TRUE)

## See that both data sets are here (check the "from" column).
demo.knowns.e$info

## Note that a better approach in might be to manually resolve
## conflicting knowns.pk values before combining.

```

build.knowns

Automatically Build Knowns Database

Description

This function uses several filters to select likely knowns, and construct a [TRAMPknowns](#) object from a [TRAMPsamples](#) object. Samples are considered to be “potential knowns” if they have data for an adequate number of enzyme/primer combinations, and if for each combination they have either a single peak, or a peak that is “distinct enough” from any other peaks.

Usage

```
build.knowns(d, min.ratio=3, min.comb=NA, restrict=FALSE, ...)
```

Arguments

<code>d</code>	A <code>TRAMPsamples</code> object, containing samples from which to build the knowns database.
<code>min.ratio</code>	Minimum ratio of maximum to second highest peak to accept known (see Details).
<code>min.comb</code>	Minimum number of enzyme/primer combinations required for each known (see Details for behaviour of default).
<code>restrict</code>	Logical: Use only cases where <code>d\$info\$species</code> is non-blank? (These are assumed to come from samples of a known species. However, it is not guaranteed that all samples with data for species will become knowns; if they fail either the <code>min.ratio</code> or <code>min.comb</code> checks they will be excluded.)
<code>...</code>	Additional arguments passed to <code>TRAMPknowns</code> (e.g. <code>cluster.pars</code> , <code>file.pat</code> and any additional objects).

Details

For all samples and enzyme/primer combinations, the ratio of the largest to the second largest peak is calculated. If it is greater than `min.ratio`, then that combination is accepted. If the sample has at least `min.comb` valid enzyme/primer combinations, then that sample is included in the knowns database. If `min.comb` is NA (the default), then *every* enzyme/primer combination present in the data is required.

Value

A new `TRAMPknowns` object. It will generally be necessary to edit this object; see [read.TRAMPknowns](#) for details on how to write, edit, and read back a modified object.

Note

If two peaks have the same height, then using `min.ratio=1` will not allow the entry as part of the knowns database; use `min.ratio=0` instead if this is desired. In this case, the peak chosen is unspecified.

Note that this function is sensitive to data quality. In particular split peaks may cause a sample not to be added. These samples may be manually added using [add.known](#).

Examples

```
data(demo.samples)
demo.knowns.auto <- build.knowns(demo.samples, min.comb=4)
plot(demo.knowns.auto, cex=.75)
```

combine	<i>Combine Two Objects</i>
---------	----------------------------

Description

This function is used to combine [TRAMPsamples](#) together, and to combine [TRAMPknowns](#) to [TRAMPknowns](#) or [TRAMP](#) objects. `combine` is generic; please see [combine.TRAMPsamples](#) and [combine.TRAMPknowns](#) for more information.

Usage

```
combine(x, y, ...)
```

Arguments

<code>x, y</code>	Objects to be combined. See combine.TRAMPsamples and combine.TRAMPknowns for more information.
<code>...</code>	Additional arguments required by methods.

See Also

See [combine.TRAMPsamples](#) and [combine.TRAMPknowns](#) for more information.

combine.TRAMPsamples	<i>Combine TRAMPsamples Objects</i>
----------------------	-------------------------------------

Description

Combines two [TRAMPsamples](#) objects into one large [TRAMPsamples](#) object containing all the samples for both original objects.

Usage

```
## S3 method for class 'TRAMPsamples'
combine(x, y, rewrite.sample.pk=FALSE, ...)
```

Arguments

<code>x, y</code>	TRAMPsamples objects, containing TRFLP patterns.
<code>rewrite.sample.pk</code>	Logical: If the new sample data (<code>y</code>) contains <code>sample.pk</code> values that conflict with those in the original TRAMPsamples object (<code>x</code>), should the new samples be renumbered? If this is <code>TRUE</code> , do not rely on <i>any</i> <code>sample.pk</code> values staying the same for the newly added samples. <code>sample.pk</code> values in the original TRAMPsamples object will never be changed.
<code>...</code>	Further arguments passed to or from other methods.

Details

For a discussion of `rewrite.sample.pk`, see the comments on `rewrite.knowns.pk` in the Details of [combine.TRAMPknowns](#).

The data and info elements of the resulting `TRAMPsamples` object will have union of the columns present in both sets of samples.

If any additional elements exist as part of the second `TRAMPsamples` object (e.g. passed as `...` to [TRAMPsamples](#)), these will be ignored with a warning (see Example).

See Also

[combine.TRAMPknowns](#), the method for [TRAMPknowns](#) objects.

Examples

```
data(demo.samples)

## Let's split the original samples database in two, and recombine.
demo.samples.a <- demo.samples[head(labels(demo.samples), 10)]
demo.samples.b <- demo.samples[tail(labels(demo.samples), 10)]

## Combining these is easy:
demo.samples.c <- combine.TRAMPsamples(demo.samples.a, demo.samples.b)

## There is a warning message because demo.samples.b contains extra
## elements:
names(demo.samples.b)

## In this case, these objects should not be combined, but in other
## cases it may be necessary to rbind() the extra objects together:
## Not run:
demo.samples.c$soilcore <- rbind(demo.samples.a$soilcore,
                                demo.samples.b$soilcore)

## End(Not run)

## This must be done manually, since there is no way of telling what
## should be done automatically. Ideas/contributions are welcome here.
```

create.diffsmatrix *Calculate Matrix of Distances between Peaks*

Description

Generate an array of goodness-of-fit (or distance) between samples and knowns based on the sizes (in base pairs) of TRFLP peaks. For each sample/known combination, and for each enzyme/primer combination, this calculates the minimum distance between any peak in the sample and the single peak in the known.

Usage

```
create.diffsmatrix(samples, knowns)
```

Arguments

samples	A TRAMPsamples object, containing unidentified samples.
knowns	A TRAMPknowns object, containing identified TRFLP patterns.

Details

This function will rarely need to be called directly, but does most of the calculations behind [TRAMP](#), so it is useful to understand how this works.

This function generates a three-dimensional $s \times k \times n$ matrix of the (smallest, see below) distance in base pairs between peaks in a collection of unknowns (run data) and a database of knowns for several enzyme/primer combinations. s is the number of different samples in the samples data (`length(labels(samples))`), k is the number of different types in the knowns database (`length(labels(knowns))`), and n is the number of different enzyme/primer combinations. The enzyme/primer combinations used are all combinations present in the knowns database; combinations present only in the samples will be ignored. Not all samples need contain all enzyme/primer combinations present in the knowns.

In the resulting array, `m[i, j, k]` is the difference (in base pairs) between the i th sample and the j th known for the k th enzyme/primer combination. The ordering of the n enzyme/primer combinations is arbitrary, so a data.frame of combinations is included as the attribute `enzyme.primer`, where `enzyme.primer$enzyme[k]` and `enzyme.primer$primer[k]` correspond to enzyme and primer used for the distances in `m[, , k]`.

Each case in the knowns database has a single (or no) peak for each enzyme/primer combination, but each sample may contain multiple peaks for an enzyme/primer combination; the difference is always the smallest distance from the sample to the known peak. Where a sample and/or a known lacks an enzyme/primer combination, the value of the difference is NA. The smallest *absolute* distance is taken between sample and known peaks, but the sign of the difference is preserved (negative where the closest sample peak was less than the known peak, positive where greater; see [absolute.min](#)).

Value

A three-dimensional matrix, with an attribute `enzyme.primer`, described above.

See Also

[TRAMP](#), which uses output from `create.diffsmatrix`.

Examples

```
data(demo.samples)
data(demo.knowns)

s <- length(labels(demo.samples))
k <- length(labels(demo.knowns))
```

```
n <- nrow(unique(demo.knowns$data[c("enzyme", "primer")]))

m <- create.diffsmatrix(demo.samples, demo.knowns)

dim(m)
identical(dim(m), c(s, k, n))

## Maximum error for each sample/known (i.e. across all enzyme/primer
## combinations), similar to how calculated by \link{TRAMP}
error <- apply(abs(m), 1:2, max, na.rm=TRUE)
dim(error)

## Euclidian error (see ?\link{TRAMP})
error.euclid <- sqrt(rowSums(m^2, TRUE, 2))/rowSums(!is.na(m), dims=2)

## Euclidian and maximum error will require different values of
## accept.error in TRAMP:
plot(error, error.euclid, pch=".")
```

demo.knowns

Demonstration Knowns Database

Description

A knowns database, for demonstrating the TRAMP package. This is a subset of a full knowns database, and not intended to represent any real data set, and should not be assumed to be accurate.

The data are stored as a [TRAMPknowns](#) object. Columns in the info and data components are described on the [TRAMPknowns](#) page.

Usage

```
data(demo.knowns)
```

Licence

This data set is provided under a Creative Commons “Attribution-NonCommercial-NoDerivs 2.5” licence. Please see <https://creativecommons.org/licenses/by-nc-nd/2.5/> for details.

demo.samples

Demonstration Samples Database

Description

A samples database, for demonstrating the TRAMP package. This is a subset of a full samples database, is not intended to represent any real data set, and should not be assumed to be accurate.

The data are stored as a `TRAMPsamples` object. Columns in the `info` and `data` components are described on the `TRAMPsamples` page, but with some additions:

- `info`:
 - `soilcore.fk`: Key to the soil core from which a sample came. See `soilcore`, below.
- `data`:
 - `sample.file.name`: Original `.fsa` file corresponding to the TRFLP run. This is included in all `TRAMPsamples` objects created by `load.abi`.
- `soilcore`: A `data.frame` with information about the soilcore from which samples came.
 - `soilcore.pk`: Key, distinguishing soil cores.
 - `plot`: Plot number (1 to 10).
 - `elevation`: Height above mean sea level, in metres.
 - `east`: Easting (New Zealand Map Grid/NZMG).
 - `north`: Northing (NZMG).
 - `vegetation`: Vegetation type (*Nothofagus solandri* or *Pinus contorta*).

Usage

```
data(demo.samples)
```

Format

A `TRAMPsamples` object.

Licence

This data set is provided under a Creative Commons “Attribution-NonCommercial-NoDerivs 2.5” licence. Please see <https://creativecommons.org/licenses/by-nc-nd/2.5/> for details.

group.knowns

Knowns Clustering

Description

Group a `TRAMPknowns` object so that knowns with similar TRFLP patterns and knowns that share the same species name “group” together. In general, this function will be called automatically whenever appropriate (e.g. when loading a data set or adding new knowns). Please see Details to understand why this function is necessary, and how it works.

The main reason for manually calling `group.knowns` is to change the default values of the arguments; if you call `group.knowns` on a `TRAMPknowns` object, then any subsequent automatic call to `group.knowns` will use any arguments you passed in the manual `group.knowns` call (e.g. after doing `group.knowns(x, cut.height=20)`, all future groupings will use `cut.height=20`).

Usage

```
group.knowns(x, ...)
## S3 method for class 'TRAMPknowns'
group.knowns(x, dist.method, hclust.method, cut.height, ...)
## S3 method for class 'TRAMP'
group.knowns(x, ...)
```

Arguments

x	A TRAMPknowns or TRAMP object, containing identified TRFLP patterns.
dist.method	Distance method used in calculating similarity between different knowns (see dist). Valid options include "maximum", "euclidian" and "manhattan".
hclust.method	Clustering method used in generating clusters from the similarity matrix (see hclust).
cut.height	Passed to cutree ; controls how similar members of each group should be (the larger cut.height, the more inclusive knowns groups will be).
...	Arguments passed to further methods.

Details

group.knowns groups together knowns in a [TRAMPknowns](#) object based on two criteria: (1) TRFLP profiles that are very similar across shared enzyme/primer combinations (based on clustering) and (2) TRFLP profiles that belong to the same species (i.e. share a common species column in the info data.frame of x; see [TRAMPknowns](#) for more information). This is to solve three issues in TRFLP analysis:

1. The TRFLP profile of a single species can have variation in peak sizes due to DNA sequence variation. By including multiple collections of each species, variation in TRFLP profiles can be accounted for. If a [TRAMPknowns](#) object contains multiple collections of a species, these will be aggregated by group.knowns. This aggregation is essential for community analysis, as leaving individual collections will artificially inflate the number of "present species" when running [TRAMP](#).
Some authors have taken an alternative approach by using a larger tolerance in matching peaks between samples and knowns (effectively increasing `accept.error` in [TRAMP](#)) to account for within-species variation. This is not recommended, as it dramatically increases the risk of incorrect matches.
2. Distinctly different TRFLP profiles may occur within a species (or in some cases within an individual); see Avis et al. (2006). group.knowns looks at the species column of the info data.frame of x and joins any knowns with identical species values as a group. This can also be used where multiple profiles are present in an individual.
3. Different species may share a similar TRFLP profile and therefore be indistinguishable using TRFLP. If these patterns are not grouped, two species will be recorded as present wherever either is present. group.knowns prevents this by joining knowns with "very similar" TRFLP patterns as a group. Ideally, these problematic groups can be resolved by increasing the number of enzyme/primer pairs in the data.

Groups names are generated by concatenating all unique (sorted) species names together, separated by commas.

To determine if knowns are “similar enough” to form a group, we use R’s clustering tools: `dist`, `hclust` and `cutree`. First, we generate a distance matrix of the knowns profiles using `dist`, and using method `dist.method` (see Example below; this is very similar to what `TRAMP` does, and `dist.method` should be specified accordingly). We then generate clusters using `hclust`, and using method `hclust.method`, and “cut” the tree at `cut.height` using `cutree`.

Knowns are grouped together iteratively; so that all groups sharing a common cluster are grouped together, and all knowns that share a common species name are grouped together. In certain cases this may chain together seemingly unrelated groups.

Because `group.knowns` is generic, it can be run on either a `TRAMPknowns` or a `TRAMP` object. When run on a `TRAMP` object, it updates the `TRAMPknowns` object (stored as `x$knowns`), so that subsequent calls to `plot.TRAMPknowns` or `summary.TRAMPknowns` (for example) will use the new grouping parameters.

Parameters set by `group.knowns` are retained as part of the object, so that when adding additional knowns (`add.known` and `combine`), or when subsetting a knowns database (see `[.TRAMPknowns`, aka `TRAMPindexing`), the same grouping parameters will be used.

Value

For `group.knowns.TRAMPknowns`, a new `TRAMPknowns` object. The `cluster.pars` element will have been updated with new parameters, if any were specified.

For `group.knowns.TRAMP`, a new `TRAMP` object, with an updated `knowns` element. Note that the *original* `TRAMPknowns` object (i.e. the one from which the `TRAMP` object was constructed) will not be modified.

Warning

Warning about missing data: where there are NA values in certain combinations, NAs may be present in the final distance matrix, which means we cannot use `hclust` to generate the clusters! In general, NA values are fine. They just can’t be everywhere.

References

Avis PG, Dickie IA, Mueller GM 2006. A ‘dirty’ business: testing the limitations of terminal restriction fragment length polymorphism (TRFLP) analysis of soil fungi. *Molecular Ecology* 15: 873-882.

See Also

`TRAMPknowns`, which describes the `TRAMPknowns` object.

`build.knowns`, which attempts to generate a knowns database from a `TRAMPsamples` data set.

`plot.TRAMPknowns`, which graphically displays the relationships between knowns.

Examples

```

data(demo.knowns)
data(demo.samples)

demo.knowns <- group.knowns(demo.knowns, cut.height=2.5)
plot(demo.knowns)

## Increasing cut.height makes groups more inclusive:
plot(group.knowns(demo.knowns, cut.height=100))

res <- TRAMP(demo.samples, demo.knowns)
m1.ungrouped <- summary(res)
m1.grouped <- summary(res, group=TRUE)
ncol(m1.grouped) # 94 groups

res2 <- group.knowns(res, cut.height=100)
m2.ungrouped <- summary(res2)
m2.grouped <- summary(res2, group=TRUE)
ncol(m2.grouped) # Now only 38 groups

## group.knowns results in the same distance matrix as produced by
## TRAMP, therefore using the same method (e.g. method="maximum") is
## important. The example below shows how the matrix produced by
## dist(summary(x)) (as calculated by group.knowns) is the same as that
## produced by TRAMP:
f <- function(x, method="maximum") {
  ## Create a pseudo-samples object from our knowns
  y <- x
  y$data$height <- 1
  names(y$info)[names(y$info) == "knowns.pk"] <- "sample.pk"
  names(y$data)[names(y$data) == "knowns.fk"] <- "sample.fk"
  class(y) <- "TRAMPsamples"

  ## Run TRAMP, clean up and return
  ## (If method != "maximum", rescale the error to match that
  ## generated by dist()).
  z <- TRAMP(y, x, method=method)
  if ( method != "maximum" ) z$error <- z$error * z$n
  names(dimnames(z$error)) <- NULL
  z
}

g <- function(x, method="maximum")
  as.matrix(dist(summary(x), method=method))

all.equal(f(demo.knowns, "maximum")$error, g(demo.knowns, "maximum"))
all.equal(f(demo.knowns, "euclidian")$error, g(demo.knowns, "euclidian"))
all.equal(f(demo.knowns, "manhattan")$error, g(demo.knowns, "manhattan"))

## However, TRAMP is over 100 times slower in this special case.
system.time(f(demo.knowns))
system.time(g(demo.knowns))

```

load.abi

Load ABI Output Files

Description

These functions help convert data from Applied Biosystems Gene Mapper (ABI) output format into [TRAMPsamples](#) objects for analysis. Note that this operates on the summarised output (a text file), rather than the .fsa files containing data for individual runs.

Details of the procedure of this function are given below, and a worked example is given in the package vignette; type `vignette("TRAMPdemo")` to view it.

The function `peakscanner.to.genemapper` is an experimental function to convert from peakscanner output to abi genemapper output. The peakscanner output is very slightly different in format, and currently `load.abi` is very fussy about the input file's structure. Eventually `load.abi` will be made more tolerant, but as an interim solution, run `peakscanner.to.genemapper` on your file. By default, running `peakscanner.to.genemapper(myfile.csv)` will produce a file `myfile.txt`. This can then be loaded using `load.abi` as described below, specifying `myfile.txt` as the file argument.

Usage

```
load.abi(file, file.template, file.info, primer.translate, ...)
load.abi.create.template(file, file.template)
load.abi.create.info(file, file.template, file.info)

peakscanner.to.genemapper(filename, output)
```

Arguments

<code>file</code>	The name of the file from which the ABI data are to be read from.
<code>file.template</code>	The name of the file containing the "template" file (see Details).
<code>file.info</code>	(Optional) the name of the file containing extra information associated with each sample (see Details).
<code>primer.translate</code>	List used to translate dye codes into primers. The same codes are assumed to apply across the whole file. See Details for format.
<code>...</code>	Additional objects to incorporate into a <code>TRAMPsamples</code> object. See TRAMPsamples for details.
<code>filename</code>	In <code>peakscanner.to.genemapper</code> , the name of the csv file containing output.
<code>output</code>	In <code>peakscanner.to.genemapper</code> , the name of the file to be output in abi format (if omitted, this will be automatically generated).

Details

Some terminology: a “sample” refers to a physical sample (e.g. a root tip), while a “run” refers to an individual TRFLP run (i.e. one enzyme and one primer). Because two primers are run at once, each “runfile” contains information on two “runs”, but each “sample” may contain more than one “runfile”. Runfiles are distinguished by different `sample.file.name` values in the ABI file, while different samples are distinguished by different `sample.fk/sample.pk` values.

`primer.translate` is a list used to translate between the dyes recorded in the ABI file and the primers used. Each element corresponds to a different primer, and is a vector of different colour dyes. The list:

```
list(ITS1F="B", ITS4="G")
```

would translate all dyes with the value "B" to "ITS1F", and all dyes with the value "G" to "ITS4". The list:

```
list(ITS1F="B", ITS4=c("G", "Y"))
```

would do the same, except that *both* "G" and "Y" dyes would be converted to "ITS4". If a dye is used in the data that is not represented within `primer.translate`, then it will be excluded (e.g., all rows of data with dye as "R" will be excluded).

The procedure for loading in ABI data is:

1. Create the “template” file. Template files are required to record which enzymes were used for each run, since that is not included in the ABI output, and to group together separate runs (typically different enzymes) that apply to the same individual. The function `load.abi.create.template` will create a template that contains all the unique file names found in the ABI file (as `sample.file.name`), and blank columns titled `enzyme` and `sample.index`. Running `load.abi.create.template(x)` where `x` is the name of your ABI file will create a template file in the same directory as the ABI file. The function will print the name and location of the template file to the console.
2. Edit the template file and save. The `enzyme` and `sample.index` columns are initially empty and need filling in, which can be done in Excel, or another spreadsheet program. The `sample.index` column links `sample.file.name` back to an individual sample; multiple `sample.file.names` that share `sample.index` values come from the same individual sample. (If editing with Excel, ignore all the warnings about incompatible file formats when saving.) `sample.index` should be a positive integer (but see Note below).
3. Optionally create an “info” file, which is useful if you want to associate extra information against your samples. The function `load.abi.create.info` will create an info file that contains all the unique values of `sample.index`, and an empty column titled `species`. The `species` column can be filled in where the species is known (e.g. from collections of sporocarps). Any additional columns may be added. Running `load.abi.create.info(x)` where `x` is the name of your ABI file will create an info file in the same directory as the ABI file. The function will print the name and location of the info file to the console. Edit and save this file.
4. Create the `TRAMPsamples` object by running `load.abi`. This loads your ABI data, plus the new template file, plus an optional information file. Running `my.samples <- load.abi(x, primer.translate=primer.translate)` will create an object “`my.samples`” containing your data.

By default, the filenames of the template and info files will be automatically generated: `<prefix>.<ext>` becomes `<prefix>_template.csv` or `<prefix>_info.csv`. If you choose to specify `file.template` or `file.info` manually when running `load.info.create.template` or `load.info.create.info`, you must use the same values of `file.template` and `file.info` when running `load.abi`.

Warning

Do not change the names of any columns produced by `load.abi.create.template` or `load.abi.create.info`.

Note

There is no reason that data from other types of output files could not be manually imported using `TRAMPsamples`. We welcome contributions for other major data formats.

When creating `sample.index` values, these should be positive integers. If you enter strings (e.g. `a1`, `b1`), these will be automatically converted into integers. Once loaded, `sample.pk/sample.fk` is always a positive integer key, but `sample.index` will be retained as your string keys.

See Also

[read.abi](#), which reads in ABI data with few modifications.

[TRAMPsamples](#), which documents the data type produced by `load.abi`.

The package vignette, which includes a worked example of loading data using these functions; to locate the vignette, type `help(library=TRAMPR)`, and scroll to the bottom of the page, or type: `system.file("doc/TRAMPR_demo.pdf", package="TRAMPR")`.

plot.TRAMP

Plot a TRAMP Object

Description

Creates a graphical representation of matches performed by `TRAMP`. The plot displays (1) “matches”, showing how samples match the knowns and (2) “peak profiles”, showing the locations of peaks for individual enzyme/primer combinations.

Usage

```
## S3 method for class 'TRAMP'
plot(x, sample.fk, ...)
TRAMP.plotone(x, sample.fk, grouped=FALSE, ignore=FALSE,
              all.knowns=TRUE, all.samples=FALSE,
              all.samples.global=FALSE, col=1:10,
              pch=if (grouped) 15 else 16, xmax=NULL, horiz.lines=TRUE,
              mar.default=.5, p.top=.5, p.labels=1/3, cex.axis=NULL,
              cex.axis.max=1)
```

Arguments

x	A TRAMP object.
sample.fk	The sample.fk to plot. If omitted, then all samples are plotted, one after the other (this is useful for generating a summary of all fits for printing out: see Example).
grouped	Logical: Should the matched knowns be grouped?
ignore	Logical: Should matches marked as ignored by remove.TRAMP.match be excluded?
all.knowns, all.samples, all.samples.global	Controls which enzyme/primer combinations are displayed (see Details)
col	Vector of colours to plot the different enzyme/primer combinations. There must be at least as many colours as there are different combinations.
pch	Plotting symbol to use (see points for possible values and their interpretation). By default, this will use filled circles when ungrouped and filled squares when grouped.
xmax	Maximum size (in base pairs) for the plots to cover. NULL (the default) uses the range of all data found in the TRAMPsamples object (rounded up to the nearest 100). NA will use the range of all data in the current sample.
horiz.lines	Logical: Should horizontal grid lines be used for each matched known?
The following arguments control the layout and margins of the plot:	
mar.default	Margin size (in lines of text) to surround the plot.
p.top	Proportion of the plotting area to be used for the “matches”. The “peak profiles” will share the bottom 1-p.top of the plot.
p.labels	Proportion of the plotting area to be used for labels to the left of the plots. 1-p.labels will be used for the plots (try increasing this if you have very long species or group names).
cex.axis	Size of the text used for axes. If NULL (the default), then the largest cex that will exactly fit labels is chosen (up to cex.axis.max).
cex.axis.max	Maximum size of the text used for axes, if automatically determining the label size (i.e. cex.axis is NULL).
...	Additional arguments passed to TRAMP.plotone.

Details

This constructs a plot of a [TRAMP](#) fit, illustrating where knowns match the sample data, and which sample peaks remain unmatched.

The top portion of the plot displays “matches”, showing how samples match the knowns. Individual species (or groups if grouped is TRUE) are represented by different horizontal lines. Where the sample matches a particular known, a symbol is drawn (Beware: it may look like only one symbol is drawn when several symbols are plotted on top of one another).

The bottom portion of the plot displays the “peak profile” of the sample, showing the locations and heights of peaks for various enzyme/primer combinations (the exact combination depends on

the values of `all.knowns`, `all.samples` and `all.samples.global`; see below). The height is arbitrary, so units are omitted.

The arguments `all.knowns`, `all.samples` and `all.samples.global` control which enzyme/primer combinations are displayed in the plot. `all.knowns=TRUE` displays all combinations present in the knowns database and `all.samples=TRUE` displays all combinations present in the samples; when `all.samples.global=TRUE` this is combinations across the entire samples data set, otherwise this is samples present in the *current sample* only. At least one of `all.knowns` and `all.samples` must be TRUE.

Note

While `TRAMP.plotone` does the actual plot, it should not be called directly; please use `plot(x, sample.fk, ...)`.

See Also

[plot.TRAMPknowns](#), for plotting TRAMPknowns objects, and [plot.TRAMPsamples](#), for plotting TRAMPsamples objects.

Examples

```
data(demo.samples)
data(demo.knowns)
res <- TRAMP(demo.samples, demo.knowns)

plot(res, 101)
plot(res, 110)
plot(res, 117)

plot(res, 117, grouped=TRUE)

## Not run:
# Create a PDF file with all matches:
pdf("all_matches.pdf")
plot(res)
dev.off()

## End(Not run)
```

plot.TRAMPknowns

Summary Plot of Knowns Data

Description

Creates a plot showing the clustering and profiles of a [TRAMPknowns](#) object (a “knowns database”). The plot has three vertical panels;

- The leftmost contains a dendrogram, showing how similar the profiles of knowns are (see [group.knowns](#) for details).

- The rightmost displays the TRFLP profile for each individual (with a different colour symbol for each different enzyme/primer combination).
- The middle panel displays information on the species names and groups of the knowns.

Usage

```
## S3 method for class 'TRAMPknowns'
plot(x, cex=1, name="species", pch=1, peaks.col, p=.02,
     group.clusters=TRUE, groups.col=1:4, grid.by=5, grid.col="gray",
     widths=c(1, 2, 1), ...)
```

Arguments

x	A TRAMPknowns object.
cex	Character size for the plot. Because knowns databases can be large, this should be small and may need to be adjusted. Most aspects of the plot will scale with this.
name	Column name to use when generating species names; must be one of species or group.name.
pch	Plotting symbol to use for peaks in the peak profiles.
peaks.col	Vector of colours to plot the different enzymes in the peak profiles. These will be used in the order of the columns of summary(x).
p	Scaling factor for the middle plot; this specifies the proportion of the width that elements are spaced horizontally from one another. Columns of text are p apart, brackets grouping knowns are p/2 apart, and cluster groups (if present) are p*2/3 apart.
group.clusters	Logical: Should groups of clusters (determined by group.strict - see group.knowns) be joined together?
groups.col	Vector of colours to plot different group clusters in. This will be recycled as necessary.
grid.by	Interval between horizontal grid lines. Grid lines start at ceiling(grid.by/2) from the bottom of the plot. A value of NA suppresses grid lines.
grid.col	Colour of the horizontal grid lines.
widths	Relative widths of the three panels of the plot (see layout). widths must be a vector of 3 elements, corresponding to the three panels from left to right.
...	Additional arguments (ignored).

Note

In general, there will probably be too many knowns to make a legible plot when displayed on the screen. We recommend creating a PDF of the plot and viewing that instead (see Example).

When plotted on the interactive plotting device, if the plot is resized, the plot is likely to look strange.

See Also

[group.knowns](#), which controls the grouping of knowns, and [TRAMPknowns](#), which constructs TRAMPknowns objects.

Examples

```
data(demo.knowns)
plot(demo.knowns)

## Not run:
pdf("knowns_summary.pdf", paper="default", width=8, height=11)
plot(demo.knowns)
plot(demo.knowns, group.clusters=FALSE)
dev.off()

## End(Not run)
```

plot.TRAMPsamples *Plot a TRAMPsamples Object*

Description

Shows the peak profiles of samples in a [TRAMPsamples](#) object, showing the locations and heights of peaks for individual enzyme/primer combinations. This is the same information that is displayed in the bottom portion of a [plot.TRAMP](#) plot, but may be useful where a [TRAMP](#) fit has not been performed yet (e.g. before a knowns database has been constructed).

Usage

```
## S3 method for class 'TRAMPsamples'
plot(x, sample.fk, ...)
TRAMPsamples.plotone(x, sample.fk, all.samples.global=FALSE, col=1:10,
                    xmax=NULL, mar.default=.5, mar.labels=8, cex=1)
```

Arguments

x	A TRAMPsamples object, containing profiles to plot.
sample.fk	The sample.fk to plot. If omitted, then all samples are plotted, one after the other (this is useful for generating a summary of all fits for printing out: see Example).
all.samples.global	Logical: Should plots be set up for all enzyme/primer combinations present in x, even if the combinations are not present for all individual cases? Analogous to the same argument in plot.TRAMP . (This is useful for keeping combinations in the same place, and plotted with the same colours.)
col	Vector of colours to plot the different enzyme/primer combinations. There must be at least as many colours as there are different combinations.

xmax	Maximum size (in base pairs) for the plots to cover. NULL (the default) uses the range of all data found in the TRAMPsamples object (rounded up to the nearest 100). NA will use the range of all data in the current sample.
mar.default	Margin size (in lines of text) to surround the plot.
mar.labels	Number of lines of text to be used for labels to the left of the plots. Increase this if labels are being truncated.
cex	Scaling factor for text.
...	Additional arguments (ignored).

See Also

[plot.TRAMP](#), the plotting method for TRAMP objects, and [plot.TRAMPknowns](#), for TRAMPknowns objects.

Examples

```
data(demo.samples)

plot(demo.samples, 101)
plot(demo.samples, 117)

## Not run:
# Create a PDF file with all profiles:
pdf("all_profiles.pdf")
plot(demo.samples)
dev.off()

## End(Not run)
```

read.abi *Read ABI Output Files*

Description

Read an Applied Biosystems Gene Mapper (ABI) output file, and prepare for analysis.

Note that this operates on the summarised output (a text file), rather than the .fsa files containing data for individual runs.

Usage

```
read.abi(file)
```

Arguments

file The name of the file from which the data are to be read.

Details

The ABI file format contains a few features that make it difficult to interact with directly, so `read.abi` provides a wrapper around `read.table` to work around these. The three issues are (1) trailing tab characters, (2) mixed case and punctuation in column names, and (3) parsing the “Dye/Sample Peak” column.

Because each line of an ABI file contains a trailing tab character (`\t`), `read.table` fails to read the file correctly. `read.abi` renames all columns so that non-alphanumeric characters all become periods, and all uppercase letters are converted to lower case.

The column Dye/Sample Peak contains data of the form `<Dye>,<Sample Peak>`, where `<Dye>` is a code for the dye colour used and `<Sample Peak>` is an integer indicating the order of the peaks. Entries where the contents of Dye/Sample Peak terminates in a `*` character (indicating an internal size standard) are automatically excluded from the analysis.

The final column names are:

- `sample.file.name`: Name of the file containing data.
- `size`: Size of the peak (in base pairs).
- `height`: Height of the peak (arbitrary units).
- `dye`: Code for dye used.
- `sample.peak`: Rank of peak within current sample.

In addition, other column names may be retained from ABI output, but not used.

Note

There is no reason that data from other types of output files could not be manually imported using `TRAMPsamples`. We welcome contributions for other major data formats.

See Also

`load.abi`, which attempts to construct a `TRAMPsamples` object from an ABI file (with a bit of user intervention).

read.write

Read/Write TRAMPknowns and TRAMPsamples Objects

Description

Saves and loads `TRAMPknowns` and `TRAMPsamples` objects as a series of “csv” (comma separated value) files for external editing.

If you do not want to edit your data, then saving with `save` is preferable; it is faster, creates smaller files, and will save any additional components in the objects (see Examples).

Usage

```
read.TRAMPknowns(file.pat, auto.save=TRUE, overwrite=FALSE)
write.TRAMPknowns(x, file.pat=x$file.pat, warn=TRUE)
```

```
read.TRAMPsamples(file.pat)
write.TRAMPsamples(x, file.pat)
```

Arguments

x	A TRAMPknowns or TRAMPsamples object.
file.pat	Pattern, with the filename prefix: “info” and “data” objects will be read/written as <file.pat>_info.csv and <file.pat>_data.csv, respectively.
auto.save	Logical: Should TRAMPknowns object be automatically saved back to the loaded filename as it is modified (e.g. knowns added to the database). If this is TRUE, the original files will be backed up as <file.pat>_(info data)_<YYYYMMDD>.csv, where <YYYYMMDD> is the ISO date.
overwrite	Should previous backup files be overwritten when creating new backups?
warn	Should the function warn when no filename is given? (Because this function is called automatically when adding new knowns, and because TRAMPknowns objects need not contain a file.pat element, it may not be possible or necessary to save).

Details

file.pat may contain a path. It is best to use forward slashes as directory separators (path/to/file), but on Windows (only), *double* backslashes will also work (path\\to\\file).

Paths may be either relative (e.g. path/to/file), or absolute (e.g. /path/to/file, or x:/path/to/file on Windows).

See Also

[load.abi](#), for semi-automatic loading of ABI output files.

[save](#) and [load](#), for saving and loading of arbitrary R objects.

Examples

```
## Not run:
# Preferred way of saving/loading objects, if editing is not required:
save(demo.knowns, file="my_knowns.Rdata")

# (possibly in a different session, but _after_ loading TRAMP)
load("my_knowns.Rdata") # -> creates 'demo.knowns' in global environment

## End(Not run)
```

rebuild.TRAMP	<i>Rebuild a TRAMP Object</i>
---------------	-------------------------------

Description

This function rebuilds a TRAMP object. Typically this will be called automatically after adding knowns (see [add.known](#)); there should be little need to call this manually. The same parameters that were used in the original call to [TRAMP](#) are used again, and these cannot currently be modified during this call.

Usage

```
rebuild.TRAMP(x)
```

Arguments

x	A TRAMP object.
---	-----------------

Value

A new TRAMP object, with all components recalculated.

remove.TRAMP.match	<i>Mark a TRAMP Match as Ignored</i>
--------------------	--------------------------------------

Description

Mark a match in a TRAMP object as ignored; when this is set, a match will be ignored when producing presence/absence matrices (see [summary.TRAMP](#)) or when plotting ([plot.TRAMP](#)) when ignore is TRUE. [update.TRAMP](#) provides an interactive interface for doing this, but [remove.TRAMP.match](#) may be useful directly.

Usage

```
remove.TRAMP.match(x, sample.fk, knowns.fk)
```

Arguments

x	A TRAMP object.
sample.fk, knowns.fk	Key of sample and known, respectively. See TRAMPsamples and TRAMPknowns for more information.

Value

A modified TRAMP object.

Warning

This should be regarded as experimental. There is currently no mechanism for restoring ignored matches, aside from recreating the TRAMP object, or through editing `x$presence.ign` directly (the format of that table is self-explanatory, but is not guaranteed not to change between TRAMP versions). Note that by default, `summary.TRAMP` and `plot.TRAMP` will not remove matches; you must specify `ignore=TRUE` to enable this.

Note

This function returns a modified object - the TRAMP object is not modified in place. You must do:

```
x <- remove.TRAMP.match(x, sample.fk, knowns.fk)
```

to mark a match as ignored in the object `x`.

summary.TRAMP

Create Presence/Absence Matrices from TRAMP Objects

Description

Generate a summary of a TRAMP object, by producing a presence/absence matrix. This is the preferred way of extracting the presence/absence matrix from a TRAMP object, and allows for grouping, naming knowns, and ignoring matches (specified by `remove.TRAMP.match`).

Usage

```
## S3 method for class 'TRAMP'
summary(object, name=FALSE, grouped=FALSE, ignore=FALSE, ...)
```

Arguments

<code>object</code>	A TRAMP object.
<code>name</code>	Logical: Should the knowns be named?
<code>grouped</code>	Logical: Should the knowns be grouped?
<code>ignore</code>	Logical: Should matches marked as ignored be excluded?
<code>...</code>	Further arguments passed to or from other methods.

Value

A presence/absence matrix, with samples as rows and knowns as columns. If `name` is TRUE, then names of knowns (or groups of knowns) are used, otherwise the `knowns.fk` is used (group.strict if grouped). If `grouped` is TRUE, then the knowns are collapsed by group (using `group.strict`; see `group.knowns`). A group is present if *any* of the knowns belonging to it are present. If `ignore` is TRUE, then any matches marked by `remove.TRAMP.match` are excluded.

Examples

```

data(demo.knowns)
data(demo.samples)
res <- TRAMP(demo.samples, demo.knowns)

head(summary(res))
head(summary(res, name=TRUE))
head(summary(res, name=TRUE, grouped=TRUE))

## Extract the species richness for each sample (i.e. the number of
## knowns present in each sample)
rowSums(summary(res, grouped=TRUE))

## Extract species frequencies and plot a rank abundance diagram:
## (i.e. the number of times each known was recorded)
sp.freq <- colSums(summary(res, name=TRUE, grouped=TRUE))

sp.freq <- sort(sp.freq[sp.freq > 0], decreasing=TRUE)
plot(sp.freq, xlab="Species rank", ylab="Species frequency", log="y")
text(1:2, sp.freq[1:2], names(sp.freq[1:2]), cex=.7, pos=4, font=3)

```

TRAMP

TRFLP Analysis and Matching Program

Description

Determine if TRFLP profiles may match those in a database of knowns. The resulting object can be used to produce a presence/absence matrix of known profiles in environmental samples.

The TRAMP package contains a vignette, which includes a worked example; type `vignette("TRAMPdemo")` to view it.

Usage

```
TRAMP(samples, knowns, accept.error=1.5, min.comb=4, method="maximum")
```

Arguments

<code>samples</code>	A <code>TRAMPsamples</code> object, containing unidentified samples.
<code>knowns</code>	A <code>TRAMPknowns</code> object, containing identified TRFLP patterns.
<code>accept.error</code>	The largest acceptable difference (in base pairs) between any peak in the sample data and the knowns database (see Details; interpretation will depend on the value of <code>method</code>).
<code>min.comb</code>	Minimum number of enzyme/primer combinations required before presence will be tested. The default (4) should be reasonable in most cases. Setting <code>min.comb</code> to NA will require that all enzyme/primer combinations in the knowns database are present in the samples.
<code>method</code>	Method used in calculating the difference between samples and knowns; may be one of "maximum", "euclidian" or "manhattan" (or any unambiguous abbreviation).

Details

TRAMP attempts to determine which species in the ‘knowns’ database *may* be present in a collection of samples.

A sample matches a known if it has a peak that is “close enough” to every peak in the known for every enzyme/primer combination that they share. The default is to accept matches where the largest distance between a peak in the knowns database and the sample is less than `accept.error` base pairs (default 2), and where at least `min.comb` enzyme/primer combinations are shared between a sample and a known (default 4).

The three-dimensional matrix of match errors is generated by `create.diffsmatrix`. In the resulting array, `m[i, j, k]` is the difference (in base pairs) between the *i*th sample and the *j*th known for the *k*th enzyme/primer combination.

If p_k and q_k are the sizes of peaks for the *k*th enzyme/primer combination for a sample and known (respectively), then maximum distance is defined as

$$\max(|p_k - q_k|)$$

Euclidian distance is defined as

$$\frac{1}{n} \sqrt{\sum (p_k - q_k)^2}$$

and Manhattan distance is defined as

$$\frac{1}{n} \sum |p_k - q_k|$$

where n is the number of shared enzyme/primer combinations, since this may vary across sample/known combinations. For Euclidian and Manhattan distances, `accept.error` then becomes the *mean* distance, rather than the total distance.

Value

A TRAMP object, with elements:

<code>presence</code>	Presence/absence matrix. Rows are different samples (with rownames from <code>labels(samples)</code>) and columns are different knowns (with colnames from <code>labels(knowns)</code>). Do not access the presence/absence matrix directly, but use <code>summary.TRAMP</code> , which provides options for labelling knowns, grouping knowns, and excluding “ignored” matches.
<code>error</code>	Matrix of distances between the samples and known, calculated by one of the methods described above. Rows correspond to different samples, and columns correspond to different knowns. The matrix dimension names are set to the values <code>sample.pk</code> and <code>knowns.pk</code> for the samples and knowns, respectively.
<code>n</code>	A two-dimensional matrix (same dimensions as <code>error</code>), recording the number of enzyme/primer combinations present for each combination of samples and knowns.
<code>diffsmatrix</code>	Three-dimensional array of output from <code>create.diffsmatrix</code> .
<code>enzyme.primer</code>	Different enzyme/primer combinations present in the data, in the order of the third dimension of <code>diffsmatrix</code> (see <code>create.diffsmatrix</code> for details).

`samples`, `knowns`, `accept.error`, `min.comb`, `method`

The input data objects and arguments, unmodified.

In addition, an element `presence.ign` is included to allow matches to be ignored. However, this interface is experimental and its current format should not be relied on - use `remove.TRAMP.match` rather than interacting directly with `presence.ign`.

Matching is based only on peak size (in base pairs), and does not consider peak heights.

See Also

See `create.diffsmatrix` for discussion of how differences between sample and known profiles are generated.

`plot.TRAMP`, which displays TRAMP fits graphically.

`summary.TRAMP`, which creates a presence/absence matrix.

`remove.TRAMP.match`, which marks TRAMP matches as ignored.

Examples

```
data(demo.knowns)
data(demo.samples)

res <- TRAMP(demo.samples, demo.knowns)

## The resulting object can be interrogated with methods:

## The goodness of fit of the sample with sample.pk=101 (see
## ?\link{plot.TRAMP}).
plot(res, 101)

## Not run:
## To see all plots (this produces many figures), one after another.
op <- par(ask=TRUE)
plot(res)
par(op)

## End(Not run)

## Produce a presence/absence matrix (see ?\link{summary.TRAMP}).
m <- summary(res)
head(m)
```

Description

This provides very basic support for subsetting `TRAMPsamples` and `TRAMPknowns` objects.

Usage

```
## S3 method for class 'TRAMPknowns'
x[i, na.interp=TRUE, ...]
## S3 method for class 'TRAMPsamples'
x[i, na.interp=TRUE, ...]
```

Arguments

x	A TRAMPsamples or TRAMPknowns object.
i	A vector of <code>sample.fk</code> or <code>knowns.fk</code> values. For valid values, use <code>labels(x)</code> . If any index values are not present in <code>x</code> , then an error will be raised. Alternatively, this may be a logical vector, of the same length as the number of samples or knowns in <code>x</code> . See Examples for use of this.
na.interp	Logical: Controls how NA values should be interpreted when <code>i</code> is a logical vector.
...	Further arguments passed to or from other methods.

Details

When indexing by logical vectors, NA values do not make valid indexes, but may be produced when testing columns that contain missing values, so these must be converted to either TRUE or FALSE. If `i` is a logical index that contains missing values (NAs), then `na.interp` controls how they will be interpreted:

- If `na.interp=TRUE`, then TRUE, FALSE, NA becomes TRUE, FALSE, TRUE.
- If `na.interp=FALSE`, then TRUE, FALSE, NA becomes TRUE, FALSE, FALSE.

Warning

For [TRAMPknowns](#) objects, if the `file.pat` element is specified as part of the object (see [TRAMPknowns](#)), then the subsetted [TRAMPknowns](#) object will be written to a file. This may not be what you want, so it is probably best to disable knowns writing by doing `x$file.pat <- NULL` before doing any subsetting (where `x` is the name of your [TRAMPknowns](#) object).

Examples

```
data(demo.samples)
data(demo.knowns)

## Subsetting by sample.fk values
labels(demo.samples)
demo.samples[c(101, 102, 110)]
labels(demo.samples[c(101, 102, 110)])

## Take just samples from the first 10 soilcores:
demo.samples[demo.samples$info$soilcore.fk <= 10]

## Indexing also works on TRAMPknowns:
demo.knowns[733]
labels(demo.knowns[733])
```

 TRAMPknowns

TRAMPknowns Objects

Description

These functions create and interact with TRAMPknowns objects (collections of known TRFLP patterns). Knowns contrast with “samples” (see [TRAMPsamples](#)) in that knowns contain identified profiles, while samples contain unidentified profiles. Knowns must have at most one peak per enzyme/primer combination (see [Details](#)).

Usage

```
TRAMPknowns(data, info, cluster.pars=list(), file.pat=NULL,
             warn.factors=TRUE, ...)
```

```
## S3 method for class 'TRAMPknowns'
labels(object, ...)
## S3 method for class 'TRAMPknowns'
summary(object, include.info=FALSE, ...)
```

Arguments

<code>data</code>	data.frame containing peak information.
<code>info</code>	data.frame, describing individual samples (see Details for definitions of both data.frames).
<code>cluster.pars</code>	Parameters used when clustering the knowns database. See Details .
<code>file.pat</code>	Optional partial filename in which to store knowns database after modification. Files <code><file.pat>_info.csv</code> and <code><file.pat>_data.csv</code> will be created.
<code>warn.factors</code>	Logical: Should a warning be given if any columns in <code>info</code> or <code>data</code> are converted into factors?
<code>object</code>	A TRAMPknowns object.
<code>include.info</code>	Logical: Should the output be augmented with the contents of the <code>info</code> component of the TRAMPknowns object?
<code>...</code>	TRAMPknowns: Additional objects to incorporate into a TRAMPknowns object. Other methods: Further arguments passed to or from other methods.

Details

The object has at least two components, which relate to each other (in the sense of a relational database). `info` holds information about the individual samples, and `data` holds information about individual peaks (many of which may belong to a single sample).

Column definitions:

- `info`:

`knowns.pk`: Unique positive integer, used to identify individual knowns (i.e. a “primary key”).

`species`: Character, giving species name.

- `data`:

`knowns.fk`: Positive integer, indicating which sample the peak belongs to (by matching against `info$knowns.pk`) (i.e. a “foreign key”).

`primer`: Character, giving the name of the primer used.

`enzyme`: Character, giving the name of the restriction digest enzyme used.

`size`: Numeric, giving size (in base pairs) of the peak.

In addition, TRAMPknowns will create additional columns holding clustering information (see [group.knowns](#)). Additional columns are allowed (and retained, but ignored) in both `data.frames`. Additional objects are allowed as part of the TRAMPknowns object, but these will not be written by `write.TRAMPknowns`; any extra objects passed (via `...`) will be included in the final TRAMPknowns object.

The `cluster.pars` argument controls how knowns will be clustered (this will happen automatically as needed). Elements of the list `cluster.pars` may be any of the three arguments to [group.knowns](#), and will be used as defaults in subsequent calls to `group.knowns`. If not provided, default values are: `dist.method="maximum"`, `hclust.method="complete"`, `cut.height=2.5` (if only some elements of `cluster.pars` are provided, the remaining elements default to the values above). To change values of clustering parameters in an existing TRAMPknowns object, use [group.knowns](#).

A known contains at most one peak per enzyme/primer combination. Where a species is known to have multiple TRFLP profiles, these should be treated as separate knowns with different, unique, `knowns.pk` values, but with identical `species` values. A sample containing either pattern will then be recorded as having that species present (see [group.knowns](#)).

Value

`TRAMPknowns` A new TRAMPknowns object: a list with components `info`, `data` (the provided `data.frames`, with clustering information added to `info`), `cluster.pars` and `file.pat`, plus any extra objects passed as `...`

`labels.TRAMPknowns`

A sorted vector of the unique samples present in `x` (from `info$knowns.pk`).

`summary.TRAMPknowns`

A `data.frame`, with the size of the peak (if present) for each enzyme/primer combination, with each known (indicated by `knowns.pk`) as rows and each combination (in the format `<primer>_<enzyme>`) as columns.

Note

Across a TRAMPknowns object, primer and enzyme names must be *exactly* the same (including case and whitespace) to be considered the same. For example "ITS4", "Its4", "ITS 4" and "ITS4 " would be considered to be four different primers.

Factors will not merge correctly (with [combine.TRAMPknowns](#) or [add.known](#)). TRAMPknowns will attempt to catch factor columns and convert them into characters for the `info` and `data` `data.frames`. Other objects (passed as part of `...`) will not be altered.

See Also

[TRAMPsamples](#), which constructs an analogous object to hold “samples” data.
[plot.TRAMPknowns](#), which creates a graphical representation of the knowns data.
[TRAMP](#), for matching unknown TRFLP patterns to TRAMPknowns objects.
[group.knowns](#), which groups similar knowns (generally called automatically).
[add.known](#) and [combine.TRAMPknowns](#), which provide tools for adding knowns from a sample data set and merging knowns databases.

Examples

```
## This example builds a TRAMPknowns object from completely artificial
## data:

## The info data.frame:
knowns.info <-
  data.frame(knowns.pk=1:8,
             species=rep(paste("Species", letters[1:5]), length=8))
knowns.info

## The data data.frame:
knowns.data <- expand.grid(knowns.fk=1:8,
                          primer=c("ITS1F", "ITS4"),
                          enzyme=c("BsuRI", "HpyCH4IV"))
knowns.data$size <- runif(nrow(knowns.data), min=40, max=800)

## Construct the TRAMPknowns object:
demo.knowns <- TRAMPknowns(knowns.data, knowns.info, warn.factors=FALSE)

## A plot of the pretend knowns:
plot(demo.knowns, cex=1, group.clusters=TRUE)
```

TRAMPsamples

TRAMPsamples Objects

Description

These functions create and interact with TRAMPsamples objects (collections of TRFLP patterns). Samples contrast with “knowns” (see [TRAMPknowns](#)) in that samples contain primarily unidentified profiles. In contrast with knowns, samples may have many peaks per enzyme/primer combination.

Usage

```
TRAMPsamples(data, info=NULL, warn.factors=TRUE, ...)

## S3 method for class 'TRAMPsamples'
labels(object, ...)
## S3 method for class 'TRAMPsamples'
summary(object, include.info=FALSE, ...)
```

Arguments

<code>data</code>	data.frame containing peak information.
<code>info</code>	(Optional) data.frame, describing individual samples (see Details for definitions of both data.frames). If this is omitted, a basic data.frame will be generated.
<code>warn.factors</code>	Logical: Should a warning be given if any columns in <code>info</code> or <code>data</code> are converted into factors?
<code>object</code>	A TRAMPsamples object.
<code>include.info</code>	Logical: Should the output be augmented with the contents of the <code>info</code> component of the TRAMPsamples object?
<code>...</code>	TRAMPsamples: Additional objects to incorporate into a TRAMPsamples object. Other methods: Further arguments passed to or from other methods.

Details

The object has at least two components, which relate to each other (in the sense of a relational database). `info` holds information about the individual samples, and `data` holds information about individual peaks (many of which belong to a single sample).

Column definitions:

- `info`:
 - `sample.pk` Unique positive integer, used to identify individual samples (i.e. a “primary key”).
 - `species` Character, giving species name if samples were collected from an identified species. If this column is missing, it will be initialised as NA.
- `data`:
 - `sample.fk` Positive integer, indicating which sample the peak belongs to (by matching against `info$sample.pk`) (i.e. a “foreign key”).
 - `primer`: Character, giving the name of the primer used.
 - `enzyme`: Character, giving the name of the restriction digest enzyme used.
 - `size` Numeric, giving size (in base pairs) of the peak.
 - `height` Numeric, giving the height (arbitrary units) of the peak.

Additional columns are allowed (and ignored) in both data.frames, and will be retained. This allows notes on data quality and treatments to be easily included. Additional objects are allowed as part of the TRAMPsamples object; any extra objects passed (via `...`) will be included in the final TRAMPsamples object.

If `info` is omitted, then a basic data.frame will be generated, containing just the unique values of `sample.fk`, and NA for `species`.

Value

<code>TRAMPsamples</code>	A new TRAMPsamples object, as described above.
<code>labels.TRAMPsamples</code>	A sorted vector of the unique samples present in <code>x</code> (from <code>info\$sample.pk</code>).
<code>summary.TRAMPsamples</code>	A data.frame, with the number of peaks per enzyme/primer combination, with each sample (indicated by <code>sample.pk</code>) as rows and each combination (in the format <code><primer>_<enzyme></code>) as columns.

Note

Across a TRAMPsamples object, primer and enzyme names must be *exactly* the same (including case and whitespace) to be considered the same. For example "ITS4", "Its4", "ITS4 " and "ITS 4" would be considered to be four different primers.

Factors will not merge correctly (with `combine.TRAMPsamples`). TRAMPsamples will attempt to catch factor columns and convert them into characters for the info and data data.frames. Other objects (passed as part of . . .) will not be altered.

See Also

`plot.TRAMPsamples` and `summary.TRAMPsamples`, for plotting and summarising TRAMPsamples objects.

`TRAMPknowns`, which constructs an analagous object to hold "knowns" data.

`TRAMP`, for analysing TRAMPsamples objects.

`load.abi`, which creates a TRAMPsamples object from Gene Mapper (Applied Biosystems) output.

 update.TRAMP

Interactively Alter a TRAMP Object

Description

This function allows some manual checking and correction of a TRAMP object. By default, it steps through each sample, and offers to (1) add a new known to the TRAMPknowns database within the TRAMP object (see `add.known` for details), (2) mark matches to be ignored in future calls to `plot.TRAMP` (see `remove.TRAMP.match`), (3) save the current plot as a PDF.

Usage

```
## S3 method for class 'TRAMP'
update(object, sample.fk=labels(object$samples), grouped=FALSE,
       ignore=TRUE, delay.rebuild=FALSE, default.species=NULL,
       filename.fmt="TRAMP_%d.pdf", ...)
```

Arguments

object	A TRAMP object.
sample.fk	A vector of sample.fk to cycle through. If omitted, this will default to all samples present in the TRAMPsamples component of the TRAMP object.
grouped, ignore	Plotting parameters, as in <code>plot.TRAMP</code> . Currently these cannot be altered from their default values.
delay.rebuild	Logical: Should the rebuild of the TRAMP object be delayed until the function returns? If this is FALSE (the default), then the TRAMP object will rebuild every time a new known is added. This may take a while for large objects, so if set to TRUE, then the TRAMP object will not be rebuilt until all sample.fks have been displayed. This means that any new samples added as knowns will not be included in plots.

default.species	Default species name for newly added knowns. Passed to add.known .
filename.fmt	Format used to generate filenames when saving PDFs. Include a "%d" to stand in for the sample.fk (so "TRAMP_%d.pdf" becomes "TRAMP_12.pdf" for sample.fk 12).
...	Further arguments passed to the plotting function plot.TRAMP .

Warning

If an error occurs while running update, all modifications will be lost.

Note

update.TRAMP returns a modified TRAMP object, and does not modify the original TRAMP object in place. You must use it like:

```
x <- update(x)
```

or

```
x2 <- update(x)
```

to modify the original object or create a new, modified object in place. Note that if creating multiple objects, if the [TRAMPknowns](#) object has a file.pat element, then any changes to either of x or x2 will be written back to file, but the knowns contained in x and x2 may be different. See the note in [add.known](#).

The action "Quit" will always exit the update function and save the object.

Be careful when using a TRAMP object whose TRAMPknowns element has a file.pat element; new knowns added will be immediately written to file.

Examples

```
## Since this function runs interactively, there can be no sample.
```

Index

- * **array**
 - TRAMPindexing, 30
- * **classes**
 - TRAMPknowns, 32
 - TRAMPsamples, 34
- * **cluster**
 - build.knowns, 6
 - create.diffsmatrix, 9
 - group.knowns, 12
 - rebuild.TRAMP, 26
 - TRAMP, 28
 - update.TRAMP, 36
- * **connection**
 - read.abi, 23
- * **datagen**
 - build.knowns, 6
- * **datasets**
 - demo.knowns, 11
 - demo.samples, 11
- * **file**
 - load.abi, 16
 - read.abi, 23
 - read.write, 24
- * **hplot**
 - plot.TRAMP, 18
 - plot.TRAMPknowns, 20
 - plot.TRAMPsamples, 22
- * **manip**
 - add.known, 3
 - combine.TRAMPsamples, 8
 - remove.TRAMP.match, 26
- * **methods**
 - combine, 8
 - summary.TRAMP, 27
 - TRAMPindexing, 30
- * **multivariate**
 - build.knowns, 6
 - create.diffsmatrix, 9
 - group.knowns, 12
 - rebuild.TRAMP, 26
 - TRAMP, 28
 - update.TRAMP, 36
- * **package**
 - TRAMPR-package, 2
 - [.TRAMPknowns, 14
 - [.TRAMPknowns (TRAMPindexing), 30
 - [.TRAMPsamples (TRAMPindexing), 30
- absolute.min, 10
- add.known, 3, 7, 14, 26, 33, 34, 36, 37
- build.knowns, 2, 4, 5, 6, 14
- combine, 8
- combine.TRAMP (add.known), 3
- combine.TRAMPknowns, 8, 9, 33, 34
- combine.TRAMPknowns (add.known), 3
- combine.TRAMPsamples, 3, 5, 8, 8, 36
- create.diffsmatrix, 2, 9, 29, 30
- cutree, 13, 14
- demo.knowns, 11
- demo.samples, 11
- dist, 13, 14
- group.knowns, 4, 12, 20–22, 27, 33, 34
- hclust, 13, 14
- labels.TRAMPknowns (TRAMPknowns), 32
- labels.TRAMPsamples (TRAMPsamples), 34
- layout, 21
- load, 25
- load.abi, 2, 12, 16, 24, 25, 36
- peakscanner.to.genemapper (load.abi), 16
- plot.TRAMP, 2, 18, 22, 23, 26, 27, 30, 36, 37
- plot.TRAMPknowns, 14, 20, 20, 23, 34
- plot.TRAMPsamples, 20, 22, 36
- points, 19

read.abi, [18](#), [23](#)
read.table, [24](#)
read.TRAMPknowns, [2](#), [7](#)
read.TRAMPknowns (read.write), [24](#)
read.TRAMPsamples, [2](#)
read.TRAMPsamples (read.write), [24](#)
read.write, [24](#)
rebuild.TRAMP, [4](#), [26](#)
remove.TRAMP.match, [19](#), [26](#), [27](#), [30](#), [36](#)

save, [24](#), [25](#)
summary.TRAMP, [2](#), [26](#), [27](#), [27](#), [29](#), [30](#)
summary.TRAMPknowns, [14](#)
summary.TRAMPknowns (TRAMPknowns), [32](#)
summary.TRAMPsamples, [36](#)
summary.TRAMPsamples (TRAMPsamples), [34](#)

TRAMP, [2–4](#), [8](#), [10](#), [13](#), [14](#), [18](#), [19](#), [22](#), [23](#), [26](#),
[28](#), [34](#), [36](#)
TRAMP.plotone (plot.TRAMP), [18](#)
TRAMPindexing, [14](#), [30](#)
TRAMPknowns, [2–14](#), [20](#), [22–26](#), [28](#), [30](#), [31](#), [32](#),
[34](#), [36](#), [37](#)
TRAMPR (TRAMPR-package), [2](#)
TRAMPR-package, [2](#)
TRAMPsamples, [2–6](#), [8–10](#), [12](#), [14](#), [16](#), [18](#), [22](#),
[24–26](#), [28](#), [30–32](#), [34](#), [34](#), [36](#)
TRAMPsamples.plotone
(plot.TRAMPsamples), [22](#)

update.TRAMP, [2](#), [26](#), [36](#)

write.TRAMPknowns, [33](#)
write.TRAMPknowns (read.write), [24](#)
write.TRAMPsamples (read.write), [24](#)