

Package ‘abbreviate’

May 7, 2026

Type Package

Title Readable String Abbreviation

Version 0.1

Date 2021-12-12

Description Strings are abbreviated to at least ``minlength" characters, such that they remain unique (if they were). The abbreviations should be recognisable.

URL <https://github.com/sigbertklinke/abbreviate> (development version)

RoxygenNote 7.1.1

License GPL-3

Encoding UTF-8

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Sigbert Klinke [aut, cre]

Maintainer Sigbert Klinke <sigbert@hu-berlin.de>

Repository CRAN

Date/Publication 2021-12-14 08:40:04 UTC

Contents

| | |
|---------------------------|----------|
| abbreviate_text | 2 |
| Index | 3 |

| | |
|-----------------|------------------------|
| abbreviate_text | <i>abbreviate_text</i> |
|-----------------|------------------------|

Description

Shorten strings to at least `minlength` characters so that they remain unique (if they were). Duplicate strings or NAs are allowed. Note that different orders in the string may result in different abbreviations.

Usage

```
abbreviate_text(txt, minlength = 3, alnum = TRUE)
```

Arguments

| | |
|------------------------|--|
| <code>txt</code> | character: vector of strings to abbreviate |
| <code>minlength</code> | integer: the minimum length of the abbreviations |
| <code>alnum</code> | logical: should strings be reduced to alpha-numeric characters before abbreviation (default: TRUE) |

Value

abbreviated strings

See Also

[base::abbreviate](#) or [package uniqltag](#)

Examples

```
# unique with first letters is possible
txt <- c("euclidean", "maximum", "manhattan", "canberra", "minimum")
abbreviate_text(txt, 3)
# if identical strings used then same abbreviation
txt <- c("euclidean", "maximum", "manhattan", "manhattan", "canberra", "minimum")
abbreviate_text(txt, 3)
# warnings that identical strings and identical abbreviations used
txt <- c("euclidean", "maximum", "manhattan", NA, "canberra", "minimum", "abc", "abc")
abbreviate_text(txt, 3)
# unique abbreviations
txt <- c("ward.D", "ward.D2", "single", "complete", "average", "mcquitty", "median", "centroid")
abbreviate_text(txt, 3)
# unique abbreviations, but not really intuitive
abbreviate_text(txt, 0)
```

Index

`abbreviate_text`, 2

`base::abbreviate`, 2