

Package ‘aimPlot’

May 7, 2026

Title Create Pie Like Plot for Completeness

Version 1.0.0

Description Create a pie like plot to visualise if the aim or several aims of a project is achieved or close to be achieved i.e the aim is achieved when the point is at the center of the pie plot. Imagine it's like a dartboard and the center means 100% completeness/achievement. Achievement can also be understood as 100% coverage. The standard distribution of completeness allocated in the pie plot is 50%, 80% and 100% completeness.

Depends R (>= 3.2.0), utils

Imports ggplot2 (>= 2.1.0)

Suggests grid, gridExtra

License GPL-2

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Author Yusman Kamaleri [aut, cre]

Maintainer Yusman Kamaleri <ybkamaleri@gmail.com>

Repository CRAN

Date/Publication 2016-04-22 13:09:49

Contents

aimPlot	2
RegData	3
Index	4

`aimPlot`*Pie Like Plot for Completeness*

Description

Create a pie like plot to visualize how close a project is to completeness or achievement of the aims. The middle point show the total completeness of the aim. Imagine it's like a dartboard and the center means 100% completeness/achievement. The standard distribution for the proportion of completeness allocated in the pie is 50%, 80% and 100%. Items for aim should be on the first row and the percentage of each items is on the second row in the data set.

Usage

```
aimPlot(data, title, size, pct1, pct2, col1, col2, col3)
```

Arguments

<code>data</code>	Data set
<code>title</code>	Title for the plot
<code>size</code>	Size of the point
<code>pct1</code>	Percentage first pie proportion
<code>pct2</code>	Percentage second pie proportion
<code>col1</code>	Colour of the first pie proportion
<code>col2</code>	Colour of the second pie proportion
<code>col3</code>	Colour of the third pie proportion

Details

These parameters should be in the dataframe:

- Variable 1st column: The various aims to be completed
- Percentage 2nd column: The percentage of completeness

Note

The `ggplot2` package is required to run this function

Author(s)

Yusman Kamaleri, <ybkamaleri@gmail.com>

Source

RegData is example data set from Norwegian Diabetes Registry

Examples

```
# basic usage
library("aimPlot")
aimPlot(data = RegData, title = "Plot title")
aimPlot(RegData, "Plot title", size=10, col1="blue", col2="green", col3="yellow")
aimPlot(RegData, pct1 = 20, pct2 = 60)
```

RegData

RegData as sample data

Description

A sample data for completeness of different aims in a projects. The variables are as follows:

Usage

RegData

Format

RegData consist of 2 columns:

- Variable: The specific aims or objectives
- Percentage: The percentage of completeness

Index

* **datasets**

RegData, [3](#)

aimPlot, [2](#)

RegData, [3](#)