

Package ‘algebraic.dist’

May 7, 2026

Title Algebra over Probability Distributions

Version 1.0.0

Description Provides an algebra over probability distributions enabling composition, sampling, and automatic simplification to closed forms. Supports normal, exponential, gamma, Weibull, chi-squared, uniform, beta, log-normal, Poisson, multivariate normal, empirical, and mixture distributions with algebraic operators (addition, subtraction, multiplication, division, power, exp, log, min, max) that automatically simplify when mathematical identities apply. Includes closed-form MVN conditioning (Schur complement), affine transformations, mixture marginals/conditionals (Bayes rule), and limiting distribution builders (CLT, LLN, delta method). Uses S3 classes for distributions and R6 for support objects.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.3

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

Imports stats, mvtnorm, R6

Depends R (>= 3.5.0)

VignetteBuilder knitr

URL <https://github.com/queelius/algebraic.dist>,
<https://queelius.github.io/algebraic.dist/>

BugReports <https://github.com/queelius/algebraic.dist/issues>

NeedsCompilation no

Author Alexander Towell [aut, cre] (ORCID:
<<https://orcid.org/0000-0001-6443-9897>>)

Maintainer Alexander Towell <lex@metafunctor.com>

Repository CRAN

Date/Publication 2026-03-18 06:13:20 UTC

Contents

*.dist	7
+.dist	8
-.dist	9
/.dist	9
affine_transform	10
as_dist	11
beta_dist	12
cdf	12
cdf.beta_dist	13
cdf.chi_squared	14
cdf.edist	14
cdf.empirical_dist	15
cdf.exponential	16
cdf.gamma_dist	16
cdf.lognormal	17
cdf.mixture	18
cdf.mvn	18
cdf.normal	19
cdf.poisson_dist	20
cdf.uniform_dist	20
cdf.weibull_dist	21
chi_squared	22
clt	22
conditional	23
conditional.dist	24
conditional.edist	24
conditional.empirical_dist	25
conditional.mixture	26
conditional.mvn	27
countable_set	28
delta_clt	29
density.beta_dist	29
density.chi_squared	30
density.edist	31
density.empirical_dist	31
density.exponential	32
density.gamma_dist	33
density.lognormal	33
density.mixture	34
density.mvn	35
density.normal	35
density.poisson_dist	36
density.uniform_dist	37
density.weibull_dist	37
dim.beta_dist	38
dim.chi_squared	38

dim.countable_set	39
dim.edist	40
dim.empirical_dist	40
dim.exponential	41
dim.finite_set	41
dim.gamma_dist	42
dim.interval	42
dim.lognormal	43
dim.mixture	43
dim.mvn	44
dim.normal	45
dim.poisson_dist	45
dim.uniform_dist	46
dim.weibull_dist	46
edist	47
empirical_dist	47
expectation	48
expectation.dist	49
expectation.empirical_dist	50
expectation.poisson_dist	50
expectation.univariate_dist	51
expectation_data	52
exponential	53
finite_set	54
format.beta_dist	55
format.chi_squared	56
format.edist	56
format.empirical_dist	57
format.exponential	57
format.gamma_dist	58
format.lognormal	58
format.mixture	59
format.mvn	60
format.normal	60
format.poisson_dist	61
format.realized_dist	61
format.uniform_dist	62
format.weibull_dist	62
gamma_dist	63
has	64
has.countable_set	65
has.finite_set	65
has.interval	66
hazard.chi_squared	67
hazard.continuous_dist	67
hazard.exponential	68
hazard.gamma_dist	69
hazard.lognormal	69

hazard.weibull_dist	70
infirmum	71
infirmum.countable_set	71
infirmum.finite_set	72
infirmum.interval	72
interval	73
inv_cdf	75
inv_cdf.beta_dist	75
inv_cdf.chi_squared	76
inv_cdf.edist	77
inv_cdf.empirical_dist	77
inv_cdf.exponential	78
inv_cdf.gamma_dist	79
inv_cdf.lognormal	79
inv_cdf.normal	80
inv_cdf.poisson_dist	81
inv_cdf.uniform_dist	81
inv_cdf.weibull_dist	82
is_beta_dist	83
is_chi_squared	83
is_dist	84
is_edist	84
is_empirical_dist	85
is_exponential	85
is_gamma_dist	86
is_lognormal	86
is_mixture	87
is_mvn	87
is_normal	88
is_poisson_dist	88
is_realized_dist	89
is_uniform_dist	89
is_weibull_dist	90
lln	90
lognormal	91
marginal	92
marginal.empirical_dist	92
marginal.mixture	93
marginal.mvn	94
Math.dist	94
mean.beta_dist	95
mean.chi_squared	96
mean.edist	96
mean.empirical_dist	97
mean.exponential	97
mean.gamma_dist	98
mean.lognormal	99
mean.mixture	99

mean.mvn	100
mean.normal	100
mean.poisson_dist	101
mean.uniform_dist	101
mean.univariate_dist	102
mean.weibull_dist	103
mixture	103
mvn	104
nobs.empirical_dist	105
normal	105
normal_approx	106
nparams	106
nparams.empirical_dist	107
nparams.mixture	108
obs	108
obs.empirical_dist	109
params	109
params.beta_dist	110
params.chi_squared	111
params.edist	111
params.empirical_dist	112
params.exponential	112
params.gamma_dist	113
params.lognormal	113
params.mixture	114
params.mvn	114
params.normal	115
params.poisson_dist	115
params.uniform_dist	116
params.weibull_dist	117
poisson_dist	117
print.beta_dist	118
print.chi_squared	118
print.edist	119
print.empirical_dist	119
print.exponential	120
print.gamma_dist	120
print.interval	121
print.lognormal	122
print.mixture	122
print.mvn	123
print.normal	123
print.poisson_dist	124
print.realized_dist	124
print.summary_dist	125
print.uniform_dist	126
print.weibull_dist	126
realize	127

rmap	128
rmap.dist	129
rmap.edist	129
rmap.empirical_dist	130
rmap.mvn	131
sampler	131
sampler.beta_dist	132
sampler.chi_squared	133
sampler.default	133
sampler.edist	134
sampler.empirical_dist	135
sampler.exponential	135
sampler.gamma_dist	136
sampler.lognormal	137
sampler.mixture	137
sampler.mvn	138
sampler.normal	138
sampler.poisson_dist	139
sampler.uniform_dist	140
sampler.weibull_dist	140
sample_mvn_region	141
simplify	142
simplify.dist	142
simplify.edist	143
Summary.dist	144
summary.dist	145
summary_dist	146
sup	146
sup.beta_dist	147
sup.chi_squared	148
sup.edist	148
sup.empirical_dist	149
sup.exponential	149
sup.gamma_dist	150
sup.lognormal	151
sup.mixture	151
sup.mvn	152
sup.normal	152
sup.poisson_dist	153
sup.uniform_dist	153
sup.weibull_dist	154
supremum	154
supremum.countable_set	155
supremum.finite_set	156
supremum.interval	156
surv.chi_squared	157
surv.continuous_dist	157
surv.exponential	158

surv.gamma_dist	159
surv.lognormal	159
surv.weibull_dist	160
uniform_dist	161
vcov.beta_dist	161
vcov.chi_squared	162
vcov.default	162
vcov.edist	163
vcov.empirical_dist	164
vcov.exponential	164
vcov.gamma_dist	165
vcov.lognormal	165
vcov.mixture	166
vcov.mvn	167
vcov.normal	167
vcov.poisson_dist	168
vcov.uniform_dist	168
vcov.univariate_dist	169
vcov.weibull_dist	170
weibull_dist	170
^.dist	171

Index**172**

*.dist	<i>Multiplication of distribution objects.</i>
--------	--

Description

Handles scalar * dist, dist * scalar, and dist * dist.

Usage

```
## S3 method for class 'dist'
x * y
```

Arguments

x	first operand
y	second operand

Value

A simplified distribution or edist

Examples

```
# Scalar multiplication simplifies for normal
z <- 2 * normal(0, 1)
z # Normal(mu = 0, var = 4)

# Product of two distributions yields an edist
w <- normal(0, 1) * exponential(1)
is_edist(w) # TRUE
```

+.dist

*Method for adding dist objects, or shifting a distribution by a scalar.***Description**

Creates an expression distribution and automatically simplifies to closed form when possible (e.g., normal + normal = normal, normal + scalar = normal with shifted mean).

Usage

```
## S3 method for class 'dist'
x + y
```

Arguments

x	A dist object or numeric scalar
y	A dist object or numeric scalar

Value

A simplified distribution or edist if no closed form exists

Examples

```
# Sum of two normals simplifies to a normal
z <- normal(0, 1) + normal(2, 3)
z # Normal(mu = 2, var = 4)

# Shift a distribution by a constant
normal(0, 1) + 5 # Normal(mu = 5, var = 1)
```


Arguments

x first operand
y second operand

Value

A simplified distribution or edist

Examples

```
# Division by scalar reuses multiplication rule
z <- normal(0, 4) / 2
z # Normal(mu = 0, var = 1)
```

affine_transform *Affine transformation of a normal or multivariate normal distribution.*

Description

Computes the distribution of $AX + b$ where $X \sim MVN(\mu, \Sigma)$. The result is $MVN(A\mu + b, A\Sigma A^T)$.

Usage

```
affine_transform(x, A, b = NULL)
```

Arguments

x A normal or mvn distribution object.
A A numeric matrix (or scalar for univariate).
b An optional numeric vector (or scalar) for the offset. Default is a zero vector.

Details

For a univariate normal, scalars A and b are promoted to 1x1 matrices and scalar internally. Returns a normal if the result is 1-dimensional.

Value

A normal or mvn distribution.

Examples

```
X <- mvn(c(0, 0), diag(2))
# Project to first component via 1x2 matrix
Y <- affine_transform(X, A = matrix(c(1, 0), 1, 2), b = 5)
mean(Y)

# Scale a univariate normal
Z <- affine_transform(normal(0, 1), A = 3, b = 2)
mean(Z)
vcov(Z)
```

as_dist

Convert an object to a probability distribution.

Description

Generic method for converting objects (such as fitted models) into distribution objects from the `algebraic.dist` package.

Usage

```
as_dist(x, ...)
```

S3 method for class 'dist'

```
as_dist(x, ...)
```

Arguments

`x` The object to convert to a distribution.

`...` Additional arguments to pass to methods.

Value

A dist object.

Examples

```
# Identity for existing distributions
d <- normal(0, 1)
identical(as_dist(d), d)
```

beta_dist	<i>Construct a beta distribution object.</i>
-----------	--

Description

Creates an S3 object representing a beta distribution with shape parameters shape1 and shape2. The PDF on (0, 1) is

$$f(x) = \frac{x^{a-1}(1-x)^{b-1}}{B(a,b)}$$

where $a = \text{shape1}$, $b = \text{shape2}$, and $B(a, b)$ is the beta function.

Usage

```
beta_dist(shape1, shape2)
```

Arguments

shape1	First shape parameter, must be a positive scalar.
shape2	Second shape parameter, must be a positive scalar.

Value

A beta_dist object with classes c("beta_dist", "univariate_dist", "continuous_dist", "dist").

Examples

```
x <- beta_dist(shape1 = 2, shape2 = 5)
mean(x)
vcov(x)
format(x)
```

cdf	<i>Generic method for obtaining the cdf of an object.</i>
-----	---

Description

Generic method for obtaining the cdf of an object.

Usage

```
cdf(x, ...)
```

Arguments

x The object to obtain the cdf of.
... Additional arguments to pass.

Value

A function computing the cumulative distribution function.

Examples

```
x <- normal(0, 1)
F <- cdf(x)
F(0)    # 0.5 (median of standard normal)
F(1.96) # approximately 0.975
```

cdf.beta_dist *Cumulative distribution function for a beta distribution.*

Description

Returns a function that evaluates the beta CDF at given points.

Usage

```
## S3 method for class 'beta_dist'
cdf(x, ...)
```

Arguments

x A beta_dist object.
... Additional arguments (not used).

Value

A function function(q, log.p = FALSE, ...) returning the CDF (or log-CDF) at q.

Examples

```
x <- beta_dist(2, 5)
F <- cdf(x)
F(0.3)
F(0.5)
```

`cdf.chi_squared` *Method for obtaining the cdf of a chi_squared object.*

Description

Method for obtaining the cdf of a `chi_squared` object.

Usage

```
## S3 method for class 'chi_squared'  
cdf(x, ...)
```

Arguments

<code>x</code>	The <code>chi_squared</code> object
<code>...</code>	Additional arguments (not used)

Value

A function that computes the cdf at point(s) `t`

Examples

```
x <- chi_squared(5)  
F <- cdf(x)  
F(5)  
F(10)
```

`cdf.edist` *CDF for expression distributions.*

Description

Falls back to `realize` to materialize the distribution as an `empirical_dist`, then delegates to `cdf.empirical_dist`.

Usage

```
## S3 method for class 'edist'  
cdf(x, ...)
```

Arguments

<code>x</code>	An <code>edist</code> object.
<code>...</code>	Additional arguments forwarded to <code>cdf.empirical_dist</code> .

Value

A function computing the empirical CDF.

Examples

```
set.seed(1)
z <- normal(0, 1) * exponential(1)
Fz <- cdf(z)
Fz(0)
```

`cdf.empirical_dist` *Method for obtaining the cdf of empirical_dist object x.*

Description

If x is a multivariate empirical distribution, this function will throw an error. It's only defined for univariate empirical distributions.

Usage

```
## S3 method for class 'empirical_dist'
cdf(x, ...)
```

Arguments

<code>x</code>	The empirical distribution object.
<code>...</code>	Additional arguments to pass (not used)

Value

A function that takes a numeric vector t and returns the empirical cdf of x evaluated at t .

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
Fx <- cdf(ed)
Fx(3) # 0.6
Fx(c(1, 5)) # 0.2, 1.0
```

`cdf.exponential` *Method to obtain the cdf of an exponential object.*

Description

Method to obtain the cdf of an exponential object.

Usage

```
## S3 method for class 'exponential'  
cdf(x, ...)
```

Arguments

<code>x</code>	The object to obtain the cdf of
<code>...</code>	Additional arguments (not used)

Value

A function `function(q, lower.tail = TRUE, log.p = FALSE, ...)` that computes the cdf (or log-cdf) of the exponential distribution.

Examples

```
x <- exponential(rate = 1)  
F <- cdf(x)  
F(1)  
F(2)
```

`cdf.gamma_dist` *Method for obtaining the cdf of a gamma_dist object.*

Description

Method for obtaining the cdf of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'  
cdf(x, ...)
```

Arguments

<code>x</code>	The gamma_dist object
<code>...</code>	Additional arguments (not used)

Value

A function that computes the cdf at point(s) t

Examples

```
x <- gamma_dist(shape = 2, rate = 1)
F <- cdf(x)
F(1)
F(2)
```

`cdf.lognormal`

Cumulative distribution function for a log-normal distribution.

Description

Returns a function that evaluates the log-normal CDF at given points.

Usage

```
## S3 method for class 'lognormal'
cdf(x, ...)
```

Arguments

`x` A lognormal object.
`...` Additional arguments (not used).

Value

A function `function(q, log.p = FALSE, ...)` returning the CDF (or log-CDF) at q .

Examples

```
x <- lognormal(0, 1)
F <- cdf(x)
F(1)
F(2)
```

 cdf.mixture

Cumulative distribution function for a mixture distribution.

Description

Returns a function that evaluates the mixture CDF at given points. The mixture CDF is $F(x) = \sum_k w_k F_k(x)$.

Usage

```
## S3 method for class 'mixture'
cdf(x, ...)
```

Arguments

x A mixture object.
 ... Additional arguments (not used).

Value

A function function(q, ...) returning the CDF at q.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))
F <- cdf(m)
F(0)
F(5)
```

 cdf.mvn

Method for obtaining the CDF of a mvn object.

Description

Method for obtaining the CDF of a mvn object.

Usage

```
## S3 method for class 'mvn'
cdf(x, ...)
```

Arguments

x The object to obtain the CDF of
 ... Additional arguments to pass (not used)

Value

A function computing the multivariate normal CDF.

Examples

```
X <- mvn(c(0, 0), diag(2))
F <- cdf(X)
F(c(0, 0))
```

cdf.normal

Method for obtaining the cdf of an normal object.

Description

Method for obtaining the cdf of an normal object.

Usage

```
## S3 method for class 'normal'
cdf(x, ...)
```

Arguments

x	The object to obtain the cdf of
...	Additional arguments to pass (not used)

Value

A function `function(q, lower.tail = TRUE, log.p = FALSE, ...)` that computes the cdf (or log-cdf) of the normal distribution at `q`.

Examples

```
x <- normal(0, 1)
F <- cdf(x)
F(0)
F(1.96)
```

`cdf.poisson_dist` *Cumulative distribution function for a Poisson distribution.*

Description

Returns a function that evaluates the Poisson CDF at given points.

Usage

```
## S3 method for class 'poisson_dist'  
cdf(x, ...)
```

Arguments

`x` A `poisson_dist` object.
`...` Additional arguments (not used).

Value

A function `function(q, log.p = FALSE, ...)` returning the CDF (or log-CDF) at `q`.

Examples

```
x <- poisson_dist(5)  
F <- cdf(x)  
F(5)  
F(10)
```

`cdf.uniform_dist` *Cumulative distribution function for a uniform distribution.*

Description

Returns a function that evaluates the uniform CDF at given points.

Usage

```
## S3 method for class 'uniform_dist'  
cdf(x, ...)
```

Arguments

`x` A `uniform_dist` object.
`...` Additional arguments (not used).

Value

A function function(q , log.p = FALSE, ...) returning the CDF (or log-CDF) at q .

Examples

```
x <- uniform_dist(0, 10)
F <- cdf(x)
F(5)
F(10)
```

cdf.weibull_dist *Cumulative distribution function for a Weibull distribution.*

Description

Returns a function that evaluates the Weibull CDF at given points.

Usage

```
## S3 method for class 'weibull_dist'
cdf(x, ...)
```

Arguments

x A weibull_dist object.
... Additional arguments (not used).

Value

A function function(q , log.p = FALSE, ...) returning the CDF (or log-CDF) at q .

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
F <- cdf(x)
F(1)
F(3)
```

chi_squared	<i>Construct a chi-squared distribution object.</i>
-------------	---

Description

Construct a chi-squared distribution object.

Usage

```
chi_squared(df)
```

Arguments

df Degrees of freedom (positive scalar)

Value

A chi_squared object

Examples

```
x <- chi_squared(df = 5)
mean(x)
vcov(x)
format(x)
```

clt	<i>Central Limit Theorem Limiting Distribution</i>
-----	--

Description

Returns the limiting distribution of the standardized sample mean $\sqrt{n}(\bar{X}_n - \mu)$ under the Central Limit Theorem. For a univariate distribution with variance σ^2 , this is $N(0, \sigma^2)$. For a multivariate distribution with covariance matrix Σ , this is $MVN(0, \Sigma)$.

Usage

```
clt(base_dist)
```

Arguments

base_dist A dist object representing the base distribution.

Value

A normal or mvn distribution representing the CLT limiting distribution.

Examples

```
# CLT for Exp(2): sqrt(n)(Xbar - 1/2) -> N(0, 1/4)
x <- exponential(rate = 2)
z <- clt(x)
mean(z)
vcov(z)
```

conditional

Generic method for obtaining the conditional distribution of a distribution object x given condition P.

Description

Generic method for obtaining the conditional distribution of a distribution object x given condition P.

Usage

```
conditional(x, P, ...)
```

Arguments

x	The empirical distribution object.
P	The predicate function to condition x on
...	additional arguments to pass into P

Value

A distribution object for the conditional distribution.

Examples

```
d <- empirical_dist(1:100)
# condition on values greater than 50
d_gt50 <- conditional(d, function(x) x > 50)
mean(d_gt50)
```

conditional.dist	<i>Method for obtaining the condition distribution, $x \mid P(x)$, of dist object x.</i>
------------------	--

Description

Falls back to MC: materializes x via `ensure_realized()` and then conditions on the resulting empirical distribution.

Usage

```
## S3 method for class 'dist'
conditional(x, P, n = 10000L, ...)
```

Arguments

x	The distribution object.
P	The predicate function to condition the distribution on
n	The number of samples to generate for the MC estimate of the conditional distribution $x \mid P$. Defaults to 10000.
...	additional arguments to pass into P .

Value

An `empirical_dist` approximating the conditional distribution.

Examples

```
set.seed(1)
x <- exponential(1)
# Condition on  $X > 2$ 
x_gt2 <- conditional(x, function(t) t > 2)
mean(x_gt2)
```

conditional.edist	<i>Conditional distribution for expression distributions.</i>
-------------------	---

Description

Falls back to `realize` and delegates to `conditional.empirical_dist`.

Usage

```
## S3 method for class 'edist'
conditional(x, P, ...)
```

Arguments

x An edist object.
 P Predicate function to condition on.
 ... Additional arguments forwarded to the predicate P.

Value

A conditional empirical_dist.

Examples

```
set.seed(1)
z <- normal(0, 1) + exponential(1)
z_pos <- conditional(z, function(t) t > 2)
mean(z_pos)
```

conditional.empirical_dist

Method for obtaining the condition distribution, $x | P(x)$, of empirical_dist object x.

Description

In other words, we condition the data on the predicate function. In order to do so, we simply remove all rows from the data that do not satisfy the predicate P. For instance, if we have a 2-dimensional distribution, and we want to condition on the first dimension being greater than the second dimension, we would do the following:

Usage

```
## S3 method for class 'empirical_dist'
conditional(x, P, ...)
```

Arguments

x The empirical distribution object.
 P The predicate function to condition the data on.
 ... additional arguments to pass into P.

Details

```
x_cond <- conditional(x, function(d) d[1] > d[2])
```

This would return a new empirical distribution object with the same dimensionality as x, but with all rows where the first dimension is less than or equal to the second dimension removed.

Value

An empirical_dist containing only rows satisfying P.

Examples

```
mat <- matrix(c(1, 5, 2, 3, 4, 1, 6, 2), ncol = 2)
ed <- empirical_dist(mat)
# Condition on first column being greater than second
ed_cond <- conditional(ed, function(d) d[1] > d[2])
nobs(ed_cond)
```

conditional.mixture *Conditional distribution of a mixture.*

Description

For a mixture of distributions that support closed-form conditioning (e.g. MVN), uses Bayes' rule to update the mixing weights:

$$w'_k \propto w_k f_k(x_{given})$$

where f_k is the marginal density of component k at the observed values. The component conditionals are computed via conditional(component_k, given_indices = ..., given_values = ...).

Usage

```
## S3 method for class 'mixture'
conditional(x, P = NULL, ..., given_indices = NULL, given_values = NULL)
```

Arguments

x	A mixture object.
P	Optional predicate function for MC fallback.
...	Additional arguments.
given_indices	Integer vector of observed variable indices.
given_values	Numeric vector of observed values.

Details

Falls back to MC realization if P is provided or if any component does not support given_indices/given_values.

Value

A mixture or empirical_dist object.

Examples

```
# Closed-form conditioning on MVN mixture
m <- mixture(
  list(mvn(c(0, 0), diag(2)), mvn(c(3, 3), diag(2))),
  c(0.5, 0.5)
)
# Condition on X2 = 1
mc <- conditional(m, given_indices = 2, given_values = 1)
mean(mc)
```

conditional.mvn

Conditional distribution for multivariate normal.

Description

Supports two calling patterns:

1. **Closed-form** (via `given_indices` and `given_values`): Uses the exact Schur complement formula. Returns a normal (1D result) or mvn.
2. **Predicate-based** (via `P`): Falls back to MC realization via [ensure_realized](#).

Usage

```
## S3 method for class 'mvn'
conditional(x, P = NULL, ..., given_indices = NULL, given_values = NULL)
```

Arguments

<code>x</code>	An mvn object.
<code>P</code>	Optional predicate function for MC fallback.
<code>...</code>	Additional arguments forwarded to the predicate <code>P</code> .
<code>given_indices</code>	Integer vector of observed variable indices.
<code>given_values</code>	Numeric vector of observed values (same length as <code>given_indices</code>).

Value

A normal, mvn, or `empirical_dist` object.

Examples

```
# Closed-form conditioning: X2 | X1 = 1
sigma <- matrix(c(1, 0.5, 0.5, 1), 2, 2)
X <- mvn(c(0, 0), sigma)
X2_given <- conditional(X, given_indices = 1, given_values = 1)
mean(X2_given)
vcov(X2_given)
```

```
# Predicate-based MC fallback (slower)

set.seed(42)
X2_mc <- conditional(X, P = function(x) x[1] > 0)
```

countable_set

Countable Set

Description

A countably infinite support set, such as the non-negative integers. It satisfies the concept of a support (see [has](#), [infimum](#), [supremum](#), [dim](#)).

Public fields

`lower_bound` Integer lower bound of the set.

Methods

Public methods:

- [countable_set\\$new\(\)](#)
- [countable_set\\$clone\(\)](#)

Method `new()`: Initialize a countable set.

Usage:

```
countable_set$new(lower = 0L)
```

Arguments:

`lower` Integer lower bound (default 0).

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
countable_set$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

delta_clt

*Delta Method CLT Limiting Distribution***Description**

Returns the limiting distribution of $\sqrt{n}(g(\bar{X}_n) - g(\mu))$ under the Delta Method. For a univariate distribution, this is $N(0, g'(\mu)^2\sigma^2)$. For a multivariate distribution with Jacobian $J = Dg(\mu)$, this is $MVN(0, J\Sigma J^T)$.

Usage

```
delta_clt(base_dist, g, dg)
```

Arguments

base_dist	A dist object representing the base distribution.
g	The function to apply to the sample mean.
dg	The derivative (univariate) or Jacobian function (multivariate) of g. For univariate distributions, dg(x) should return a scalar. For multivariate distributions, dg(x) should return a matrix (the Jacobian).

Value

A normal or mvn distribution representing the Delta Method limiting distribution.

Examples

```
# Delta method: g = exp, dg = exp
x <- exponential(rate = 1)
z <- delta_clt(x, g = exp, dg = exp)
mean(z)
vcov(z)
```

density.beta_dist

*Probability density function for a beta distribution.***Description**

Returns a function that evaluates the beta PDF at given points.

Usage

```
## S3 method for class 'beta_dist'
density(x, ...)
```

Arguments

x A beta_dist object.
... Additional arguments (not used).

Value

A function function(t, log = FALSE, ...) returning the density (or log-density) at t.

Examples

```
x <- beta_dist(2, 5)
f <- density(x)
f(0.3)
f(0.5)
```

density.chi_squared *Method for obtaining the density (pdf) of a chi_squared object.*

Description

Method for obtaining the density (pdf) of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'
density(x, ...)
```

Arguments

x The chi_squared object
... Additional arguments (not used)

Value

A function that computes the pdf at point(s) t

Examples

```
x <- chi_squared(5)
f <- density(x)
f(5)
f(10)
```

density.edist	<i>Density for expression distributions.</i>
---------------	--

Description

Falls back to `realize` and delegates to `density.empirical_dist`.

Usage

```
## S3 method for class 'edist'  
density(x, ...)
```

Arguments

x	An edist object.
...	Additional arguments forwarded to <code>density.empirical_dist</code> .

Value

A function computing the empirical density (PMF).

Examples

```
set.seed(1)  
z <- normal(0, 1) * exponential(1)  
fz <- density(z)
```

density.empirical_dist	<i>Method for obtaining the pdf of a empirical_dist object.</i>
------------------------	---

Description

Method for obtaining the pdf of a `empirical_dist` object.

Usage

```
## S3 method for class 'empirical_dist'  
density(x, ...)
```

Arguments

x	The object to obtain the pdf of.
...	Additional arguments to pass into the pdf function.

Value

A function computing the empirical PMF at given points.

Note

sort tibble lexicographically and do a binary search to find upper and lower bound in $\log(\text{nobs}(x))$ time.

Examples

```
ed <- empirical_dist(c(1, 2, 2, 3, 3, 3))
f <- density(ed)
f(2)           # 2/6
f(3, log = TRUE) # log(3/6)
```

density.exponential *Method to obtain the pdf of an exponential object.*

Description

Method to obtain the pdf of an exponential object.

Usage

```
## S3 method for class 'exponential'
density(x, ...)
```

Arguments

x	The object to obtain the pdf of
...	Additional arguments (not used)

Value

A function function(t , $\text{log} = \text{FALSE}$, ...) that computes the pdf (or log-pdf) of the exponential distribution at t .

Examples

```
x <- exponential(rate = 2)
f <- density(x)
f(0)
f(1)
```

density.gamma_dist *Method for obtaining the density (pdf) of a gamma_dist object.*

Description

Method for obtaining the density (pdf) of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'  
density(x, ...)
```

Arguments

x The gamma_dist object
... Additional arguments (not used)

Value

A function that computes the pdf at point(s) t

Examples

```
x <- gamma_dist(shape = 2, rate = 1)  
f <- density(x)  
f(1)  
f(2)
```

density.lognormal *Probability density function for a log-normal distribution.*

Description

Returns a function that evaluates the log-normal PDF at given points.

Usage

```
## S3 method for class 'lognormal'  
density(x, ...)
```

Arguments

x A lognormal object.
... Additional arguments (not used).

Value

A function `function(t, log = FALSE, ...)` returning the density (or log-density) at `t`.

Examples

```
x <- lognormal(0, 1)
f <- density(x)
f(1)
f(2)
```

density.mixture	<i>Probability density function for a mixture distribution.</i>
-----------------	---

Description

Returns a function that evaluates the mixture density at given points. The mixture density is $f(x) = \sum_k w_k f_k(x)$.

Usage

```
## S3 method for class 'mixture'
density(x, ...)
```

Arguments

<code>x</code>	A mixture object.
<code>...</code>	Additional arguments (not used).

Value

A function `function(t, log = FALSE, ...)` returning the density (or log-density) at `t`.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))
f <- density(m)
f(0)
f(2.5)
```

density.mvn	<i>Function generator for obtaining the pdf of an mvn object (multivariate normal).</i>
-------------	---

Description

Function generator for obtaining the pdf of an mvn object (multivariate normal).

Usage

```
## S3 method for class 'mvn'  
density(x, ...)
```

Arguments

x	The mvn (S3) object to obtain the pdf (density) of
...	Additional arguments passed to dmvnorm on every call.

Value

A function function(obs, log = FALSE, ...) that computes the pdf (or log-pdf) of the multivariate normal distribution.

Examples

```
X <- mvn(c(0, 0), diag(2))  
f <- density(X)  
f(c(0, 0))  
f(c(1, 1))
```

density.normal	<i>Method for obtaining the pdf of an normal object.</i>
----------------	--

Description

Method for obtaining the pdf of an normal object.

Usage

```
## S3 method for class 'normal'  
density(x, ...)
```

Arguments

x	The object to obtain the pdf of
...	Additional arguments to pass (not used)

Value

A function `function(t, log = FALSE, ...)` that computes the pdf (or log-pdf) of the normal distribution at `t`.

Examples

```
x <- normal(0, 1)
f <- density(x)
f(0)
f(1)
```

`density.poisson_dist` *Probability mass function for a Poisson distribution.*

Description

Returns a function that evaluates the Poisson PMF at given points.

Usage

```
## S3 method for class 'poisson_dist'
density(x, ...)
```

Arguments

<code>x</code>	A <code>poisson_dist</code> object.
<code>...</code>	Additional arguments (not used).

Value

A function `function(k, log = FALSE, ...)` returning the probability mass (or log-probability) at `k`.

Examples

```
x <- poisson_dist(5)
f <- density(x)
f(5)
f(0)
```

density.uniform_dist *Probability density function for a uniform distribution.*

Description

Returns a function that evaluates the uniform PDF at given points.

Usage

```
## S3 method for class 'uniform_dist'  
density(x, ...)
```

Arguments

x A uniform_dist object.
... Additional arguments (not used).

Value

A function function(t, log = FALSE, ...) returning the density (or log-density) at t.

Examples

```
x <- uniform_dist(0, 10)  
f <- density(x)  
f(5)  
f(15)
```

density.weibull_dist *Probability density function for a Weibull distribution.*

Description

Returns a function that evaluates the Weibull PDF at given points.

Usage

```
## S3 method for class 'weibull_dist'  
density(x, ...)
```

Arguments

x A weibull_dist object.
... Additional arguments (not used).

Value

A function `function(t, log = FALSE, ...)` returning the density (or log-density) at `t`.

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
f <- density(x)
f(1)
f(3)
```

<code>dim.beta_dist</code>	<i>Dimension of a beta distribution (always 1).</i>
----------------------------	---

Description

Dimension of a beta distribution (always 1).

Usage

```
## S3 method for class 'beta_dist'
dim(x)
```

Arguments

`x` A `beta_dist` object.

Value

1.

Examples

```
dim(beta_dist(2, 5))
```

<code>dim.chi_squared</code>	<i>Retrieve the dimension of a chi_squared object.</i>
------------------------------	--

Description

Retrieve the dimension of a `chi_squared` object.

Usage

```
## S3 method for class 'chi_squared'
dim(x)
```

Arguments

x The `chi_squared` object

Value

1 (univariate)

Examples

```
dim(chi_squared(5))
```

`dim.countable_set` *Get the dimension of a countable set.*

Description

Get the dimension of a countable set.

Usage

```
## S3 method for class 'countable_set'  
dim(x)
```

Arguments

x A `countable_set` object.

Value

1 (always univariate).

Examples

```
cs <- countable_set$new(0L)  
dim(cs) # 1
```

dim.edist	<i>Method for obtaining the dimension of an edist object.</i>
-----------	---

Description

Determines the dimension by drawing a single sample and checking whether it is a matrix (multivariate) or scalar (univariate).

Usage

```
## S3 method for class 'edist'  
dim(x)
```

Arguments

x The edist object.

Value

Integer; the number of dimensions.

Examples

```
z <- normal(0, 1) * exponential(1)  
dim(z)
```

dim.empirical_dist	<i>Method for obtaining the dimension of a empirical_dist object.</i>
--------------------	---

Description

Method for obtaining the dimension of a empirical_dist object.

Usage

```
## S3 method for class 'empirical_dist'  
dim(x)
```

Arguments

x The object to obtain the dimension of.

Value

Integer; the number of dimensions.

Examples

```
ed1 <- empirical_dist(c(1, 2, 3))
dim(ed1) # 1

ed2 <- empirical_dist(matrix(1:6, ncol = 2))
dim(ed2) # 2
```

dim.exponential *Method to obtain the dimension of an exponential object.*

Description

Method to obtain the dimension of an exponential object.

Usage

```
## S3 method for class 'exponential'
dim(x)
```

Arguments

x The exponential object to obtain the dimension of

Value

The dimension of the exponential object

Examples

```
dim(exponential(rate = 1))
```

dim.finite_set *Return the dimension of the finite set.*

Description

Return the dimension of the finite set.

Usage

```
## S3 method for class 'finite_set'
dim(x)
```

Arguments

x A finite set.

Value

Integer; the dimension of the set.

Examples

```
fs <- finite_set$new(c(1, 3, 5, 7))
dim(fs) # 1
```

dim.gamma_dist	<i>Retrieve the dimension of a gamma_dist object.</i>
----------------	---

Description

Retrieve the dimension of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'
dim(x)
```

Arguments

x The gamma_dist object

Value

1 (univariate)

Examples

```
dim(gamma_dist(2, 1))
```

dim.interval	<i>Return the dimension of the interval.</i>
--------------	--

Description

Return the dimension of the interval.

Usage

```
## S3 method for class 'interval'
dim(x)
```

Arguments

x An interval object.

Value

Integer; the number of interval components.

Examples

```
iv <- interval$new(lower = 0, upper = 1)
dim(iv) # 1
```

dim.lognormal	<i>Dimension of a log-normal distribution (always 1).</i>
---------------	---

Description

Dimension of a log-normal distribution (always 1).

Usage

```
## S3 method for class 'lognormal'
dim(x)
```

Arguments

x A lognormal object.

Value

1.

Examples

```
dim(lognormal(0, 1))
```

dim.mixture	<i>Dimension of a mixture distribution.</i>
-------------	---

Description

Returns the dimension of the first component (all components are assumed to have the same dimension).

Usage

```
## S3 method for class 'mixture'
dim(x)
```

Arguments

x A mixture object.

Value

The dimension of the distribution.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))
dim(m)
```

dim.mvn

Method for obtaining the dimension of an mvn object.

Description

Method for obtaining the dimension of an mvn object.

Usage

```
## S3 method for class 'mvn'
dim(x)
```

Arguments

x The object to obtain the dimension of

Value

The dimension of the mvn object

Examples

```
dim(mvn(c(0, 0, 0)))
```

dim.normal	<i>Method for obtaining the dimension of a normal object.</i>
------------	---

Description

Method for obtaining the dimension of a normal object.

Usage

```
## S3 method for class 'normal'  
dim(x)
```

Arguments

x The normal object to obtain the dimension of

Value

The dimension of the normal object

Examples

```
dim(normal(0, 1))
```

dim.poisson_dist	<i>Dimension of a Poisson distribution (always 1).</i>
------------------	--

Description

Dimension of a Poisson distribution (always 1).

Usage

```
## S3 method for class 'poisson_dist'  
dim(x)
```

Arguments

x A poisson_dist object.

Value

1.

Examples

```
dim(poisson_dist(5))
```

dim.uniform_dist *Dimension of a uniform distribution (always 1).*

Description

Dimension of a uniform distribution (always 1).

Usage

```
## S3 method for class 'uniform_dist'  
dim(x)
```

Arguments

x A uniform_dist object.

Value

1.

Examples

```
dim(uniform_dist(0, 1))
```

dim.weibull_dist *Dimension of a Weibull distribution (always 1).*

Description

Dimension of a Weibull distribution (always 1).

Usage

```
## S3 method for class 'weibull_dist'  
dim(x)
```

Arguments

x A weibull_dist object.

Value

1.

Examples

```
dim(weibull_dist(2, 3))
```

edist	<i>Takes an expression e and a list vars and returns a lazy edist (expression distribution object), that is a subclass of dist that can be used in place of a dist object.</i>
-------	--

Description

Takes an expression e and a list vars and returns a lazy edist (expression distribution object), that is a subclass of dist that can be used in place of a dist object.

Usage

```
edist(e, vars)
```

Arguments

e	the expression to evaluate against the arguments.
vars	the list of distributions (with variable names) to evaluate the expression e against.

Value

An edist object.

Examples

```
x <- normal(0, 1)
y <- normal(2, 3)
e <- edist(quote(x + y), list(x = x, y = y))
e
```

empirical_dist	<i>Construct empirical distribution object.</i>
----------------	---

Description

Construct empirical distribution object.

Usage

```
empirical_dist(data)
```

Arguments

data	data to construct empirical distribution from. if matrix or data frame, each row is a joint observation, if a vector, each element is an observation. whatever data is, it must be convertible to a tibble.
------	---

Value

An `empirical_dist` object.

Examples

```
# Univariate empirical distribution from a vector
ed <- empirical_dist(c(1, 2, 3, 4, 5))
mean(ed)

# Multivariate empirical distribution from a matrix
mat <- matrix(c(1, 2, 3, 4, 5, 6), ncol = 2)
ed_mv <- empirical_dist(mat)
dim(ed_mv)
```

expectation

Generic method for obtaining the expectation of f with respect to x.

Description

Generic method for obtaining the expectation of f with respect to x.

Usage

```
expectation(x, g, ...)
```

Arguments

x	The distribution object.
g	The function to take the expectation of.
...	Additional arguments to pass into g.

Value

The expected value of $g(x)$.

Examples

```
x <- exponential(1)
# E[X] for Exp(1) is 1
expectation(x, function(t) t)
```

expectation.dist	<i>Expectation of a Function Applied to a dist Object</i>
------------------	---

Description

Expectation operator applied to x of type `dist` with respect to a function g . Optionally, constructs a confidence interval for the expectation estimate using the Central Limit Theorem.

Usage

```
## S3 method for class 'dist'
expectation(x, g = function(t) t, ..., control = list())
```

Arguments

<code>x</code>	A <code>dist</code> object.
<code>g</code>	Characteristic function of interest, defaults to identity.
<code>...</code>	Additional arguments to pass to <code>g</code> .
<code>control</code>	A list of control parameters: <code>compute_stats</code> - Logical, whether to compute CIs for the expectations, defaults to <code>FALSE</code> <code>n</code> - Integer, the number of samples to use for the MC estimate, defaults to 10000 <code>L</code> - Real, the significance level for the confidence interval, defaults to 0.05

Value

If `compute_stats` is `FALSE`, then the estimate of the expectation, otherwise a list with the following components: `value` - The estimate of the expectation `ci` - The confidence intervals for each component of the expectation `n` - The number of samples

Examples

```
# MC expectation of X^2 where X ~ Exp(1)
set.seed(1)
ex <- exponential(1)
expectation(ex, g = function(t) t^2)
```

```
expectation.empirical_dist
```

Method for obtaining the expectation of empirical_dist object x under function g.

Description

Method for obtaining the expectation of empirical_dist object x under function g.

Usage

```
## S3 method for class 'empirical_dist'
expectation(x, g = function(t) t, ..., control = list())
```

Arguments

x	The distribution object.
g	The function to take the expectation of.
...	Additional arguments to pass into function g.
control	a list of control parameters: compute_stats - Whether to compute CIs for the expectations, defaults to FALSE n - The number of samples to use for the MC estimate, defaults to 10000 alpha - The significance level for the confidence interval, defaults to 0.05

Value

If compute_stats is FALSE, then the estimate of the expectation, otherwise a list with the following components: value - The estimate of the expectation ci - The confidence intervals for each component of the expectation n - The number of samples

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
expectation(ed)           # E[X] = 3
expectation(ed, function(x) x^2) # E[X^2] = 11
```

```
expectation.poisson_dist
```

Exact expectation for a Poisson distribution.

Description

Computes $E[g(X)]$ using truncated summation over the support. The summation is truncated at the $1 - 10^{-12}$ quantile to ensure negligible truncation error.

Usage

```
## S3 method for class 'poisson_dist'
expectation(x, g, ...)
```

Arguments

x A poisson_dist object.
g A function to take the expectation of.
... Additional arguments passed to g.

Value

The expected value $E[g(X)]$.

Examples

```
x <- poisson_dist(5)
expectation(x, identity)
expectation(x, function(k) k^2)
```

expectation.univariate_dist

Method for obtaining the expectation of f with respect to a univariate_dist object x.

Description

Assumes the support is a contiguous interval that has operations for retrieving the lower and upper bounds.

Usage

```
## S3 method for class 'univariate_dist'
expectation(x, g, ..., control = list())
```

Arguments

x The distribution object.
g The function to take the expectation of.
... Additional arguments to pass into g.
control An (optional) list of control parameters for integrate or expectation_data (if x is not continuous)

Value

The expected value (numeric scalar), or the full integrate() result if compute_stats = TRUE.

Examples

```
x <- normal(3, 4)
# E[X] for Normal(3, 4) is 3
expectation(x, function(t) t)

# E[X^2] for Exp(1) is 2
expectation(exponential(1), function(t) t^2)
```

expectation_data	<i>Function used for computing expectations given data (e.g., from an MC simulation or bootstrap). it expects a matrix, or something that can be coerced to a matrix (e.g., a data frame). it also expects a function g to apply to each row of the data, and returns the expectation of g under the empirical distribution of the data. it also returns a confidence interval for the expectation, and the number of samples used to compute the expectation.</i>
------------------	--

Description

example: `expectation_data(D, function(x) (x-colMeans(D)) %*% t(x-colMeans(D)))` computes the covariance of the data D, except the matrix structure is lost (it's just a vector, which can be coerced back to a matrix if needed).

Usage

```
expectation_data(
  data,
  g = function(x) x,
  ...,
  compute_stats = TRUE,
  alpha = 0.05
)
```

Arguments

data	a matrix of data
g	a function to apply to each row of the data
...	additional arguments to pass to g
compute_stats	whether to compute CIs for the expectations
alpha	the confidence level for the confidence interval for each component of the expectation (if compute_stats is TRUE)

Value

if compute_stats is TRUE, then a list with the following components: value - The estimate of the expectation ci - The confidence intervals for each component of the expectation n - The number of samples otherwise, just the value of the expectation.

Examples

```
set.seed(42)
data <- matrix(rnorm(200), ncol = 2)
# sample mean with confidence interval
expectation_data(data)

# just the point estimate, no CI
expectation_data(data, compute_stats = FALSE)

# expectation of a function of the data (row-wise)
expectation_data(data, g = function(x) sum(x^2))
```

exponential

Construct exponential distribution object.

Description

Construct exponential distribution object.

Usage

```
exponential(rate)
```

Arguments

rate failure rate

Value

An exponential distribution object.

Examples

```
x <- exponential(rate = 2)
mean(x)
vcov(x)
format(x)
```

`finite_set`*Finite set*

Description

A finite set. It also satisfies the concept of a support.

Public fields

`values` A vector of values.

Methods**Public methods:**

- `finite_set$new()`
- `finite_set$has()`
- `finite_set$infimum()`
- `finite_set$supremum()`
- `finite_set$dim()`
- `finite_set$clone()`

Method `new()`: Initialize a finite set.

Usage:

```
finite_set$new(values)
```

Arguments:

`values` A vector of values.

Method `has()`: Determine if a value is contained in the finite set.

Usage:

```
finite_set$has(x)
```

Arguments:

`x` A vector of values.

Method `infimum()`: Get the infimum of the finite set.

Usage:

```
finite_set$infimum()
```

Returns: A numeric vector of infimums.

Method `supremum()`: Get the supremum of the finite set.

Usage:

```
finite_set$supremum()
```

Returns: A numeric vector of supremums.

Method dim(): Get the dimension of the finite set.

Usage:

```
finite_set$dim()
```

Returns: The dimension of the finite set.

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
finite_set$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

format.beta_dist	<i>Format a beta_dist object as a character string.</i>
------------------	---

Description

Format a beta_dist object as a character string.

Usage

```
## S3 method for class 'beta_dist'  
format(x, ...)
```

Arguments

x	A beta_dist object.
...	Additional arguments (not used).

Value

A character string describing the distribution.

Examples

```
format(beta_dist(2, 5))
```

format.chi_squared *Format a chi_squared object as a character string.*

Description

Format a chi_squared object as a character string.

Usage

```
## S3 method for class 'chi_squared'  
format(x, ...)
```

Arguments

x	The chi_squared object
...	Additional arguments (not used)

Value

A character string describing the distribution

Examples

```
format(chi_squared(5))
```

format.edist *Format method for edist objects.*

Description

Format method for edist objects.

Usage

```
## S3 method for class 'edist'  
format(x, ...)
```

Arguments

x	The object to format
...	Additional arguments (not used)

Value

A character string

Examples

```
z <- normal(0, 1) * exponential(2)
format(z)
```

format.empirical_dist *Format method for empirical_dist objects.*

Description

Format method for empirical_dist objects.

Usage

```
## S3 method for class 'empirical_dist'
format(x, ...)
```

Arguments

x	The object to format
...	Additional arguments (not used)

Value

A character string

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
format(ed)
```

format.exponential *Format method for exponential objects.*

Description

Format method for exponential objects.

Usage

```
## S3 method for class 'exponential'
format(x, ...)
```

Arguments

x	The exponential object to format
...	Additional arguments (not used)

Value

A character string

Examples

```
format(exponential(rate = 2))
```

format.gamma_dist	<i>Format a gamma_dist object as a character string.</i>
-------------------	--

Description

Format a gamma_dist object as a character string.

Usage

```
## S3 method for class 'gamma_dist'  
format(x, ...)
```

Arguments

x	The gamma_dist object
...	Additional arguments (not used)

Value

A character string describing the distribution

Examples

```
format(gamma_dist(2, 1))
```

format.lognormal	<i>Format a lognormal object as a character string.</i>
------------------	---

Description

Format a lognormal object as a character string.

Usage

```
## S3 method for class 'lognormal'  
format(x, ...)
```

Arguments

x A lognormal object.
... Additional arguments (not used).

Value

A character string describing the distribution.

Examples

```
format(lognormal(0, 1))
```

format.mixture	<i>Format a mixture object as a character string.</i>
----------------	---

Description

Format a mixture object as a character string.

Usage

```
## S3 method for class 'mixture'  
format(x, ...)
```

Arguments

x A mixture object.
... Additional arguments (not used).

Value

A character string describing the mixture.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))  
format(m)
```

format.mvn *Format method for mvn objects.*

Description

Format method for mvn objects.

Usage

```
## S3 method for class 'mvn'  
format(x, ...)
```

Arguments

x	The object to format
...	Additional arguments (not used)

Value

A character string

Examples

```
format(mvn(c(0, 0)))
```

format.normal *Format method for normal objects.*

Description

Format method for normal objects.

Usage

```
## S3 method for class 'normal'  
format(x, ...)
```

Arguments

x	The object to format
...	Additional arguments (not used)

Value

A character string

Examples

```
x <- normal(2, 3)
format(x)
```

format.poisson_dist *Format a poisson_dist object as a character string.*

Description

Format a poisson_dist object as a character string.

Usage

```
## S3 method for class 'poisson_dist'
format(x, ...)
```

Arguments

x A poisson_dist object.
... Additional arguments (not used).

Value

A character string describing the distribution.

Examples

```
format(poisson_dist(5))
```

format.realized_dist *Format a realized_dist object as a character string.*

Description

Shows the number of samples and a summary of the source distribution.

Usage

```
## S3 method for class 'realized_dist'
format(x, ...)
```

Arguments

x A realized_dist object.
... Additional arguments (not used).

Value

A character string.

Examples

```
rd <- realize(normal(0, 1), n = 100)
format(rd)
```

`format.uniform_dist` *Format a uniform_dist object as a character string.*

Description

Format a `uniform_dist` object as a character string.

Usage

```
## S3 method for class 'uniform_dist'
format(x, ...)
```

Arguments

`x` A `uniform_dist` object.
`...` Additional arguments (not used).

Value

A character string describing the distribution.

Examples

```
format(uniform_dist(0, 10))
```

`format.weibull_dist` *Format a weibull_dist object as a character string.*

Description

Format a `weibull_dist` object as a character string.

Usage

```
## S3 method for class 'weibull_dist'
format(x, ...)
```

Arguments

x A weibull_dist object.
... Additional arguments (not used).

Value

A character string describing the distribution.

Examples

```
format(weibull_dist(2, 3))
```

gamma_dist *Construct a gamma distribution object.*

Description

Construct a gamma distribution object.

Usage

```
gamma_dist(shape, rate)
```

Arguments

shape Shape parameter (positive scalar)
rate Rate parameter (positive scalar)

Value

A gamma_dist object

Examples

```
x <- gamma_dist(shape = 2, rate = 1)  
mean(x)  
vcov(x)  
format(x)
```

has	<i>Support</i>
-----	----------------

Description

support is a class that represents the support of a random element or distribution, i.e. the set of values that it realize.

It's a conceptual class. To satisfy the concept of a support, the following methods must be implemented:

1. has: a function that returns a logical vector indicating whether each value in a vector is contained in the support
2. infimum: a function that returns the infimum of the support
3. supremum: a function that returns the supremum of the support
4. dim: a function that returns the dimension of the support

We provide two implementations that satisfy the concept:

- interval: a support that is an infinite set of contiguous numeric values
- finite_set: a support that is a finite set of values Determine if a value is contained in the support.

Usage

```
has(object, x)
```

Arguments

object	A support object.
x	A vector of values.

Value

Logical vector indicating membership.

Examples

```
I <- interval$new(0, 1, lower_closed = TRUE, upper_closed = TRUE)
has(I, 0.5) # TRUE
has(I, 2)   # FALSE

S <- finite_set$new(c(1, 2, 3))
has(S, 2)   # TRUE
has(S, 4)   # FALSE
```

has.countable_set *Check membership in a countable set.*

Description

Returns TRUE if all values are integers (within floating-point tolerance) that are at least as large as the lower bound.

Usage

```
## S3 method for class 'countable_set'  
has(object, x)
```

Arguments

object	A countable_set object.
x	Value(s) to check.

Value

Logical; TRUE if all values are valid members of the set.

Examples

```
cs <- countable_set$new(0L)  
has(cs, c(0, 3, 5)) # TRUE  
has(cs, c(-1, 2))  # FALSE (negative integer)  
has(cs, 1.5)       # FALSE (not integer)
```

has.finite_set *Determine if a value is contained in the finite set.*

Description

Determine if a value is contained in the finite set.

Usage

```
## S3 method for class 'finite_set'  
has(object, x)
```

Arguments

object	A finite set.
x	A vector of values.

Value

Logical indicating membership.

Examples

```
fs <- finite_set$new(c(1, 3, 5, 7))
has(fs, 3) # TRUE
has(fs, 4) # FALSE
```

has.interval	<i>Determine if a value is contained in the interval.</i>
--------------	---

Description

Determine if a value is contained in the interval.

Usage

```
## S3 method for class 'interval'
has(object, x)
```

Arguments

object	An interval object.
x	A vector of values.

Value

Logical vector indicating containment.

Examples

```
iv <- interval$new(lower = 0, upper = 1)
has(iv, 0.5) # TRUE
has(iv, 2.0) # FALSE
```

hazard.chi_squared *Method for obtaining the hazard function of a chi_squared object.*

Description

Method for obtaining the hazard function of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'  
hazard(x, ...)
```

Arguments

x The chi_squared object
... Additional arguments (not used)

Value

A function that computes $h(t) = f(t) / S(t)$

Examples

```
x <- chi_squared(5)  
h <- hazard(x)  
h(5)
```

hazard.continuous_dist
 Default hazard function for continuous distributions.

Description

Computes $h(t) = f(t)/S(t)$ from the density and survival function.

Usage

```
## S3 method for class 'continuous_dist'  
hazard(x, ...)  
  
hazard(x, ...)
```

Arguments

x The object to obtain the hazard function of.
... Additional arguments to pass.

Value

A function `function(t, ...)` returning the hazard rate.

A function computing the hazard rate at given points.

Examples

```
x <- normal(0, 1)
h <- hazard(x)
h(0)
x <- exponential(2)
h <- hazard(x)
h(1) # hazard rate at t = 1 (constant for exponential)
```

`hazard.exponential` *Method to obtain the hazard function of an exponential object.*

Description

Method to obtain the hazard function of an exponential object.

Usage

```
## S3 method for class 'exponential'
hazard(x, ...)
```

Arguments

<code>x</code>	The exponential object to obtain the hazard function of
<code>...</code>	Additional arguments (not used)

Value

A function `function(t, log = FALSE, ...)` that computes the hazard rate (or log-hazard) of the exponential distribution.

Examples

```
x <- exponential(rate = 2)
h <- hazard(x)
h(1)
h(5)
```

hazard.gamma_dist *Method for obtaining the hazard function of a gamma_dist object.*

Description

Method for obtaining the hazard function of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'  
hazard(x, ...)
```

Arguments

x The gamma_dist object
... Additional arguments (not used)

Value

A function that computes $h(t) = f(t) / S(t)$

Examples

```
x <- gamma_dist(shape = 2, rate = 1)  
h <- hazard(x)  
h(1)
```

hazard.lognormal *Hazard function for a log-normal distribution.*

Description

Returns a function that evaluates the log-normal hazard rate $h(t) = f(t)/S(t)$ for $t > 0$.

Usage

```
## S3 method for class 'lognormal'  
hazard(x, ...)
```

Arguments

x A lognormal object.
... Additional arguments (not used).

Value

A function `function(t, log = FALSE)` returning the hazard (or log-hazard) at `t`.

Examples

```
x <- lognormal(0, 1)
h <- hazard(x)
h(1)
h(2)
```

`hazard.weibull_dist` *Hazard function for a Weibull distribution.*

Description

Returns a function that evaluates the Weibull hazard rate $h(t) = (shape/scale)(t/scale)^{shape-1}$ for $t > 0$.

Usage

```
## S3 method for class 'weibull_dist'
hazard(x, ...)
```

Arguments

`x` A `weibull_dist` object.
`...` Additional arguments (not used).

Value

A function `function(t, log = FALSE)` returning the hazard (or log-hazard) at `t`.

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
h <- hazard(x)
h(1)
h(3)
```

infimum	<i>Get the infimum of the support.</i>
---------	--

Description

Get the infimum of the support.

Usage

```
infimum(object)
```

Arguments

object A support object.

Value

The infimum (greatest lower bound) of the support.

Examples

```
I <- interval$new(0, 10)
infimum(I) # 0

S <- finite_set$new(c(3, 7, 11))
infimum(S) # 3
```

infimum.countable_set	<i>Get the infimum of a countable set.</i>
-----------------------	--

Description

Get the infimum of a countable set.

Usage

```
## S3 method for class 'countable_set'
infimum(object)
```

Arguments

object A countable_set object.

Value

The lower bound (integer).

Examples

```
cs <- countable_set$new(0L)
infimum(cs) # 0
```

infimum.finite_set *Return the infimum of the finite set.*

Description

Return the infimum of the finite set.

Usage

```
## S3 method for class 'finite_set'
infimum(object)
```

Arguments

object A finite set.

Value

Numeric; the minimum value(s).

Examples

```
fs <- finite_set$new(c(1, 3, 5, 7))
infimum(fs) # 1
```

infimum.interval *Return the (vector of) infimum of the interval.*

Description

Return the (vector of) infimum of the interval.

Usage

```
## S3 method for class 'interval'
infimum(object)
```

Arguments

object An interval object.

Value

Numeric vector of lower bounds.

Examples

```
iv <- interval$new(lower = 0, upper = 1)
infimum(iv) # 0
```

interval	<i>Interval</i>
----------	-----------------

Description

An interval is a support that is a finite union of intervals.

Public fields

lower A numeric vector of lower bounds.

upper A numeric vector of upper bounds.

lower_closed A logical vector indicating whether the lower bound is closed.

upper_closed A logical vector indicating whether the upper bound is closed.

Methods**Public methods:**

- `interval$new()`
- `interval$is_empty()`
- `interval$has()`
- `interval$infimum()`
- `interval$supremum()`
- `interval$dim()`
- `interval$clone()`

Method `new()`: Initialize an interval.

Usage:

```
interval$new(  
  lower = -Inf,  
  upper = Inf,  
  lower_closed = FALSE,  
  upper_closed = FALSE  
)
```

Arguments:

lower A numeric vector of lower bounds.

upper A numeric vector of upper bounds.

lower_closed A logical vector indicating whether the lower bound is closed.

upper_closed A logical vector indicating whether the upper bound is closed.

Method `is_empty()`: Determine if the interval is empty

Usage:

```
interval$is_empty()
```

Returns: A logical vector indicating whether the interval is empty.

Method `has()`: Determine if a value is contained in the interval.

Usage:

```
interval$has(x)
```

Arguments:

x A numeric vector of values.

Returns: A logical vector indicating whether each value is contained

Method `infimum()`: Get the infimum of the interval.

Usage:

```
interval$infimum()
```

Returns: A numeric vector of infimums.

Method `supremum()`: Get the supremum of the interval.

Usage:

```
interval$supremum()
```

Returns: A numeric vector of supremums.

Method `dim()`: Get the dimension of the interval.

Usage:

```
interval$dim()
```

Returns: The dimension of the interval.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
interval$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

inv_cdf	<i>Generic method for obtaining the quantile (inverse cdf) of an object.</i>
---------	--

Description

Generic method for obtaining the quantile (inverse cdf) of an object.

Usage

```
inv_cdf(x, ...)
```

Arguments

x	The object to obtain the quantile of.
...	Additional arguments to pass.

Value

A function computing the quantile (inverse CDF).

Examples

```
x <- normal(0, 1)
Q <- inv_cdf(x)
Q(0.5) # 0 (median of standard normal)
Q(0.975) # approximately 1.96
```

inv_cdf.beta_dist	<i>Inverse CDF (quantile function) for a beta distribution.</i>
-------------------	---

Description

Returns a function that computes quantiles of the beta distribution.

Usage

```
## S3 method for class 'beta_dist'
inv_cdf(x, ...)
```

Arguments

x	A beta_dist object.
...	Additional arguments (not used).

Value

A function function(p , lower.tail = TRUE, log.p = FALSE, ...) returning the quantile at probability p .

Examples

```
x <- beta_dist(2, 5)
q <- inv_cdf(x)
q(0.5)
q(0.95)
```

inv_cdf.chi_squared	<i>Method for obtaining the inverse cdf (quantile function) of a chi_squared object.</i>
---------------------	--

Description

Method for obtaining the inverse cdf (quantile function) of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'
inv_cdf(x, ...)
```

Arguments

x	The chi_squared object
...	Additional arguments (not used)

Value

A function that computes the quantile at probability p

Examples

```
x <- chi_squared(5)
q <- inv_cdf(x)
q(0.5)
q(0.95)
```

inv_cdf.edist *Inverse CDF (quantile function) for expression distributions.*

Description

Falls back to [realize](#) and delegates to [inv_cdf.empirical_dist](#).

Usage

```
## S3 method for class 'edist'  
inv_cdf(x, ...)
```

Arguments

x An edist object.
... Additional arguments forwarded to [inv_cdf.empirical_dist](#).

Value

A function computing the empirical quantile function.

Examples

```
set.seed(1)  
z <- normal(0, 1) * exponential(1)  
qz <- inv_cdf(z)  
qz(0.5)
```

inv_cdf.empirical_dist
 Method for obtaining the inverse CDF (quantile function) of a univariate empirical_dist object.

Description

Uses the empirical quantile function from the observed data.

Usage

```
## S3 method for class 'empirical_dist'  
inv_cdf(x, ...)
```

Arguments

x The empirical distribution object.
... Additional arguments (not used).

Value

A function that accepts a vector of probabilities `p` and returns the corresponding quantiles.

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
qf <- inv_cdf(ed)
qf(0.5)      # median
qf(c(0.25, 0.75)) # quartiles
```

`inv_cdf.exponential` *Method to obtain the inverse cdf of an exponential object.*

Description

Method to obtain the inverse cdf of an exponential object.

Usage

```
## S3 method for class 'exponential'
inv_cdf(x, ...)
```

Arguments

<code>x</code>	The object to obtain the inverse cdf of
<code>...</code>	Additional arguments (not used)

Value

A function `function(p, lower.tail = TRUE, log.p = FALSE, ...)` that computes the inverse cdf of the exponential distribution.

Examples

```
x <- exponential(rate = 1)
q <- inv_cdf(x)
q(0.5)
q(0.95)
```

inv_cdf.gamma_dist *Method for obtaining the inverse cdf (quantile function) of a gamma_dist object.*

Description

Method for obtaining the inverse cdf (quantile function) of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'  
inv_cdf(x, ...)
```

Arguments

x The gamma_dist object
... Additional arguments (not used)

Value

A function that computes the quantile at probability p

Examples

```
x <- gamma_dist(shape = 2, rate = 1)  
q <- inv_cdf(x)  
q(0.5)  
q(0.95)
```

inv_cdf.lognormal *Inverse CDF (quantile function) for a log-normal distribution.*

Description

Returns a function that computes quantiles of the log-normal distribution.

Usage

```
## S3 method for class 'lognormal'  
inv_cdf(x, ...)
```

Arguments

x A lognormal object.
... Additional arguments (not used).

Value

A function function(p , lower.tail = TRUE, log.p = FALSE, ...) returning the quantile at probability p .

Examples

```
x <- lognormal(0, 1)
q <- inv_cdf(x)
q(0.5)
q(0.95)
```

`inv_cdf.normal`*Method for obtaining the inverse cdf of an normal object.*

Description

Method for obtaining the inverse cdf of an normal object.

Usage

```
## S3 method for class 'normal'
inv_cdf(x, ...)
```

Arguments

<code>x</code>	The object to obtain the inverse cdf of
<code>...</code>	Additional arguments to pass (not used)

Value

A function function(p , lower.tail = TRUE, log.p = FALSE, ...) that computes the inverse cdf of the normal distribution.

Examples

```
x <- normal(0, 1)
q <- inv_cdf(x)
q(0.5)
q(0.975)
```

inv_cdf.poisson_dist *Inverse CDF (quantile function) for a Poisson distribution.*

Description

Returns a function that computes quantiles of the Poisson distribution.

Usage

```
## S3 method for class 'poisson_dist'  
inv_cdf(x, ...)
```

Arguments

x A poisson_dist object.
... Additional arguments (not used).

Value

A function function(p, lower.tail = TRUE, log.p = FALSE, ...) returning the quantile at probability p.

Examples

```
x <- poisson_dist(5)  
q <- inv_cdf(x)  
q(0.5)  
q(0.95)
```

inv_cdf.uniform_dist *Inverse CDF (quantile function) for a uniform distribution.*

Description

Returns a function that computes quantiles of the uniform distribution.

Usage

```
## S3 method for class 'uniform_dist'  
inv_cdf(x, ...)
```

Arguments

x A uniform_dist object.
... Additional arguments (not used).

Value

A function function(p , lower.tail = TRUE, log.p = FALSE, ...) returning the quantile at probability p .

Examples

```
x <- uniform_dist(0, 10)
q <- inv_cdf(x)
q(0.5)
q(0.9)
```

inv_cdf.weibull_dist *Inverse CDF (quantile function) for a Weibull distribution.*

Description

Returns a function that computes quantiles of the Weibull distribution.

Usage

```
## S3 method for class 'weibull_dist'
inv_cdf(x, ...)
```

Arguments

x	A weibull_dist object.
...	Additional arguments (not used).

Value

A function function(p , lower.tail = TRUE, log.p = FALSE, ...) returning the quantile at probability p .

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
q <- inv_cdf(x)
q(0.5)
q(0.95)
```

is_beta_dist	<i>Test whether an object is a beta_dist.</i>
--------------	---

Description

Test whether an object is a beta_dist.

Usage

```
is_beta_dist(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "beta_dist", FALSE otherwise.

Examples

```
is_beta_dist(beta_dist(2, 5))
is_beta_dist(normal(0, 1))
```

is_chi_squared	<i>Test whether an object is a chi_squared.</i>
----------------	---

Description

Test whether an object is a chi_squared.

Usage

```
is_chi_squared(x)
```

Arguments

x The object to test

Value

Logical; TRUE if x inherits from chi_squared

Examples

```
is_chi_squared(chi_squared(3))
is_chi_squared(normal(0, 1))
```

is_dist *Function to determine whether an object x is a dist object.*

Description

Function to determine whether an object x is a dist object.

Usage

```
is_dist(x)
```

Arguments

x The object to test

Value

Logical indicating whether x is a dist object.

Examples

```
is_dist(normal(0, 1))    # TRUE
is_dist(42)              # FALSE
```

is_edist *Function to determine whether an object x is an edist object.*

Description

Function to determine whether an object x is an edist object.

Usage

```
is_edist(x)
```

Arguments

x The object to test

Value

Logical; TRUE if x is an edist.

Examples

```
is_edist(normal(0, 1) * exponential(1)) # TRUE
is_edist(normal(0, 1))                  # FALSE
```

is_empirical_dist	<i>Function to determine whether an object x is an empirical_dist object.</i>
-------------------	---

Description

Function to determine whether an object x is an empirical_dist object.

Usage

```
is_empirical_dist(x)
```

Arguments

x	The object to test
---	--------------------

Value

Logical; TRUE if x is an empirical_dist.

Examples

```
ed <- empirical_dist(c(1, 2, 3))
is_empirical_dist(ed) # TRUE
is_empirical_dist("abc") # FALSE
```

is_exponential	<i>Function to determine whether an object x is an exponential object.</i>
----------------	--

Description

Function to determine whether an object x is an exponential object.

Usage

```
is_exponential(x)
```

Arguments

x	The object to test
---	--------------------

Value

Logical; TRUE if x is an exponential.

Examples

```
is_exponential(exponential(1))
is_exponential(normal(0, 1))
```

is_gamma_dist	<i>Test whether an object is a gamma_dist.</i>
---------------	--

Description

Test whether an object is a gamma_dist.

Usage

```
is_gamma_dist(x)
```

Arguments

x The object to test

Value

Logical; TRUE if x inherits from gamma_dist

Examples

```
is_gamma_dist(gamma_dist(2, 1))
is_gamma_dist(normal(0, 1))
```

is_lognormal	<i>Test whether an object is a lognormal.</i>
--------------	---

Description

Test whether an object is a lognormal.

Usage

```
is_lognormal(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "lognormal", FALSE otherwise.

Examples

```
is_lognormal(lognormal(0, 1))
is_lognormal(normal(0, 1))
```

is_mixture	<i>Test whether an object is a mixture distribution.</i>
------------	--

Description

Test whether an object is a mixture distribution.

Usage

```
is_mixture(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "mixture", FALSE otherwise.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 2)), c(0.5, 0.5))
is_mixture(m)
is_mixture(normal(0, 1))
```

is_mvn	<i>Function to determine whether an object x is an mvn object.</i>
--------	--

Description

Function to determine whether an object x is an mvn object.

Usage

```
is_mvn(x)
```

Arguments

x The object to test

Value

Logical; TRUE if x is an mvn.

Examples

```
is_mvn(mvn(c(0, 0)))
is_mvn(normal(0, 1))
```

is_normal *Function to determine whether an object x is an normal object.*

Description

Function to determine whether an object x is an normal object.

Usage

```
is_normal(x)
```

Arguments

x The object to test

Value

Logical; TRUE if x is a normal.

Examples

```
is_normal(normal(0, 1))
is_normal(exponential(1))
```

is_poisson_dist *Test whether an object is a poisson_dist.*

Description

Test whether an object is a poisson_dist.

Usage

```
is_poisson_dist(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "poisson_dist", FALSE otherwise.

Examples

```
is_poisson_dist(poisson_dist(5))
is_poisson_dist(normal(0, 1))
```

is_realized_dist *Test whether an object is a realized_dist.*

Description

Test whether an object is a realized_dist.

Usage

```
is_realized_dist(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "realized_dist", FALSE otherwise.

Examples

```
rd <- realize(normal(0, 1), n = 100)
is_realized_dist(rd) # TRUE

is_realized_dist(normal(0, 1)) # FALSE
```

is_uniform_dist *Test whether an object is a uniform_dist.*

Description

Test whether an object is a uniform_dist.

Usage

```
is_uniform_dist(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "uniform_dist", FALSE otherwise.

Examples

```
is_uniform_dist(uniform_dist(0, 1))
is_uniform_dist(normal(0, 1))
```

is_weibull_dist	<i>Test whether an object is a weibull_dist.</i>
-----------------	--

Description

Test whether an object is a weibull_dist.

Usage

```
is_weibull_dist(x)
```

Arguments

x The object to test.

Value

TRUE if x inherits from "weibull_dist", FALSE otherwise.

Examples

```
is_weibull_dist(weibull_dist(2, 3))
is_weibull_dist(normal(0, 1))
```

lln	<i>Law of Large Numbers Limiting Distribution</i>
-----	---

Description

Returns the degenerate limiting distribution of the sample mean \bar{X}_n under the Law of Large Numbers. The limit is a point mass at the population mean (represented as a normal or mvn with zero variance).

Usage

```
lln(base_dist)
```

Arguments

base_dist A dist object representing the base distribution.

Value

A normal or mvn distribution with zero variance, representing the degenerate distribution at the mean.

Examples

```
# LLN for Exp(2): Xbar -> 1/2 (degenerate)
x <- exponential(rate = 2)
d <- lln(x)
mean(d)
vcov(d)
```

lognormal	<i>Construct a log-normal distribution object.</i>
-----------	--

Description

Creates an S3 object representing a log-normal distribution with the given meanlog and sdlog parameters. The log-normal PDF is

$$f(t) = \frac{1}{t \cdot sdlog\sqrt{2\pi}} \exp\left(-\frac{(\log t - meanlog)^2}{2 \cdot sdlog^2}\right)$$

for $t > 0$.

Usage

```
lognormal(meanlog = 0, sdlog = 1)
```

Arguments

meanlog	Mean of the distribution on the log scale (default 0).
sdlog	Standard deviation on the log scale (default 1), must be positive.

Value

A lognormal object with classes `c("lognormal", "univariate_dist", "continuous_dist", "dist")`.

Examples

```
x <- lognormal(meanlog = 0, sdlog = 1)
mean(x)
vcov(x)
format(x)
```

marginal	<i>Generic method for obtaining the marginal distribution of a distribution object x over components indices.</i>
----------	---

Description

Generic method for obtaining the marginal distribution of a distribution object x over components indices.

Usage

```
marginal(x, indices)
```

Arguments

x	The distribution object.
indices	The indices of the marginal distribution to obtain.

Value

A distribution object for the marginal over indices.

Examples

```
x <- mvn(c(0, 0), diag(2))
m <- marginal(x, 1) # marginal over first component
mean(m)           # 0
```

marginal.empirical_dist	<i>Method for obtaining the marginal distribution of empirical_dist object x.</i>
-------------------------	---

Description

Method for obtaining the marginal distribution of empirical_dist object x.

Usage

```
## S3 method for class 'empirical_dist'
marginal(x, indices)
```

Arguments

x	The empirical distribution object.
indices	The indices of the marginal distribution to obtain.

Value

An empirical_dist over the selected columns.

Examples

```
mat <- matrix(1:12, ncol = 3)
ed <- empirical_dist(mat)
ed_marginal <- marginal(ed, c(1, 3))
dim(ed_marginal) # 2
```

marginal.mixture	<i>Marginal distribution of a mixture.</i>
------------------	--

Description

The marginal of a mixture is itself a mixture of the component marginals with the same mixing weights: $p(x_I) = \sum_k w_k p_k(x_I)$.

Usage

```
## S3 method for class 'mixture'
marginal(x, indices)
```

Arguments

x	A mixture object.
indices	Integer vector of variable indices to keep.

Details

Requires all components to support [marginal](#).

Value

A mixture object with marginalized components.

Examples

```
# Mixture of bivariate normals, extract marginal over first variable
m <- mixture(
  list(mvn(c(0, 0), diag(2)), mvn(c(3, 3), diag(2))),
  c(0.5, 0.5)
)
m1 <- marginal(m, 1)
mean(m1)
```

marginal.mvn	<i>Generic method for obtaining the marginal distribution of an mvn object x over components indices.</i>
--------------	---

Description

Generic method for obtaining the marginal distribution of an mvn object x over components indices.

Usage

```
## S3 method for class 'mvn'
marginal(x, indices)
```

Arguments

x	The mvn object.
indices	The indices of the marginal distribution to obtain.

Value

A normal (for a single index) or mvn marginal distribution.

Examples

```
X <- mvn(c(1, 2, 3))
# Univariate marginal
marginal(X, 1)
# Bivariate marginal
marginal(X, c(1, 3))
```

Math.dist	<i>Math group generic for distribution objects.</i>
-----------	---

Description

Handles exp(), log(), sqrt(), abs(), cos(), sin(), etc.

Usage

```
## S3 method for class 'dist'
Math(x, ...)
```

Arguments

x	a dist object
...	additional arguments

Value

A simplified distribution or edist

Examples

```
# exp(Normal) simplifies to LogNormal
z <- exp(normal(0, 1))
z

# sqrt of a distribution (no closed-form rule, remains edist)
w <- sqrt(exponential(1))
is_edist(w) # TRUE
```

mean.beta_dist	<i>Mean of a beta distribution.</i>
----------------	-------------------------------------

Description

Computes $\alpha/(\alpha + \beta)$ where $\alpha = \text{shape1}$ and $\beta = \text{shape2}$.

Usage

```
## S3 method for class 'beta_dist'
mean(x, ...)
```

Arguments

x	A beta_dist object.
...	Additional arguments (not used).

Value

The mean of the distribution.

Examples

```
mean(beta_dist(2, 5))
```

mean.chi_squared *Retrieve the mean of a chi_squared object.*

Description

Retrieve the mean of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'
mean(x, ...)
```

Arguments

x The chi_squared object
 ... Additional arguments (not used)

Value

The mean, equal to df

Examples

```
mean(chi_squared(10))
```

mean.edist *Method for obtaining the mean of an edist object.*

Description

Method for obtaining the mean of an edist object.

Usage

```
## S3 method for class 'edist'
mean(x, n = 10000, ...)
```

Arguments

x The edist object to retrieve the mean from
 n The number of samples to take (default: 10000)
 ... Additional arguments to pass (not used)

Value

The mean of the edist object

Examples

```
set.seed(1)
z <- normal(0, 1) * exponential(2)
mean(z)
```

mean.empirical_dist *Method for obtaining the mean of empirical_dist object x.*

Description

Method for obtaining the mean of empirical_dist object x.

Usage

```
## S3 method for class 'empirical_dist'
mean(x, ...)
```

Arguments

x The distribution object.
... Additional arguments to pass (not used).

Value

Numeric vector of column means.

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
mean(ed) # 3
```

mean.exponential *Method to obtain the mean of an exponential object.*

Description

Method to obtain the mean of an exponential object.

Usage

```
## S3 method for class 'exponential'
mean(x, ...)
```

Arguments

x The exponential object to obtain the mean of
... Additional arguments (not used)

Value

The mean of the exponential distribution ($1 / \text{rate}$).

Examples

```
x <- exponential(rate = 0.5)
mean(x)
```

mean.gamma_dist *Retrieve the mean of a gamma_dist object.*

Description

Retrieve the mean of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'
mean(x, ...)
```

Arguments

x The gamma_dist object
... Additional arguments (not used)

Value

The mean, shape / rate

Examples

```
mean(gamma_dist(shape = 3, rate = 2))
```

mean.lognormal	<i>Mean of a log-normal distribution.</i>
----------------	---

Description

Computes $\exp(\text{meanlog} + \text{sdlog}^2/2)$.

Usage

```
## S3 method for class 'lognormal'  
mean(x, ...)
```

Arguments

x	A lognormal object.
...	Additional arguments (not used).

Value

The mean of the distribution.

Examples

```
mean(lognormal(0, 1))
```

mean.mixture	<i>Mean of a mixture distribution.</i>
--------------	--

Description

The mean of a mixture is the weighted sum of the component means: $E[X] = \sum_k w_k \mu_k$.

Usage

```
## S3 method for class 'mixture'  
mean(x, ...)
```

Arguments

x	A mixture object.
...	Additional arguments (not used).

Value

The mean of the mixture distribution.

Examples

```
m <- mixture(list(normal(0, 1), normal(10, 1)), c(0.5, 0.5))
mean(m)
```

mean.mvn	<i>Retrieve the mean of a mvn object.</i>
----------	---

Description

Retrieve the mean of a mvn object.

Usage

```
## S3 method for class 'mvn'
mean(x, ...)
```

Arguments

x	The mvn object to retrieve the mean from
...	Additional arguments to pass (not used)

Value

The mean of the mvn object

Examples

```
X <- mvn(c(1, 2, 3))
mean(X)
```

mean.normal	<i>Retrieve the mean of a normal object.</i>
-------------	--

Description

Retrieve the mean of a normal object.

Usage

```
## S3 method for class 'normal'
mean(x, ...)
```

Arguments

x	The normal object to retrieve the mean from
...	Additional arguments to pass (not used)

Value

The mean of the normal object

Examples

```
x <- normal(5, 2)
mean(x)
```

mean.poisson_dist *Mean of a Poisson distribution.*

Description

Mean of a Poisson distribution.

Usage

```
## S3 method for class 'poisson_dist'
mean(x, ...)
```

Arguments

x A poisson_dist object.
... Additional arguments (not used).

Value

The mean, equal to lambda.

Examples

```
mean(poisson_dist(5))
```

mean.uniform_dist *Mean of a uniform distribution.*

Description

Computes $(min + max)/2$.

Usage

```
## S3 method for class 'uniform_dist'
mean(x, ...)
```

Arguments

x A uniform_dist object.
... Additional arguments (not used).

Value

The mean of the distribution.

Examples

```
mean(uniform_dist(0, 10))
```

mean.univariate_dist *Method for obtaining the mean of univariate_dist object x.*

Description

Method for obtaining the mean of univariate_dist object x.

Usage

```
## S3 method for class 'univariate_dist'  
mean(x, ...)
```

Arguments

x The distribution object.
... Additional arguments to pass into expectation.

Value

Numeric scalar; the mean of the distribution.

Examples

```
mean(normal(5, 2))    # 5  
mean(exponential(2)) # 0.5
```

mean.weibull_dist *Mean of a Weibull distribution.*

Description

Computes $scale \cdot \Gamma(1 + 1/shape)$.

Usage

```
## S3 method for class 'weibull_dist'
mean(x, ...)
```

Arguments

x A weibull_dist object.
... Additional arguments (not used).

Value

The mean of the distribution.

Examples

```
mean(weibull_dist(shape = 2, scale = 3))
```

mixture *Construct a mixture distribution.*

Description

Creates an S3 object representing a finite mixture distribution. The density is $f(x) = \sum_{k=1}^K w_k f_k(x)$ where f_k are the component densities and w_k are the mixing weights.

Usage

```
mixture(components, weights)
```

Arguments

components A non-empty list of dist objects.
weights A numeric vector of non-negative mixing weights that sum to 1 (within tolerance $1e-10$). Must have the same length as components.

Details

The class hierarchy is determined by the components: if all components are univariate (or multivariate, continuous, discrete), the mixture inherits those classes as well.

Value

A mixture object with appropriate class hierarchy.

Examples

```
m <- mixture(
  components = list(normal(0, 1), normal(5, 2)),
  weights = c(0.3, 0.7)
)
mean(m)
vcov(m)
format(m)
```

 mvn

Construct a multivariate or univariate normal distribution object.

Description

This function constructs an object representing a normal distribution. If the length of the mean vector `mu` is 1, it creates a univariate normal distribution. Otherwise, it creates a multivariate normal distribution.

Usage

```
mvn(mu, sigma = diag(length(mu)))
```

Arguments

<code>mu</code>	A numeric vector specifying the means of the distribution. If <code>mu</code> has length 1, a univariate normal distribution is created. If <code>mu</code> has length > 1, a multivariate normal distribution is created.
<code>sigma</code>	A numeric matrix specifying the variance-covariance matrix of the distribution. It must be a square matrix with the same number of rows and columns as the length of <code>mu</code> . Default is the identity matrix of size equal to the length of <code>mu</code> .

Value

If `mu` has length 1, it returns a normal object. If `mu` has length > 1, it returns an mvn object. Both types of objects contain `mu` and `sigma` as their properties.

Examples

```
# Bivariate normal with identity covariance
X <- mvn(mu = c(0, 0))
mean(X)
vcov(X)

# 1D case returns a normal object
is_normal(mvn(mu = 1, sigma = matrix(4)))
```

nobs.empirical_dist	<i>Method for obtaining the number of observations used to construct a empirical_dist object.</i>
---------------------	---

Description

Method for obtaining the number of observations used to construct a empirical_dist object.

Usage

```
## S3 method for class 'empirical_dist'  
nobs(object, ...)
```

Arguments

object	The empirical distribution object.
...	Additional arguments to pass (not used).

Value

Integer; number of observations.

Examples

```
ed <- empirical_dist(c(10, 20, 30, 40))  
nobs(ed) # 4
```

normal	<i>Construct univariate normal distribution object.</i>
--------	---

Description

Construct univariate normal distribution object.

Usage

```
normal(mu = 0, var = 1)
```

Arguments

mu	mean
var	variance

Value

A normal distribution object.

Examples

```
x <- normal(mu = 0, var = 1)
mean(x)
vcov(x)
format(x)
```

normal_approx	<i>Moment-Matching Normal Approximation</i>
---------------	---

Description

Constructs a normal (or multivariate normal) distribution that matches the mean and variance-covariance of the input distribution. This is useful as a quick Gaussian approximation for any distribution whose first two moments are available.

Usage

```
normal_approx(x)
```

Arguments

x A dist object to approximate.

Value

A normal distribution (for univariate inputs) or an mvn distribution (for multivariate inputs) with the same mean and variance-covariance as x.

Examples

```
# Approximate a Gamma(5, 2) with a normal
g <- gamma_dist(shape = 5, rate = 2)
n <- normal_approx(g)
mean(n)
vcov(n)
```

nparams	<i>Generic method for obtaining the number of parameters of distribution-like object x.</i>
---------	---

Description

Generic method for obtaining the number of parameters of distribution-like object x.

Usage

```
nparams(x)

## S3 method for class 'dist'
nparams(x)
```

Arguments

x the object to obtain the number of parameters for

Value

Integer; the number of parameters.

Examples

```
d <- empirical_dist(matrix(rnorm(30), ncol = 3))
nparams(d) # 0 (non-parametric)

nparams(normal(0, 1)) # 2
```

nparams.empirical_dist

Method for obtaining the name of a empirical_dist object. Since the empirical distribution is parameter-free, this function returns 0.

Description

Method for obtaining the name of a empirical_dist object. Since the empirical distribution is parameter-free, this function returns 0.

Usage

```
## S3 method for class 'empirical_dist'
nparams(x)
```

Arguments

x The empirical distribution object.

Value

0 (empirical distributions are non-parametric).

Examples

```
ed <- empirical_dist(c(1, 2, 3))
nparams(ed) # 0
```

nparams.mixture	<i>Number of parameters for a mixture distribution.</i>
-----------------	---

Description

The total number of parameters is the sum of component parameters plus the number of mixing weights.

Usage

```
## S3 method for class 'mixture'
nparams(x)
```

Arguments

x A mixture object.

Value

An integer count of parameters.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 2)), c(0.3, 0.7))
nparams(m)
```

obs	<i>Retrieve the observations used to construct a distribution-like object. This is useful for obtaining the data used to construct an empirical distribution, but it is also useful for, say, retrieving the sample that was used by a fitted object, like an maximum likelihood estimate.</i>
-----	--

Description

Retrieve the observations used to construct a distribution-like object. This is useful for obtaining the data used to construct an empirical distribution, but it is also useful for, say, retrieving the sample that was used by a fitted object, like an maximum likelihood estimate.

Usage

```
obs(x)
```

Arguments

x the object to retrieve the observations from

Value

The data (matrix or vector) used to construct *x*.

Examples

```
d <- empirical_dist(1:10)
obs(d) # returns the vector 1:10
```

obs.empirical_dist	<i>Method for obtaining the observations used to construct a empirical_dist object.</i>
--------------------	---

Description

Method for obtaining the observations used to construct a *empirical_dist* object.

Usage

```
## S3 method for class 'empirical_dist'
obs(x)
```

Arguments

x The empirical distribution object.

Value

A matrix of observations (rows = observations, columns = dimensions).

Examples

```
ed <- empirical_dist(c(5, 10, 15))
obs(ed)
```

params	<i>Generic method for obtaining the parameters of an object.</i>
--------	--

Description

Generic method for obtaining the parameters of an object.

Usage

```
params(x)
```

Arguments

x The object to obtain the parameters of.

Value

A named vector (or list) of distribution parameters.

Examples

```
x <- normal(5, 2)
params(x) # mu = 5, var = 2

y <- exponential(3)
params(y) # rate = 3
```

params.beta_dist *Retrieve the parameters of a beta_dist object.*

Description

Retrieve the parameters of a beta_dist object.

Usage

```
## S3 method for class 'beta_dist'
params(x)
```

Arguments

x A beta_dist object.

Value

A named numeric vector with elements shape1 and shape2.

Examples

```
params(beta_dist(2, 5))
```

params.chi_squared *Method for obtaining the parameters of a chi_squared object.*

Description

Method for obtaining the parameters of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'  
params(x)
```

Arguments

x The chi_squared object

Value

A named numeric vector of parameters

Examples

```
params(chi_squared(5))
```

params.edist *Method for obtaining the parameters of an edist object.*

Description

Method for obtaining the parameters of an edist object.

Usage

```
## S3 method for class 'edist'  
params(x)
```

Arguments

x The object to obtain the parameters of

Value

A named vector of parameters

Examples

```
z <- normal(0, 1) * exponential(2)  
params(z)
```

params.empirical_dist empirical_dist *objects have no parameters, so this function returns NULL.*

Description

empirical_dist objects have no parameters, so this function returns NULL.

Usage

```
## S3 method for class 'empirical_dist'  
params(x)
```

Arguments

x The empirical distribution object.

Value

NULL (empirical distributions have no parameters).

Examples

```
ed <- empirical_dist(c(1, 2, 3))  
params(ed) # NULL
```

params.exponential *Method for obtaining the parameters of an exponential object.*

Description

Method for obtaining the parameters of an exponential object.

Usage

```
## S3 method for class 'exponential'  
params(x)
```

Arguments

x The object to obtain the parameters of

Value

A named vector of parameters

Examples

```
x <- exponential(rate = 0.5)
params(x)
```

params.gamma_dist *Method for obtaining the parameters of a gamma_dist object.*

Description

Method for obtaining the parameters of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'
params(x)
```

Arguments

x The gamma_dist object

Value

A named numeric vector of parameters

Examples

```
params(gamma_dist(2, 1))
```

params.lognormal *Retrieve the parameters of a lognormal object.*

Description

Retrieve the parameters of a lognormal object.

Usage

```
## S3 method for class 'lognormal'
params(x)
```

Arguments

x A lognormal object.

Value

A named numeric vector with elements meanlog and sdlog.

Value

A named vector of parameters

Examples

```
X <- mvn(c(0, 0), diag(2))
params(X)
```

params.normal	<i>Method for obtaining the parameters of a normal object.</i>
---------------	--

Description

Method for obtaining the parameters of a normal object.

Usage

```
## S3 method for class 'normal'
params(x)
```

Arguments

x The object to obtain the parameters of

Value

A named vector of parameters

Examples

```
x <- normal(3, 2)
params(x)
```

params.poisson_dist	<i>Retrieve the parameters of a poisson_dist object.</i>
---------------------	--

Description

Retrieve the parameters of a poisson_dist object.

Usage

```
## S3 method for class 'poisson_dist'
params(x)
```

Arguments

x A poisson_dist object.

Value

A named numeric vector with element lambda.

Examples

```
params(poisson_dist(5))
```

params.uniform_dist *Retrieve the parameters of a uniform_dist object.*

Description

Retrieve the parameters of a uniform_dist object.

Usage

```
## S3 method for class 'uniform_dist'  
params(x)
```

Arguments

x A uniform_dist object.

Value

A named numeric vector with elements min and max.

Examples

```
params(uniform_dist(0, 10))
```

params.weibull_dist *Retrieve the parameters of a weibull_dist object.*

Description

Retrieve the parameters of a weibull_dist object.

Usage

```
## S3 method for class 'weibull_dist'  
params(x)
```

Arguments

x A weibull_dist object.

Value

A named numeric vector with elements shape and scale.

Examples

```
params(weibull_dist(2, 3))
```

poisson_dist *Construct a Poisson distribution object.*

Description

Creates an S3 object representing a Poisson distribution with rate parameter λ . The PMF is $P(X = k) = \lambda^k e^{-\lambda} / k!$ for $k = 0, 1, 2, \dots$

Usage

```
poisson_dist(lambda)
```

Arguments

lambda Rate parameter (mean), must be a positive scalar.

Value

A poisson_dist object with classes `c("poisson_dist", "univariate_dist", "discrete_dist", "dist")`.

Examples

```
x <- poisson_dist(lambda = 5)
mean(x)
vcov(x)
format(x)
```

```
print.beta_dist      Print a beta_dist object.
```

Description

Print a beta_dist object.

Usage

```
## S3 method for class 'beta_dist'
print(x, ...)
```

Arguments

x A beta_dist object.
 ... Additional arguments (not used).

Value

x, invisibly.

Examples

```
print(beta_dist(2, 5))
```

```
print.chi_squared    Print method for chi_squared objects.
```

Description

Print method for chi_squared objects.

Usage

```
## S3 method for class 'chi_squared'
print(x, ...)
```

Arguments

x The chi_squared object to print
 ... Additional arguments (not used)

Value

x, invisibly.

Examples

```
print(chi_squared(5))
```

<code>print.edist</code>	<i>Print method for edist objects.</i>
--------------------------	--

Description

Print method for edist objects.

Usage

```
## S3 method for class 'edist'  
print(x, ...)
```

Arguments

x	The object to print
...	Additional arguments to pass (not used)

Examples

```
z <- normal(0, 1) * exponential(2)  
print(z)
```

<code>print.empirical_dist</code>	<i>Print method for empirical_dist objects.</i>
-----------------------------------	---

Description

Print method for empirical_dist objects.

Usage

```
## S3 method for class 'empirical_dist'  
print(x, ...)
```

Arguments

x	The object to print
...	Additional arguments to pass

Value

x, invisibly.

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))
print(ed)
```

print.exponential *Print method for exponential objects.*

Description

Print method for exponential objects.

Usage

```
## S3 method for class 'exponential'
print(x, ...)
```

Arguments

x	The exponential object to print.
...	Additional arguments (not used)

Value

x, invisibly.

Examples

```
print(exponential(rate = 2))
```

print.gamma_dist *Print method for gamma_dist objects.*

Description

Print method for gamma_dist objects.

Usage

```
## S3 method for class 'gamma_dist'
print(x, ...)
```

Arguments

x The gamma_dist object to print
... Additional arguments (not used)

Value

x, invisibly.

Examples

```
print(gamma_dist(2, 1))
```

<code>print.interval</code>	<i>Print the interval.</i>
-----------------------------	----------------------------

Description

Print the interval.

Usage

```
## S3 method for class 'interval'  
print(x, ...)
```

Arguments

x An interval object.
... Additional arguments.

Value

x, invisibly.

Examples

```
iv <- interval$new(lower = 0, upper = 1, lower_closed = TRUE)  
print(iv) # [0, 1)
```

print.lognormal	<i>Print a lognormal object.</i>
-----------------	----------------------------------

Description

Print a lognormal object.

Usage

```
## S3 method for class 'lognormal'  
print(x, ...)
```

Arguments

x	A lognormal object.
...	Additional arguments (not used).

Value

x, invisibly.

Examples

```
print(lognormal(0, 1))
```

print.mixture	<i>Print a mixture object.</i>
---------------	--------------------------------

Description

Print a mixture object.

Usage

```
## S3 method for class 'mixture'  
print(x, ...)
```

Arguments

x	A mixture object.
...	Additional arguments (not used).

Value

x, invisibly.

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))
print(m)
```

print.mvn	<i>Method for printing an mvn object.</i>
-----------	---

Description

Method for printing an mvn object.

Usage

```
## S3 method for class 'mvn'
print(x, ...)
```

Arguments

x	The object to print
...	Additional arguments to pass to print

Value

x, invisibly.

Examples

```
print(mvn(c(0, 0)))
```

print.normal	<i>Print method for normal objects.</i>
--------------	---

Description

Print method for normal objects.

Usage

```
## S3 method for class 'normal'
print(x, ...)
```

Arguments

x	The object to print
...	Additional arguments to pass (not used)

Value

x, invisibly.

Examples

```
x <- normal(2, 3)
print(x)
```

`print.poisson_dist` *Print a poisson_dist object.*

Description

Print a poisson_dist object.

Usage

```
## S3 method for class 'poisson_dist'
print(x, ...)
```

Arguments

x A poisson_dist object.
... Additional arguments (not used).

Value

x, invisibly.

Examples

```
print(poisson_dist(5))
```

`print.realized_dist` *Print a realized_dist object.*

Description

Print a realized_dist object.

Usage

```
## S3 method for class 'realized_dist'
print(x, ...)
```

Arguments

x A realized_dist object.
... Additional arguments (not used).

Value

x, invisibly.

Examples

```
rd <- realize(normal(0, 1), n = 100)  
print(rd)
```

`print.summary_dist` *Print method for summary_dist objects.*

Description

Print method for summary_dist objects.

Usage

```
## S3 method for class 'summary_dist'  
print(x, ...)
```

Arguments

x The object to print
... Additional arguments

Value

x, invisibly.

Examples

```
s <- summary(normal(5, 2))  
print(s)
```

```
print.uniform_dist
```

Print a uniform_dist object.

Description

Print a uniform_dist object.

Usage

```
## S3 method for class 'uniform_dist'  
print(x, ...)
```

Arguments

x	A uniform_dist object.
...	Additional arguments (not used).

Value

x, invisibly.

Examples

```
print(uniform_dist(0, 10))
```

```
print.weibull_dist
```

Print a weibull_dist object.

Description

Print a weibull_dist object.

Usage

```
## S3 method for class 'weibull_dist'  
print(x, ...)
```

Arguments

x	A weibull_dist object.
...	Additional arguments (not used).

Value

x, invisibly.

Examples

```
print(weibull_dist(2, 3))
```

realize	<i>Materialize any distribution to empirical_dist by sampling.</i>
---------	--

Description

realize draws n samples from a distribution and wraps them in an `empirical_dist`. This is the universal fallback that lets any `dist` object be converted to a discrete approximation on which methods like `cdf`, `density`, and `conditional` are always available.

Usage

```
realize(x, n = 10000, ...)  
  
## S3 method for class 'dist'  
realize(x, n = 10000, ...)  
  
## S3 method for class 'empirical_dist'  
realize(x, ...)  
  
## S3 method for class 'realized_dist'  
realize(x, n = 10000, ...)
```

Arguments

<code>x</code>	A distribution object (inheriting from <code>dist</code>).
<code>n</code>	Number of samples (default: 10000).
<code>...</code>	Additional arguments passed to methods.

Details

For non-empirical distributions, the result is a `realized_dist` that preserves the source distribution as provenance metadata. This enables re-sampling via `realize(x$source, n = ...)` and informative printing.

The `empirical_dist` method is a no-op: the distribution is already materialized.

The `realized_dist` method re-samples from the original source distribution, allowing cheap re-generation with a different sample size.

Value

An `empirical_dist` (or `realized_dist`) object.

Examples

```
set.seed(1)
x <- normal(0, 1)
rd <- realize(x, n = 1000)
mean(rd)
```

rmap*Generic method for applying a map f to distribution object x.*

Description

Generic method for applying a map f to distribution object x.

Usage

```
rmap(x, g, ...)
```

Arguments

x	The distribution object.
g	The function to apply.
...	Additional arguments to pass into g.

Value

A distribution representing the push-forward of x through g.

Examples

```
d <- empirical_dist(1:20)
d_sq <- rmap(d, function(x) x^2)
mean(d_sq) # E[X^2] for uniform 1..20
```

rmap.dist	<i>Method for obtaining $g(x)$ where x is a dist object.</i>
-----------	--

Description

Falls back to MC: materializes x via `ensure_realized()` and then applies `rmap` with g to the resulting empirical distribution.

Usage

```
## S3 method for class 'dist'  
rmap(x, g, n = 10000L, ...)
```

Arguments

<code>x</code>	The distribution object.
<code>g</code>	The function to apply to the distribution.
<code>n</code>	The number of samples to generate for the MC estimate of the conditional distribution $x P$. Defaults to 10000.
<code>...</code>	additional arguments to pass into <code>g</code> .

Value

An `empirical_dist` of the transformed samples.

Examples

```
set.seed(1)  
x <- exponential(1)  
# Distribution of log(X) where  $X \sim \text{Exp}(1)$   
log_x <- rmap(x, log)  
mean(log_x)
```

rmap.edist	<i>Map function over expression distribution.</i>
------------	---

Description

Falls back to `realize` and delegates to `rmap.empirical_dist`.

Usage

```
## S3 method for class 'edist'  
rmap(x, g, ...)
```

Arguments

x An edist object.
g Function to apply to each observation.
... Additional arguments forwarded to g.

Value

A transformed empirical_dist.

Examples

```
set.seed(1)
z <- normal(0, 1) * exponential(1)
abs_z <- rmap(z, abs)
mean(abs_z)
```

rmap.empirical_dist *Method for obtaining the empirical distribution of a function of the observations of empirical_dist object x.*

Description

Method for obtaining the empirical distribution of a function of the observations of empirical_dist object x.

Usage

```
## S3 method for class 'empirical_dist'
rmap(x, g, ...)
```

Arguments

x The empirical distribution object.
g The function to apply to each observation.
... Additional arguments to pass into function g.

Value

An empirical_dist of the transformed observations.

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4))
ed2 <- rmap(ed, function(x) x^2)
mean(ed2) # mean of 1, 4, 9, 16
```

rmap.mvn	<i>Computes the distribution of $g(x)$ where x is an mvn object.</i>
----------	--

Description

By the invariance property, if x is an mvn object, then under the right conditions, asymptotically, $g(x)$ is an MVN distributed, $g(x) \sim \text{normal}(g(\text{mean}(x)), \text{sigma})$ where sigma is the variance-covariance of $g(x)$

Usage

```
## S3 method for class 'mvn'
rmap(x, g, n = 10000L, ...)
```

Arguments

<code>x</code>	The mvn object to apply g to
<code>g</code>	The function to apply to x
<code>n</code>	number of samples to take to estimate distribution of $g(x)$ if method is mc or empirical. Defaults to 10000.
<code>...</code>	additional arguments to pass into the g function.

Value

An mvn distribution fitted to the transformed samples.

Examples

```
X <- mvn(c(1, 2), diag(2))
set.seed(42)
Y <- rmap(X, function(x) x^2)
mean(Y)
```

sampler	<i>Generic method for sampling from distribution-like objects.</i>
---------	--

Description

It creates a sampler for the x object. It returns a function that accepts a parameter n denoting the number of samples to draw from the x object and also any additional parameters $...$ are passed to the generated function.

Usage

```
sampler(x, ...)
```

Arguments

x the x object to create a sampler for
... additional arguments to pass

Value

A function that takes n and returns n samples.

Examples

```
x <- normal(0, 1)
samp <- sampler(x)
set.seed(42)
samp(5) # draw 5 samples from standard normal
```

sampler.beta_dist *Sampler for a beta distribution.*

Description

Returns a function that draws n independent samples from the beta distribution.

Usage

```
## S3 method for class 'beta_dist'
sampler(x, ...)
```

Arguments

x A beta_dist object.
... Additional arguments (not used).

Value

A function function(n = 1, ...) returning a numeric vector of length n.

Examples

```
x <- beta_dist(2, 5)
s <- sampler(x)
set.seed(42)
s(5)
```

sampler.chi_squared *Method for sampling from a chi_squared object.*

Description

Method for sampling from a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'  
sampler(x, ...)
```

Arguments

x The chi_squared object to sample from
... Additional arguments (not used)

Value

A function that generates n samples from the chi-squared distribution

Examples

```
x <- chi_squared(5)  
s <- sampler(x)  
set.seed(42)  
s(5)
```

sampler.default *Sampler for non-dist objects (degenerate distributions).*

Description

Sampler for non-dist objects (degenerate distributions).

Usage

```
## Default S3 method:  
sampler(x, ...)
```

Arguments

x The object to sample from
... Additional arguments to pass

Value

A function that takes n and returns n copies of x

Examples

```
s <- sampler(5)
s(3) # returns c(5, 5, 5)
```

sampler.edist

Method for obtaining the sampler of an edist object.

Description

Method for obtaining the sampler of an edist object.

Usage

```
## S3 method for class 'edist'
sampler(x, ...)
```

Arguments

x The edist object to obtain the sampler of.
 \dots Additional arguments to pass into each of the sampler function generators.

Value

A function that takes a number of samples n , \dots which is passed into the expression $x\$e$ and returns the result of applying the expression $x\$e$ to the sampled values.

Examples

```
set.seed(1)
z <- normal(0, 1) * exponential(2)
s <- sampler(z)
samples <- s(100)
head(samples)
```

`sampler.empirical_dist`*Method for obtaining the sampler for a empirical_dist object.*

Description

Method for obtaining the sampler for a empirical_dist object.

Usage

```
## S3 method for class 'empirical_dist'  
sampler(x, ...)
```

Arguments

`x` The object to obtain the sampler of.
`...` Additional arguments to pass (not used).

Value

A function that takes `n` and returns `n` resampled observations.

Examples

```
ed <- empirical_dist(c(10, 20, 30))  
s <- sampler(ed)  
set.seed(42)  
s(5)
```

`sampler.exponential` *Method to sample from an exponential object.*

Description

Method to sample from an exponential object.

Usage

```
## S3 method for class 'exponential'  
sampler(x, ...)
```

Arguments

`x` The exponential object to sample from.
`...` Additional arguments to pass (not used)

Value

A function function($n = 1, \dots$) that draws n samples from the exponential distribution.

Examples

```
x <- exponential(rate = 2)
s <- sampler(x)
set.seed(42)
s(5)
```

sampler.gamma_dist *Method for sampling from a gamma_dist object.*

Description

Method for sampling from a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'
sampler(x, ...)
```

Arguments

x	The gamma_dist object to sample from
...	Additional arguments (not used)

Value

A function that generates n samples from the gamma distribution

Examples

```
x <- gamma_dist(shape = 2, rate = 1)
s <- sampler(x)
set.seed(42)
s(5)
```

sampler.lognormal *Sampler for a log-normal distribution.*

Description

Returns a function that draws n independent samples from the log-normal distribution.

Usage

```
## S3 method for class 'lognormal'  
sampler(x, ...)
```

Arguments

`x` A lognormal object.
`...` Additional arguments (not used).

Value

A function function($n = 1, \dots$) returning a numeric vector of length n .

Examples

```
x <- lognormal(0, 1)  
s <- sampler(x)  
set.seed(42)  
s(5)
```

sampler.mixture *Sampler for a mixture distribution.*

Description

Returns a function that draws samples from the mixture by first selecting a component according to the mixing weights, then sampling from the selected component.

Usage

```
## S3 method for class 'mixture'  
sampler(x, ...)
```

Arguments

`x` A mixture object.
`...` Additional arguments (not used).

Value

A function function($n = 1, \dots$) returning a numeric vector of length n .

Examples

```
m <- mixture(list(normal(0, 1), normal(5, 1)), c(0.5, 0.5))
s <- sampler(m)
set.seed(42)
s(6)
```

sampler.mvn	<i>Function generator for sampling from a mvn (multivariate normal) object.</i>
-------------	---

Description

Function generator for sampling from a mvn (multivariate normal) object.

Usage

```
## S3 method for class 'mvn'
sampler(x, ...)
```

Arguments

x	The mvn object to sample from
\dots	Additional arguments passed to rmvnorm on every call.

Examples

```
X <- mvn(c(0, 0), diag(2))
s <- sampler(X)
set.seed(42)
s(3)
```

sampler.normal	<i>Method for sampling from a normal object.</i>
----------------	--

Description

Method for sampling from a normal object.

Usage

```
## S3 method for class 'normal'
sampler(x, ...)
```

Arguments

x The normal object to sample from
... Additional arguments to pass (not used)

Value

A function function($n = 1, \dots$) that draws n samples from the normal distribution.

Examples

```
x <- normal(0, 1)
s <- sampler(x)
set.seed(42)
s(5)
```

sampler.poisson_dist *Sampler for a Poisson distribution.*

Description

Returns a function that draws n independent samples from the Poisson distribution.

Usage

```
## S3 method for class 'poisson_dist'
sampler(x, ...)
```

Arguments

x A poisson_dist object.
... Additional arguments (not used).

Value

A function function($n = 1, \dots$) returning an integer vector of length n .

Examples

```
x <- poisson_dist(5)
s <- sampler(x)
set.seed(42)
s(5)
```

sampler.uniform_dist *Sampler for a uniform distribution.*

Description

Returns a function that draws n independent samples from the uniform distribution.

Usage

```
## S3 method for class 'uniform_dist'  
sampler(x, ...)
```

Arguments

`x` A uniform_dist object.
`...` Additional arguments (not used).

Value

A function function($n = 1, \dots$) returning a numeric vector of length n .

Examples

```
x <- uniform_dist(0, 10)  
s <- sampler(x)  
set.seed(42)  
s(5)
```

sampler.weibull_dist *Sampler for a Weibull distribution.*

Description

Returns a function that draws n independent samples from the Weibull distribution.

Usage

```
## S3 method for class 'weibull_dist'  
sampler(x, ...)
```

Arguments

`x` A weibull_dist object.
`...` Additional arguments (not used).

Value

A function function($n = 1, \dots$) returning a numeric vector of length n .

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
s <- sampler(x)
set.seed(42)
s(5)
```

sample_mvn_region	<i>Function for obtaining sample points for an mvn object that is within the p-probability region. That is, it samples from the smallest region of the distribution that contains p probability mass. This is done by first sampling from the entire distribution, then rejecting samples that are not in the probability region (using the statistical distance mahalanobis from μ).</i>
-------------------	--

Description

Function for obtaining sample points for an mvn object that is within the p -probability region. That is, it samples from the smallest region of the distribution that contains p probability mass. This is done by first sampling from the entire distribution, then rejecting samples that are not in the probability region (using the statistical distance mahalanobis from μ).

Usage

```
sample_mvn_region(n, mu, sigma, p = 0.95, ...)
```

Arguments

<code>n</code>	the sample size
<code>mu</code>	mean vector
<code>sigma</code>	variance-covariance matrix
<code>p</code>	the probability region
<code>...</code>	additional arguments to pass into mahalanobis

Value

An n by $\text{length}(\mu)$ matrix of samples within the probability region.

Examples

```
set.seed(42)
pts <- sample_mvn_region(10, mu = c(0, 0), sigma = diag(2), p = 0.95)
dim(pts)
```

simplify	<i>Generic method for simplifying distributions.</i>
----------	--

Description

Generic method for simplifying distributions.

Usage

```
simplify(x, ...)
```

Arguments

x	The distribution to simplify
...	Additional arguments to pass

Value

The simplified distribution

Examples

```
# Simplify dispatches to the appropriate method
simplify(normal(0, 1)) # unchanged (already simplified)
```

simplify.dist	<i>Default Method for simplifying a dist object. Just returns the object.</i>
---------------	---

Description

Default Method for simplifying a dist object. Just returns the object.

Usage

```
## S3 method for class 'dist'
simplify(x, ...)
```

Arguments

x	The dist object to simplify
...	Additional arguments to pass (not used)

Value

The dist object

Examples

```
x <- normal(0, 1)
identical(simplify(x), x) # TRUE, returns unchanged
```

simplify.edist *Method for simplifying an edist object.*

Description

Attempts to reduce expression distributions to closed-form distributions when mathematical identities apply. Supported rules include:

Usage

```
## S3 method for class 'edist'
simplify(x, ...)
```

Arguments

x The edist object to simplify
 ... Additional arguments to pass (not used)

Details

Single-variable:

- $c * \text{Normal}(\mu, \nu) \rightarrow \text{Normal}(c\mu, c^2\nu)$
- $c * \text{Gamma}(a, r) \rightarrow \text{Gamma}(a, r/c)$ for $c > 0$
- $c * \text{Exponential}(r) \rightarrow \text{Gamma}(1, r/c)$ for $c > 0$
- $c * \text{Uniform}(a, b) \rightarrow \text{Uniform}(\min(ca,cb), \max(ca,cb))$ for $c \neq 0$
- $c * \text{Weibull}(k, \text{lam}) \rightarrow \text{Weibull}(k, c*\text{lam})$ for $c > 0$
- $c * \text{ChiSq}(df) \rightarrow \text{Gamma}(df/2, 1/(2c))$ for $c > 0$
- $c * \text{LogNormal}(ml, sl) \rightarrow \text{LogNormal}(ml + \log(c), sl)$ for $c > 0$
- $\text{Normal}(\mu, \nu) + c \rightarrow \text{Normal}(\mu + c, \nu)$
- $\text{Normal}(\mu, \nu) - c \rightarrow \text{Normal}(\mu - c, \nu)$
- $\text{Uniform}(a, b) + c \rightarrow \text{Uniform}(a + c, b + c)$
- $\text{Uniform}(a, b) - c \rightarrow \text{Uniform}(a - c, b - c)$
- $\text{Normal}(0, 1) ^ 2 \rightarrow \text{ChiSquared}(1)$
- $\exp(\text{Normal}(\mu, \nu)) \rightarrow \text{LogNormal}(\mu, \text{sqrt}(\nu))$
- $\log(\text{LogNormal}(ml, sl)) \rightarrow \text{Normal}(ml, sl^2)$

Two-variable:

- $\text{Normal} + \text{Normal} \rightarrow \text{Normal}$

- Normal - Normal -> Normal
- Gamma + Gamma (same rate) -> Gamma
- Exponential + Exponential (same rate) -> Gamma(2, rate)
- Gamma + Exponential (same rate) -> Gamma(a+1, rate)
- ChiSquared + ChiSquared -> ChiSquared
- Poisson + Poisson -> Poisson
- LogNormal * LogNormal -> LogNormal

Value

The simplified distribution, or unchanged edist if no rule applies

Examples

```
# Normal + Normal simplifies to a Normal
z <- normal(0, 1) + normal(2, 3)
is_normal(z) # TRUE
z           # Normal(mu = 2, var = 4)

# exp(Normal) simplifies to LogNormal
w <- exp(normal(0, 1))
is_lognormal(w) # TRUE
```

Summary.dist

Summary group generic for distribution objects.

Description

Handles sum(), prod(), min(), max() of distributions.

Usage

```
## S3 method for class 'dist'
Summary(..., na.rm = FALSE)
```

Arguments

```
...      dist objects
na.rm    ignored
```

Value

A simplified distribution or edist

Examples

```
# sum() reduces via + operator
z <- sum(normal(0, 1), normal(2, 3))
z # Normal(mu = 2, var = 4)

# min() of exponentials simplifies
w <- min(exponential(1), exponential(2))
w # Exponential(rate = 3)
```

summary.dist

Method for obtaining a summary of a dist object.

Description

Method for obtaining a summary of a dist object.

Usage

```
## S3 method for class 'dist'
summary(object, ..., name = NULL, nobs = NULL)
```

Arguments

object	The object to obtain the summary of
...	Additional arguments to pass
name	The name of the distribution, defaults to the class of the object.
nobs	The number of observations to report for the summary, if applicable.

Value

A summary_dist object

Examples

```
summary(normal(0, 1))
```

summary_dist	<i>Method for constructing a summary_dist object.</i>
--------------	---

Description

Method for constructing a summary_dist object.

Usage

```
summary_dist(name, mean, vcov, nobs = NULL)
```

Arguments

name	The name of the distribution
mean	The mean of the distribution
vcov	The variance of the distribution
nobs	The number of observations used to construct the distribution, if applicable.

Value

A summary_dist object

Examples

```
s <- summary_dist(name = "my_dist", mean = 0, vcov = 1)
print(s)
```

sup	<i>Generic method for retrieving the support of a (dist) object x.</i>
-----	--

Description

The returned value should have the following operations:

- min: a vector, the minimum value of the support for each component.
- max: a vector, the maximum value of the support for each component.
- call: a predicate function, which returns TRUE if the value is in the support, and FALSE otherwise.
- sample: a function, which returns a sample from the support. Note that the returned value is not guaranteed to be in the support of x. You may need to call call to check.

Usage

```
sup(x)
```

Arguments

x The object to obtain the support of.

Value

A support object for x.

Examples

```
x <- normal(0, 1)
S <- sup(x)
infimum(S) # -Inf
supremum(S) # Inf

y <- exponential(1)
S2 <- sup(y)
infimum(S2) # 0
```

sup.beta_dist *Support of a beta distribution.*

Description

The beta distribution is supported on the open interval $(0, 1)$.

Usage

```
## S3 method for class 'beta_dist'
sup(x)
```

Arguments

x A beta_dist object.

Value

An interval object representing $(0, 1)$.

Examples

```
sup(beta_dist(2, 5))
```

sup.chi_squared	<i>Support for chi-squared distribution, the positive real numbers (0, Inf).</i>
-----------------	--

Description

Support for chi-squared distribution, the positive real numbers (0, Inf).

Usage

```
## S3 method for class 'chi_squared'  
sup(x)
```

Arguments

x The chi_squared object

Value

An interval object representing (0, Inf)

Examples

```
sup(chi_squared(5))
```

sup.edist	<i>Support for expression distributions.</i>
-----------	--

Description

Falls back to [realize](#) and delegates to [sup.empirical_dist](#).

Usage

```
## S3 method for class 'edist'  
sup(x)
```

Arguments

x An edist object.

Value

A finite_set support object.

Examples

```
set.seed(1)
z <- normal(0, 1) * exponential(1)
sup(z)
```

sup.empirical_dist *Method for obtaining the support of empirical_dist object x.*

Description

Method for obtaining the support of empirical_dist object x.

Usage

```
## S3 method for class 'empirical_dist'
sup(x)
```

Arguments

x The empirical distribution object.

Value

A finite_set object containing the support of x.

Examples

```
ed <- empirical_dist(c(1, 2, 2, 3))
s <- sup(ed)
s$has(2) # TRUE
s$has(4) # FALSE
```

sup.exponential *Support for exponential distribution, the positive real numbers, (0, Inf).*

Description

Support for exponential distribution, the positive real numbers, (0, Inf).

Usage

```
## S3 method for class 'exponential'
sup(x)
```

Arguments

x The object to obtain the support of

Value

An interval object representing the support of the exponential

Examples

```
x <- exponential(rate = 1)
sup(x)
```

sup.gamma_dist *Support for gamma distribution, the positive real numbers (0, Inf).*

Description

Support for gamma distribution, the positive real numbers (0, Inf).

Usage

```
## S3 method for class 'gamma_dist'
sup(x)
```

Arguments

x The gamma_dist object

Value

An interval object representing (0, Inf)

Examples

```
sup(gamma_dist(2, 1))
```

sup.lognormal	<i>Support of a log-normal distribution.</i>
---------------	--

Description

The log-normal distribution is supported on $(0, \infty)$.

Usage

```
## S3 method for class 'lognormal'  
sup(x)
```

Arguments

x A lognormal object.

Value

An interval object representing $(0, \infty)$.

Examples

```
sup(lognormal(0, 1))
```

sup.mixture	<i>Support of a mixture distribution.</i>
-------------	---

Description

Returns an [interval](#) spanning the widest range of all component supports (from the smallest infimum to the largest supremum).

Usage

```
## S3 method for class 'mixture'  
sup(x)
```

Arguments

x A mixture object.

Value

An interval object.

Examples

```
m <- mixture(list(normal(0, 1), exponential(1)), c(0.5, 0.5))  
sup(m)
```

sup.mvn	<i>Method for obtaining the support of a mvn object, where the support is defined as values that have non-zero probability density.</i>
---------	---

Description

Method for obtaining the support of a mvn object, where the support is defined as values that have non-zero probability density.

Usage

```
## S3 method for class 'mvn'
sup(x, ...)
```

Arguments

x	The mvn object to obtain the support of
...	Additional arguments to pass (not used)

Value

A support-type object (see support.R), in this case an interval object for each component.

Examples

```
X <- mvn(c(0, 0))
sup(X)
```

sup.normal	<i>Method for obtaining the support of a normal object, where the support is defined as values that have non-zero probability density.</i>
------------	--

Description

Method for obtaining the support of a normal object, where the support is defined as values that have non-zero probability density.

Usage

```
## S3 method for class 'normal'
sup(x)
```

Arguments

x	The normal object to obtain the support of
---	--

Value

A support-type object (see support.R), in this case an interval object for each component.

Examples

```
x <- normal(0, 1)
sup(x)
```

sup.poisson_dist	<i>Support of a Poisson distribution.</i>
------------------	---

Description

The Poisson distribution is supported on the non-negative integers $\{0, 1, 2, \dots\}$.

Usage

```
## S3 method for class 'poisson_dist'
sup(x)
```

Arguments

x A poisson_dist object.

Value

A countable_set object with lower bound 0.

Examples

```
sup(poisson_dist(5))
```

sup.uniform_dist	<i>Support of a uniform distribution.</i>
------------------	---

Description

The uniform distribution is supported on $[min, max]$.

Usage

```
## S3 method for class 'uniform_dist'
sup(x)
```

Arguments

x A uniform_dist object.

Value

An interval object representing $[min, max]$.

Examples

```
sup(uniform_dist(0, 10))
```

sup.weibull_dist	<i>Support of a Weibull distribution.</i>
------------------	---

Description

The Weibull distribution is supported on $(0, \infty)$.

Usage

```
## S3 method for class 'weibull_dist'
sup(x)
```

Arguments

x A weibull_dist object.

Value

An interval object representing $(0, \infty)$.

Examples

```
sup(weibull_dist(2, 3))
```

supremum	<i>Get the supremum of the support.</i>
----------	---

Description

Get the supremum of the support.

Usage

```
supremum(object)
```

Arguments

object A support object.

Value

The supremum (least upper bound) of the support.

Examples

```
I <- interval$new(0, 10)
supremum(I) # 10

S <- finite_set$new(c(3, 7, 11))
supremum(S) # 11
```

supremum.countable_set

Get the supremum of a countable set.

Description

Get the supremum of a countable set.

Usage

```
## S3 method for class 'countable_set'
supremum(object)
```

Arguments

object A countable_set object.

Value

Inf (the set is unbounded above).

Examples

```
cs <- countable_set$new(0L)
supremum(cs) # Inf
```

supremum.finite_set *Return the supremum of the finite set.*

Description

Return the supremum of the finite set.

Usage

```
## S3 method for class 'finite_set'  
supremum(object)
```

Arguments

object A finite set.

Value

Numeric; the maximum value(s).

Examples

```
fs <- finite_set$new(c(1, 3, 5, 7))  
supremum(fs) # 7
```

supremum.interval *Return the (vector of) supremum of the interval.*

Description

Return the (vector of) supremum of the interval.

Usage

```
## S3 method for class 'interval'  
supremum(object)
```

Arguments

object An interval object.

Value

Numeric vector of upper bounds.

Examples

```
iv <- interval$new(lower = 0, upper = 1)  
supremum(iv) # 1
```

surv.chi_squared *Method for obtaining the survival function of a chi_squared object.*

Description

Method for obtaining the survival function of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'  
surv(x, ...)
```

Arguments

x	The chi_squared object
...	Additional arguments (not used)

Value

A function that computes $S(t) = P(X > t)$

Examples

```
x <- chi_squared(5)  
S <- surv(x)  
S(5)
```

surv.continuous_dist *Default survival function for continuous distributions.*

Description

Computes $S(t) = 1 - F(t)$ from the CDF.

Usage

```
## S3 method for class 'continuous_dist'  
surv(x, ...)  
  
surv(x, ...)
```

Arguments

x	The object to obtain the survival function of.
...	Additional arguments to pass.

Value

A function `function(t, ...)` returning the survival probability.

A function computing the survival function $S(t) = P(X > t)$.

Examples

```
x <- beta_dist(2, 5)
S <- surv(x)
S(0.5)
x <- exponential(1)
S <- surv(x)
S(0) # 1 (survival at time 0)
S(1) # exp(-1), approximately 0.368
```

surv.exponential	<i>Method to obtain the survival function of an exponential object.</i>
------------------	---

Description

Method to obtain the survival function of an exponential object.

Usage

```
## S3 method for class 'exponential'
surv(x, ...)
```

Arguments

x	The object to obtain the survival function of
...	Additional arguments (not used)

Value

A function `function(t, log.p = FALSE, ...)` that computes the survival function $S(t) = P(X > t)$.

Examples

```
x <- exponential(rate = 1)
S <- surv(x)
S(1)
S(2)
```

surv.gamma_dist *Method for obtaining the survival function of a gamma_dist object.*

Description

Method for obtaining the survival function of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'  
surv(x, ...)
```

Arguments

x The gamma_dist object
... Additional arguments (not used)

Value

A function that computes $S(t) = P(X > t)$

Examples

```
x <- gamma_dist(shape = 2, rate = 1)  
S <- surv(x)  
S(1)
```

surv.lognormal *Survival function for a log-normal distribution.*

Description

Returns a function that computes $S(t) = P(X > t)$ for the log-normal distribution.

Usage

```
## S3 method for class 'lognormal'  
surv(x, ...)
```

Arguments

x A lognormal object.
... Additional arguments (not used).

Value

A function `function(t, log.p = FALSE, ...)` returning the survival probability (or log-survival probability) at `t`.

Examples

```
x <- lognormal(0, 1)
S <- surv(x)
S(1)
S(2)
```

`surv.weibull_dist` *Survival function for a Weibull distribution.*

Description

Returns a function that computes $S(t) = P(X > t)$ for the Weibull distribution.

Usage

```
## S3 method for class 'weibull_dist'
surv(x, ...)
```

Arguments

`x` A `weibull_dist` object.
`...` Additional arguments (not used).

Value

A function `function(t, log.p = FALSE, ...)` returning the survival probability (or log-survival probability) at `t`.

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
S <- surv(x)
S(1)
S(3)
```

uniform_dist	<i>Construct a uniform distribution object.</i>
--------------	---

Description

Creates an S3 object representing a continuous uniform distribution on the interval $[min, max]$. The PDF is $f(x) = 1/(max - min)$ for $min \leq x \leq max$.

Usage

```
uniform_dist(min = 0, max = 1)
```

Arguments

min	Lower bound of the distribution (default 0).
max	Upper bound of the distribution (default 1).

Value

A uniform_dist object with classes `c("uniform_dist", "univariate_dist", "continuous_dist", "dist")`.

Examples

```
x <- uniform_dist(min = 0, max = 10)
mean(x)
vcov(x)
format(x)
```

vcov.beta_dist	<i>Variance of a beta distribution.</i>
----------------	---

Description

Computes $\alpha\beta/((\alpha + \beta)^2(\alpha + \beta + 1))$.

Usage

```
## S3 method for class 'beta_dist'
vcov(object, ...)
```

Arguments

object	A beta_dist object.
...	Additional arguments (not used).

Value

The variance (scalar).

Examples

```
vcov(beta_dist(2, 5))
```

vcov.chi_squared	<i>Retrieve the variance of a chi_squared object.</i>
------------------	---

Description

Retrieve the variance of a chi_squared object.

Usage

```
## S3 method for class 'chi_squared'
vcov(object, ...)
```

Arguments

object	The chi_squared object
...	Additional arguments (not used)

Value

The variance, $2 * df$

Examples

```
vcov(chi_squared(10))
```

vcov.default	<i>Variance-covariance for non-dist objects (degenerate distributions).</i>
--------------	---

Description

Variance-covariance for non-dist objects (degenerate distributions).

Usage

```
## Default S3 method:
vcov(object, ...)
```

Arguments

object The object (returns 0 for constants)
... Additional arguments to pass (not used)

Value

0 (degenerate distributions have no variance)

Examples

```
vcov(42) # returns 0
```

vcov.edist *Method for obtaining the variance-covariance matrix (or scalar)*

Description

Method for obtaining the variance-covariance matrix (or scalar)

Usage

```
## S3 method for class 'edist'  
vcov(object, n = 10000, ...)
```

Arguments

object The edist object to retrieve the variance-covariance matrix from
n The number of samples to take (default: 10000)
... Additional arguments to pass (not used)

Value

The variance-covariance matrix of the edist object

Examples

```
set.seed(1)  
z <- normal(0, 1) * exponential(2)  
vcov(z)
```

vcov.empirical_dist *Method for obtaining the variance of empirical_dist object x.*

Description

Method for obtaining the variance of empirical_dist object x.

Usage

```
## S3 method for class 'empirical_dist'  
vcov(object, ...)
```

Arguments

object The empirical distribution object.
... Additional arguments to pass (not used).

Value

The sample variance-covariance matrix.

Examples

```
ed <- empirical_dist(c(1, 2, 3, 4, 5))  
vcov(ed) # sample variance  
  
ed_mv <- empirical_dist(matrix(rnorm(20), ncol = 2))  
vcov(ed_mv) # 2x2 covariance matrix
```

vcov.exponential *Retrieve the variance of a exponential object.*

Description

Retrieve the variance of a exponential object.

Usage

```
## S3 method for class 'exponential'  
vcov(object, ...)
```

Arguments

object The exponential object to retrieve the variance for
... Additional arguments to pass (not used)

Value

The variance-covariance matrix of the normal object

Examples

```
x <- exponential(rate = 2)
vcov(x)
```

vcov.gamma_dist	<i>Retrieve the variance of a gamma_dist object.</i>
-----------------	--

Description

Retrieve the variance of a gamma_dist object.

Usage

```
## S3 method for class 'gamma_dist'
vcov(object, ...)
```

Arguments

object	The gamma_dist object
...	Additional arguments (not used)

Value

The variance, shape / rate^2

Examples

```
vcov(gamma_dist(shape = 3, rate = 2))
```

vcov.lognormal	<i>Variance of a log-normal distribution.</i>
----------------	---

Description

Computes $(\exp(sdlog^2) - 1) \exp(2 \cdot meanlog + sdlog^2)$.

Usage

```
## S3 method for class 'lognormal'
vcov(object, ...)
```

Arguments

object A lognormal object.
 ... Additional arguments (not used).

Value

The variance (scalar).

Examples

```
vcov(lognormal(0, 1))
```

vcov.mixture	<i>Variance of a mixture distribution.</i>
--------------	--

Description

Uses the law of total variance: $Var(X) = E[Var(X|K)] + Var(E[X|K])$.

Usage

```
## S3 method for class 'mixture'  
vcov(object, ...)
```

Arguments

object A mixture object.
 ... Additional arguments (not used).

Value

The variance (scalar for univariate mixtures).

Examples

```
m <- mixture(list(normal(0, 1), normal(10, 1)), c(0.5, 0.5))  
vcov(m)
```

vcov.mvn	<i>Retrieve the variance-covariance matrix of an mvn object.</i>
----------	--

Description

Retrieve the variance-covariance matrix of an mvn object.

Usage

```
## S3 method for class 'mvn'  
vcov(object, ...)
```

Arguments

object	The mvn object to retrieve the variance-covariance matrix of
...	Additional arguments to pass (not used)

Value

The variance-covariance matrix of the mvn object

Examples

```
X <- mvn(c(0, 0), diag(2))  
vcov(X)
```

vcov.normal	<i>Retrieve the variance-covariance matrix (or scalar) of a normal object.</i>
-------------	--

Description

Retrieve the variance-covariance matrix (or scalar) of a normal object.

Usage

```
## S3 method for class 'normal'  
vcov(object, ...)
```

Arguments

object	The normal object to retrieve the variance-covariance matrix from
...	Additional arguments to pass (not used)

Value

The variance-covariance matrix of the normal object

Examples

```
x <- normal(0, 4)
vcov(x)
```

vcov.poisson_dist *Variance of a Poisson distribution.*

Description

For the Poisson distribution, the variance equals lambda.

Usage

```
## S3 method for class 'poisson_dist'
vcov(object, ...)
```

Arguments

object A poisson_dist object.
... Additional arguments (not used).

Value

The variance (scalar), equal to lambda.

Examples

```
vcov(poisson_dist(5))
```

vcov.uniform_dist *Variance of a uniform distribution.*

Description

Computes $(max - min)^2/12$.

Usage

```
## S3 method for class 'uniform_dist'
vcov(object, ...)
```

Arguments

object A uniform_dist object.
... Additional arguments (not used).

Value

The variance (scalar).

Examples

```
vcov(uniform_dist(0, 10))
```

vcov.univariate_dist *Method for obtaining the variance of univariate_dist object.*

Description

Method for obtaining the variance of univariate_dist object.

Usage

```
## S3 method for class 'univariate_dist'  
vcov(object, ...)
```

Arguments

object The distribution object.
... Additional arguments to pass into expectation.

Value

Numeric scalar; the variance of the distribution.

Examples

```
vcov(normal(0, 4))    # 4  
vcov(exponential(2)) # 0.25
```

<code>vcov.weibull_dist</code>	<i>Variance of a Weibull distribution.</i>
--------------------------------	--

Description

Computes $scale^2(\Gamma(1 + 2/shape) - [\Gamma(1 + 1/shape)]^2)$.

Usage

```
## S3 method for class 'weibull_dist'
vcov(object, ...)
```

Arguments

<code>object</code>	A <code>weibull_dist</code> object.
<code>...</code>	Additional arguments (not used).

Value

The variance (scalar).

Examples

```
vcov(weibull_dist(shape = 2, scale = 3))
```

<code>weibull_dist</code>	<i>Construct a Weibull distribution object.</i>
---------------------------	---

Description

Creates an S3 object representing a Weibull distribution with the given shape and scale parameters. The Weibull PDF is

$$f(t) = (shape/scale)(t/scale)^{shape-1} \exp(-(t/scale)^{shape})$$

for $t > 0$.

Usage

```
weibull_dist(shape, scale)
```

Arguments

<code>shape</code>	Positive scalar shape parameter.
<code>scale</code>	Positive scalar scale parameter.

Value

A `weibull_dist` object with classes `c("weibull_dist", "univariate_dist", "continuous_dist", "dist")`.

Examples

```
x <- weibull_dist(shape = 2, scale = 3)
mean(x)
vcov(x)
format(x)
```

`^.dist`*Power operator for distribution objects.*

Description

Power operator for distribution objects.

Usage

```
## S3 method for class 'dist'
x ^ y
```

Arguments

<code>x</code>	a dist object (base)
<code>y</code>	a numeric scalar (exponent)

Value

A simplified distribution or `edist`

Examples

```
# Standard normal squared yields chi-squared(1)
z <- normal(0, 1)^2
z
```

Index

*.dist, 7
+.dist, 8
-.dist, 9
/.dist, 9
^.dist, 171

affine_transform, 10
as_dist, 11

beta_dist, 12

cdf, 12, 127
cdf.beta_dist, 13
cdf.chi_squared, 14
cdf.edist, 14
cdf.empirical_dist, 14, 15
cdf.exponential, 16
cdf.gamma_dist, 16
cdf.lognormal, 17
cdf.mixture, 18
cdf.mvn, 18
cdf.normal, 19
cdf.poisson_dist, 20
cdf.uniform_dist, 20
cdf.weibull_dist, 21
chi_squared, 22
clt, 22
conditional, 23, 127
conditional.dist, 24
conditional.edist, 24
conditional.empirical_dist, 24, 25
conditional.mixture, 26
conditional.mvn, 27
countable_set, 28

delta_clt, 29
density, 127
density.beta_dist, 29
density.chi_squared, 30
density.edist, 31
density.empirical_dist, 31, 31
density.exponential, 32
density.gamma_dist, 33
density.lognormal, 33
density.mixture, 34
density.mvn, 35
density.normal, 35
density.poisson_dist, 36
density.uniform_dist, 37
density.weibull_dist, 37
dim, 28
dim.beta_dist, 38
dim.chi_squared, 38
dim.countable_set, 39
dim.edist, 40
dim.empirical_dist, 40
dim.exponential, 41
dim.finite_set, 41
dim.gamma_dist, 42
dim.interval, 42
dim.lognormal, 43
dim.mixture, 43
dim.mvn, 44
dim.normal, 45
dim.poisson_dist, 45
dim.uniform_dist, 46
dim.weibull_dist, 46

edist, 47
empirical_dist, 14, 47, 127
ensure_realized, 27
expectation, 48
expectation.dist, 49
expectation.empirical_dist, 50
expectation.poisson_dist, 50
expectation.univariate_dist, 51
expectation_data, 52
exponential, 53

finite_set, 54

- format.beta_dist, 55
- format.chi_squared, 56
- format.edist, 56
- format.empirical_dist, 57
- format.exponential, 57
- format.gamma_dist, 58
- format.lognormal, 58
- format.mixture, 59
- format.mvn, 60
- format.normal, 60
- format.poisson_dist, 61
- format.realized_dist, 61
- format.uniform_dist, 62
- format.weibull_dist, 62
- gamma_dist, 63
- has, 28, 64
- has.countable_set, 65
- has.finite_set, 65
- has.interval, 66
- hazard (hazard.continuous_dist), 67
- hazard.chi_squared, 67
- hazard.continuous_dist, 67
- hazard.exponential, 68
- hazard.gamma_dist, 69
- hazard.lognormal, 69
- hazard.weibull_dist, 70
- infimum, 28, 71
- infimum.countable_set, 71
- infimum.finite_set, 72
- infimum.interval, 72
- interval, 73, 151
- inv_cdf, 75
- inv_cdf.beta_dist, 75
- inv_cdf.chi_squared, 76
- inv_cdf.edist, 77
- inv_cdf.empirical_dist, 77, 77
- inv_cdf.exponential, 78
- inv_cdf.gamma_dist, 79
- inv_cdf.lognormal, 79
- inv_cdf.normal, 80
- inv_cdf.poisson_dist, 81
- inv_cdf.uniform_dist, 81
- inv_cdf.weibull_dist, 82
- is_beta_dist, 83
- is_chi_squared, 83
- is_dist, 84
- is_edist, 84
- is_empirical_dist, 85
- is_exponential, 85
- is_gamma_dist, 86
- is_lognormal, 86
- is_mixture, 87
- is_mvn, 87
- is_normal, 88
- is_poisson_dist, 88
- is_realized_dist, 89
- is_uniform_dist, 89
- is_weibull_dist, 90
- lln, 90
- lognormal, 91
- marginal, 92, 93
- marginal.empirical_dist, 92
- marginal.mixture, 93
- marginal.mvn, 94
- Math.dist, 94
- mean.beta_dist, 95
- mean.chi_squared, 96
- mean.edist, 96
- mean.empirical_dist, 97
- mean.exponential, 97
- mean.gamma_dist, 98
- mean.lognormal, 99
- mean.mixture, 99
- mean.mvn, 100
- mean.normal, 100
- mean.poisson_dist, 101
- mean.uniform_dist, 101
- mean.univariate_dist, 102
- mean.weibull_dist, 103
- mixture, 103
- mvn, 104
- nobs.empirical_dist, 105
- normal, 105
- normal_approx, 106
- nparams, 106
- nparams.empirical_dist, 107
- nparams.mixture, 108
- obs, 108
- obs.empirical_dist, 109
- params, 109

params.beta_dist, 110
 params.chi_squared, 111
 params.edist, 111
 params.empirical_dist, 112
 params.exponential, 112
 params.gamma_dist, 113
 params.lognormal, 113
 params.mixture, 114
 params.mvn, 114
 params.normal, 115
 params.poisson_dist, 115
 params.uniform_dist, 116
 params.weibull_dist, 117
 poisson_dist, 117
 print.beta_dist, 118
 print.chi_squared, 118
 print.edist, 119
 print.empirical_dist, 119
 print.exponential, 120
 print.gamma_dist, 120
 print.interval, 121
 print.lognormal, 122
 print.mixture, 122
 print.mvn, 123
 print.normal, 123
 print.poisson_dist, 124
 print.realized_dist, 124
 print.summary_dist, 125
 print.uniform_dist, 126
 print.weibull_dist, 126

 realize, 14, 24, 31, 77, 127, 129, 148
 realized_dist, 127
 rmap, 128
 rmap.dist, 129
 rmap.edist, 129
 rmap.empirical_dist, 129, 130
 rmap.mvn, 131

 sample_mvn_region, 141
 sampler, 131
 sampler.beta_dist, 132
 sampler.chi_squared, 133
 sampler.default, 133
 sampler.edist, 134
 sampler.empirical_dist, 135
 sampler.exponential, 135
 sampler.gamma_dist, 136
 sampler.lognormal, 137

 sampler.mixture, 137
 sampler.mvn, 138
 sampler.normal, 138
 sampler.poisson_dist, 139
 sampler.uniform_dist, 140
 sampler.weibull_dist, 140
 simplify, 142
 simplify.dist, 142
 simplify.edist, 143
 Summary.dist, 144
 summary.dist, 145
 summary_dist, 146
 sup, 146
 sup.beta_dist, 147
 sup.chi_squared, 148
 sup.edist, 148
 sup.empirical_dist, 148, 149
 sup.exponential, 149
 sup.gamma_dist, 150
 sup.lognormal, 151
 sup.mixture, 151
 sup.mvn, 152
 sup.normal, 152
 sup.poisson_dist, 153
 sup.uniform_dist, 153
 sup.weibull_dist, 154
 supremum, 28, 154
 supremum.countable_set, 155
 supremum.finite_set, 156
 supremum.interval, 156
 surv (surv.continuous_dist), 157
 surv.chi_squared, 157
 surv.continuous_dist, 157
 surv.exponential, 158
 surv.gamma_dist, 159
 surv.lognormal, 159
 surv.weibull_dist, 160

 uniform_dist, 161

 vcov.beta_dist, 161
 vcov.chi_squared, 162
 vcov.default, 162
 vcov.edist, 163
 vcov.empirical_dist, 164
 vcov.exponential, 164
 vcov.gamma_dist, 165
 vcov.lognormal, 165
 vcov.mixture, 166

`vcov.mvn`, [167](#)
`vcov.normal`, [167](#)
`vcov.poisson_dist`, [168](#)
`vcov.uniform_dist`, [168](#)
`vcov.univariate_dist`, [169](#)
`vcov.weibull_dist`, [170](#)

`weibull_dist`, [170](#)