

Package ‘apisensr’

May 7, 2026

Title Interface to 'apisensr' for Sensitivity Analysis of Epidemiological Results

Version 2.0.0

Description API for using 'apisensr', Basic sensitivity analysis of the observed relative risks adjusting for unmeasured confounding and misclassification of the exposure/outcome, or both. See <https://cran.r-project.org/package=apisensr>.

License GPL-2

URL <https://codeberg.org/dhaine/apisensr>

BugReports <https://codeberg.org/dhaine/apisensr/issues>

Depends apisensr (>= 2.0.0), ggplot2 (>= 3.5.0), R (>= 4.3.0)

Imports attempt, config, ggraph, glue, golem, htmltools, igraph, rhandsontable, rmarkdown, shiny, shinyjs, shinymaterial

Suggests knitr, rlang, testthat

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Denis Haine [aut, cre] (ORCID: <https://orcid.org/0000-0002-6691-7335>)

Maintainer Denis Haine <cheval@zaclys.net>

Repository CRAN

Date/Publication 2025-05-16 17:40:02 UTC

Contents

run_app	2
Index	3

`run_app`*Run the Shiny Application*

Description

Runs the 'apisensr' Shiny application. This function does not return; interrupt R to stop the application (usually by pressing Ctrl+C or Esc).

Usage

```
run_app(...)
```

Arguments

```
...           Unused arguments.
```

Examples

```
## Not run:  
run_app()  
  
## End(Not run)
```

Index

run_app, [2](#)