

Package ‘bigmemory.sri’

May 7, 2026

Type Package

Title A Shared Resource Interface for Bigmemory Project Packages

Version 0.1.8

Description A shared resource interface for the bigmemory and synchronicity packages.

Encoding UTF-8

Language en-US

License LGPL-3 | Apache License 2.0

Enhances bigmemory

Imports methods

RoxygenNote 7.2.3

NeedsCompilation no

Author Michael J. Kane [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-1899-6662>>)

Maintainer Michael J. Kane <bigmemoryauthors@gmail.com>

Repository CRAN

Date/Publication 2024-01-10 17:13:09 UTC

Contents

attach.resource	2
describe	2

Index	4
--------------	----------

attach.resource *Create an Object that Makes Use of a Shared Resource*

Description

This generic function should be used to attach to a system-wide shared resource on a computer. It is used by other packages.

Usage

```
attach.resource(obj, ...)
```

Arguments

obj a descriptor object describing the location and type of a shared resource.
... other information needed for object-specific attaching.

Value

An R object that makes use of a share resource.

Examples

```
# Create a concrete function.  
setMethod(  
  "attach.resource",  
  signature(obj = "NULL"),  
  function (obj, ...) {  
    NULL  
  }  
)  
  
# Describe it  
attach.resource(NULL)
```

describe *Create a Description of a Shared Resource*

Description

This generic function should be used for creating a description of a shared resource and is used in conjunction with `attach.resource()` to utilize shared resources from an R session.

Usage

```
describe(x)
```

Arguments

x the object to create the descriptor for.

Value

A user-defined description of a shared resource.

See Also

[bigmemory.sri::attach.resource()]

Examples

```
# Create a concrete function.
setMethod(
  "describe",
  signature(x = "list"),
  function (x) {
    print(x$value)
  }
)

# Create an object to describe.
tst = list(loc = "in_ram_not_shared", value = "hello world")

# Describe it
describe(tst)
```

Index

`attach.resource`, [2](#)

`describe`, [2](#)