

Package ‘box.lsp’

May 8, 2026

Title Provides 'box' Compatibility for 'languageserver'

Version 0.1.4

Description A 'box' compatible custom language parser for the 'languageserver' package to provide completion and signature hints in code editors.

URL <https://github.com/Appsilon/box.lsp>,
<https://appsilon.github.io/box.lsp/>

BugReports <https://github.com/Appsilon/box.lsp/issues>

License LGPL-3

Encoding UTF-8

RoxygenNote 7.3.2

Imports box, cli, fs, rlang

Suggests languageserver, lintr, magrittr, mockery, purrr, rprojroot,
stringi, stringr, testthat (>= 3.0.0), withr

Config/testthat/edition 3

NeedsCompilation no

Author Ricardo Rodrigo Basa [aut, cre],
Pavel Demin [aut],
Jakub Nowicki [aut],
Appsilon Sp. z o.o. [cph]

Maintainer Ricardo Rodrigo Basa <opensource+rodrigo@appsilon.com>

Repository CRAN

Date/Publication 2026-03-17 16:10:02 UTC

Contents

box_use_parser	2
use_box_lsp	3
Index	4

box_use_parser	<i>'box::use' Document Parser</i>
----------------	-----------------------------------

Description

Custom {languageserver} parser hook for {box} modules.

Usage

```
box_use_parser(expr, action)
```

Arguments

expr	An R expression to evaluate
action	A list of action functions from <code>languageserver:::parse_expr()</code> .

Value

Used for side-effects provided by the action list of functions.

Examples

```
action <- list(
  assign = function(symbol, value) {
    cat(paste("ASSIGN: ", symbol, value, "\n"))
  },
  update = function(packages) {
    cat(paste("Packages: ", packages, "\n"))
  },
  parse = function(x) {
    cat(paste("Parse: ", names(x), x, "\n"))
  },
  parse_args = function(x) {
    cat(paste("Parse Args: ", names(x), x, "\n"))
  }
)
box_use_parser(expr = expression(box::use(fs)), action = action)
```

use_box_lsp	<i>Configures a project to use {box.lsp}</i>
-------------	--

Description

Configures a project to use {box.lsp}

Usage

```
use_box_lsp(file_path = ".Rprofile")
```

Arguments

file_path File name to append {box.lsp} configuration lines.

Value

Writes configuration lines to file_path.

Examples

```
if (interactive()) {  
  use_box_lsp()  
}
```

Index

`box_use_parser`, [2](#)

`use_box_lsp`, [3](#)