

# Package ‘bs4cards’

May 8, 2026

**Title** Generate Bootstrap Cards

**Version** 0.1.1

**Description** Allows the user to generate bootstrap cards within R markdown documents. Intended for use in conjunction with R markdown HTML outputs and other formats that support the bootstrap 4 library.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Imports** htmltools, magrittr, methods, rlang

**URL** <https://github.com/djnavarro/bs4cards>

**BugReports** <https://github.com/djnavarro/bs4cards/issues>

**Suggests** testthat (>= 3.0.0), knitr, rmarkdown, tibble, covr, bslib

**RoxygenNote** 7.1.1

**Depends** R (>= 2.10)

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Danielle Navarro [aut, cre] (ORCID:  
<<https://orcid.org/0000-0001-7648-6578>>)

**Maintainer** Danielle Navarro <[djnavarro@protonmail.com](mailto:djnavarro@protonmail.com)>

**Repository** CRAN

**Date/Publication** 2021-11-30 08:10:02 UTC

## Contents

cards . . . . .	2
galleries . . . . .	3
<b>Index</b>	<b>5</b>

---

cards

*Builds a deck of bootstrap cards*

---

### Description

Builds a deck of bootstrap cards

### Usage

```
cards(  
  data,  
  title = NULL,  
  text = NULL,  
  image = NULL,  
  link = NULL,  
  footer = NULL,  
  header = NULL,  
  tags = NULL,  
  layout = "label-below",  
  width = 3,  
  spacing = 2,  
  breakpoint = 4,  
  label_colour = NULL,  
  border_colour = NULL,  
  border_width = 1,  
  border_radius = 3  
)
```

### Arguments

data	Data frame
title	Title for the card
text	Text for the card
image	Path to the card image
link	URL to link to from title and image
footer	Card footer
header	Card header
tags	Tags to be assigned to each card
layout	Card layout is a string, defaults to "label-below" (see details)
width	Card width is an integer between 1 and 5
spacing	Spacing between cards is an integer between 0 and 5
breakpoint	Number between 1 and 5, controlling label size on horizontal and inset layouts
label_colour	Colour applied to the card label (if NULL, colour inherits)

<code>border_colour</code>	Colour applied to the card border (if NULL, colour inherits)
<code>border_width</code>	Width of card border is an integer between 0 and 5
<code>border_radius</code>	Amount of rounding on card corners is an integer between 0 and 5

### Details

This function constructs the HTML necessary to specify a deck of bootstrap 4 cards suitable for inclusion within an R markdown document. It takes a data frame as the first argument, with one row for each card to be generated.

Cards are specified using the `title`, `text`, `image`, `link`, `footer`, `header`, and `tags` arguments. These arguments take expressions to be evaluated using the user-supplied data, and should evaluate to character vectors that have length 1 or the same number of rows as data.

The `layout` argument is a single character string specifying the layout of the cards: possible values are "label-below" (the default), "label-above", "label-left", "label-right", "label-only", "image-only", "inset-top", "inset-bottom".

The `width`, `spacing`, `breakpoint`, `border_width`, and `border_radius` arguments all take integer inputs specifying the visual appearance of the cards. Allowed values range from 0 to 5, except for `width` and `breakpoint` which cannot be 0. The other two arguments `label_colour` and `border_colour` take a single string specifying colours of the relevant parts of the card.

### Value

A "shiny.tag" object containing the HTML for the card deck

### Examples

```
## Not run:
galleries %>%
  cards(
    title = long_name,
    text = blurb,
    image = image_url,
    link = gallery_url
  )

## End(Not run)
```

---

galleries

*Generative art galleries*

---

### Description

A dataset containing information describing several galleries of generative art created in R.

### Usage

```
galleries
```

**Format**

A tibble with 7 rows and 5 variables:

**long\_name** full name of the gallery

**short\_name** compact name of the gallery

**date** date on which the gallery was posted

**blurb** brief description of the gallery

**paintbrushes** names of R packages used to generate the art

**image\_url** location of the gallery thumbnail image

**gallery\_url** location of the gallery homepage

**Source**

<https://art.djnavarro.net/>

# Index

\* **datasets**  
    galleries, [3](#)

cards, [2](#)

galleries, [3](#)