

# Package ‘curl’

May 8, 2026

**Type** Package

**Title** A Modern and Flexible Web Client for R

**Version** 7.1.0

**Description** Bindings to 'libcurl' <<https://curl.se/libcurl/>> for performing fully configurable HTTP/FTP requests where responses can be processed in memory, on disk, or streaming via the callback or connection interfaces. Some knowledge of 'libcurl' is recommended; for a more-user-friendly web client see the 'htr2' package which builds on this package with http specific tools and logic.

**License** MIT + file LICENSE

**SystemRequirements** libcurl (>= 7.73): libcurl-devel (rpm) or libcurl4-openssl-dev (deb)

**URL** <https://jeroen.r-universe.dev/curl>

**BugReports** <https://github.com/jeroen/curl/issues>

**Suggests** spelling, testthat (>= 1.0.0), knitr, jsonlite, later, rmarkdown, httpuv (>= 1.4.4), webutils

**VignetteBuilder** knitr

**Depends** R (>= 3.0.0)

**RoxygenNote** 7.3.2

**Encoding** UTF-8

**Language** en-US

**NeedsCompilation** yes

**Author** Jeroen Ooms [aut, cre] (ORCID: <<https://orcid.org/0000-0002-4035-0289>>),  
Hadley Wickham [ctb],  
Posit Software, PBC [cph]

**Maintainer** Jeroen Ooms <jeroenooms@gmail.com>

**Repository** CRAN

**Date/Publication** 2026-04-22 09:40:02 UTC

## Contents

curl	2
curl_download	4
curl_echo	5
curl_escape	6
curl_fetch_memory	6
curl_options	8
curl_parse_url	9
curl_upload	11
file_writer	12
handle	13
handle_cookies	15
ie_proxy	15
multi	16
multipart	18
multi_download	19
nslookup	21
parse_date	22
parse_headers	23
send_mail	23
<b>Index</b>	<b>26</b>

---

curl

*Curl connection interface*

---

### Description

Drop-in replacement for base `url()` that supports https, ftps, gzip, deflate, etc. Default behavior is identical to `url()`, but request can be fully configured by passing a custom `handle()`.

### Usage

```
curl(url = "https://hb.cran.dev/get", open = "", handle = new_handle())
```

### Arguments

url	character string. See examples.
open	character string. How to open the connection if it should be opened initially. Currently only "r" and "rb" are supported.
handle	a curl handle object

### Details

As of version 2.3 curl connections support `open(con, blocking = FALSE)`. In this case `readBin` and `readLines` will return immediately with data that is available without waiting. For such non-blocking connections the caller needs to call `isIncomplete()` to check if the download has completed yet.

**Examples**

```
## Not run:
con <- curl("https://hb.cran.dev/get")
readLines(con)

# Auto-opened connections can be recycled
open(con, "rb")
bin <- readBin(con, raw(), 999)
close(con)
rawToChar(bin)

# HTTP error
curl("https://hb.cran.dev/status/418", "r")

# Follow redirects
readLines(curl("https://hb.cran.dev/redirect/3"))

# Error after redirect
curl("https://hb.cran.dev/redirect-to?url=https://hb.cran.dev/status/418", "r")

# Auto decompress Accept-Encoding: gzip / deflate (rfc2616 #14.3)
readLines(curl("https://hb.cran.dev/gzip"))
readLines(curl("https://hb.cran.dev/deflate"))

# Binary support
buf <- readBin(curl("https://hb.cran.dev/bytes/98765", "rb"), raw(), 1e5)
length(buf)

# Read file from disk
test <- paste0("file://", system.file("DESCRIPTION"))
readLines(curl(test))

# Other protocols
read.csv(curl("ftp://cran.r-project.org/pub/R/CRAN_mirrors.csv"))
readLines(curl("ftps://test.rebex.net:990/readme.txt"))
readLines(curl("gopher://quux.org/1"))

# Streaming data
con <- curl("http://jeroen.github.io/data/diamonds.json", "r")
while(length(x <- readLines(con, n = 5))){
  print(x)
}

# Stream large dataset over https with gzip
library(jsonlite)
con <- gzcon(curl("https://jeroen.github.io/data/nycflights13.json.gz"))
nycflights <- stream_in(con)

## End(Not run)
```

---

curl_download	<i>Download file to disk</i>
---------------	------------------------------

---

### Description

Libcurl implementation of `C_download` (the "internal" download method) with added support for https, ftps, gzip, etc. Default behavior is identical to `download.file()`, but request can be fully configured by passing a custom `handle()`.

### Usage

```
curl_download(url, destfile, quiet = TRUE, mode = "wb", handle = new_handle())
```

### Arguments

<code>url</code>	A character string naming the URL of a resource to be downloaded.
<code>destfile</code>	A character string with the name where the downloaded file is saved. Tilde-expansion is performed.
<code>quiet</code>	If TRUE, suppress status messages (if any), and the progress bar.
<code>mode</code>	A character string specifying the mode with which to write the file. Useful values are "w", "wb" (binary), "a" (append) and "ab".
<code>handle</code>	a curl handle object

### Details

The main difference between `curl_download` and `curl_fetch_disk` is that `curl_download` checks the http status code before starting the download, and raises an error when status is non-successful. The behavior of `curl_fetch_disk` on the other hand is to proceed as normal and write the error page to disk in case of a non success response.

The `curl_download` function does support resuming and removes the temporary file if the download did not complete successfully. For a more advanced download interface which supports concurrent requests and resuming large files, have a look at the [multi\\_download](#) function.

### Value

Path of downloaded file (invisibly).

### See Also

Advanced download interface: [multi\\_download](#)

**Examples**

```
# Download large file
## Not run:
url <- "http://www2.census.gov/acs2011_5yr/pums/csv_pus.zip"
tmp <- tempfile()
curl_download(url, tmp)

## End(Not run)
```

---

curl\_echo

*Echo Service*


---

**Description**

This function is only for testing purposes. It starts a local httpuv server to echo the request body and content type in the response.

**Usage**

```
curl_echo(handle, port = find_port(), progress = interactive(), file = NULL)

find_port(range = NULL)
```

**Arguments**

handle	a curl handle object
port	the port number on which to run httpuv server
progress	show progress meter during http transfer
file	path or connection to write body. Default returns body as raw vector.
range	optional integer vector of ports to consider

**Examples**

```
if(require('httpuv')){
h <- new_handle(url = 'https://hb.cran.dev/post')
handle_setform(h, foo = "blabla", bar = charToRaw("test"),
  myfile = form_file(system.file("DESCRIPTION"), "text/description"))

# Echo the POST request data
formdata <- curl_echo(h)

# Show the multipart body
cat(rawToChar(formdata$body))

# Parse multipart
webutils::parse_http(formdata$body, formdata$content_type)
}
```

curl\_escape                      *URL encoding*

---

**Description**

Escape all special characters (i.e. everything except for a-z, A-Z, 0-9, '-', '.', '\_' or '~') for use in URLs.

**Usage**

```
curl_escape(url)
```

```
curl_unescape(url)
```

**Arguments**

url                      A character vector (typically containing urls or parameters) to be encoded/decoded

**Examples**

```
# Escape strings
out <- curl_escape("foo = bar + 5")
curl_unescape(out)

# All non-ascii characters are encoded
mu <- "\u00b5"
curl_escape(mu)
curl_unescape(curl_escape(mu))
```

---

curl\_fetch\_memory                *Fetch the contents of a URL*

---

**Description**

Low-level bindings to write data from a URL into memory, disk or a callback function.

**Usage**

```
curl_fetch_memory(url, handle = new_handle())
```

```
curl_fetch_disk(url, path, handle = new_handle())
```

```
curl_fetch_stream(url, fun, handle = new_handle())
```

```
curl_fetch_multi(
  url,
```

```

done = NULL,
fail = NULL,
pool = NULL,
data = NULL,
handle = new_handle()
)

curl_fetch_echo(url, handle = new_handle())

handle_data(handle)

```

### Arguments

url	A character string naming the URL of a resource to be downloaded.
handle	A curl handle object.
path	Path to save results
fun	Callback function. Should have one argument, which will be a raw vector.
done	callback function for completed request. Single argument with response data in same structure as <a href="#">curl_fetch_memory</a> .
fail	callback function called on failed request. Argument contains error message.
pool	a multi handle created by <a href="#">new_pool</a> . Default uses a global pool.
data	(advanced) callback function, file path, or connection object for writing incoming data. This callback should only be used for <i>streaming</i> applications, where small pieces of incoming data get written before the request has completed. The signature for the callback function is <code>write(data, final = FALSE)</code> . If set to NULL the entire response gets buffered internally and returned by in the done callback (which is usually what you want).

### Details

The `curl_fetch_*`(`)` functions automatically raise an error upon protocol problems (network, disk, TLS, etc.) but do not implement application logic. For example, you need to check the status code of HTTP requests in the response by yourself, and deal with it accordingly.

Both `curl_fetch_memory()` and `curl_fetch_disk` have a blocking and a non-blocking C implementation. The latter is slightly slower but allows for interrupting the download prematurely (using e.g. CTRL+C or ESC). Interrupting is enabled when R runs in interactive mode or when `getOption("curl_interrupt") == TRUE`.

The `curl_fetch_multi()` function is the asynchronous equivalent of `curl_fetch_memory()`. It wraps `multi_add()` to schedule requests which are executed concurrently when calling `multi_run()`. For each successful request, the done callback is triggered with response data. For failed requests (when `curl_fetch_memory()` would raise an error), the fail function is triggered with the error message.

After a request has been performed, metadata from the request can be read from the handle object using `handle_data()` (this same information also gets returned by `curl_fetch_memory()` directly). It includes things like:

- Final URL (after redirects)
- HTTP status code
- Content-type
- Response headers
- Timings
- Http-version This data remains available in the handle until it is either re-used for a new request, or `handle_reset()` is called.

## Examples

```
# Load in memory
res <- curl_fetch_memory("https://hb.cran.dev/cookies/set?foo=123&bar=ftw")
res$content

# Save to disk
res <- curl_fetch_disk("https://hb.cran.dev/stream/10", tempfile())
res$content
readLines(res$content)

# Stream with callback
drip_url <- "https://hb.cran.dev/drip?duration=3&numbytes=15&code=200"
res <- curl_fetch_stream(drip_url, function(x){
  cat(rawToChar(x))
})

# Async API
data <- list()
success <- function(res){
  cat("Request done! Status:", res$status, "\n")
  data <- c(data, list(res))
}
failure <- function(msg){
  cat("Oh noes! Request failed!", msg, "\n")
}
curl_fetch_multi("https://hb.cran.dev/get", success, failure)
curl_fetch_multi("https://hb.cran.dev/status/418", success, failure)
curl_fetch_multi("https://urldoesnotexist.xyz", success, failure)
multi_run()
str(data)
```

---

curl\_options

*List curl version and options.*

---

## Description

`curl_version()` shows the versions of libcurl, libssl and zlib and supported protocols. `curl_options()` lists all options available in the current version of libcurl. The dataset `curl_symbols` lists all symbols (including options) provides more information about the symbols, including when support was added/removed from libcurl.

**Usage**

```
curl_options(filter = "")  
  
curl_options_table(filter = "")  
  
curl_symbols(filter = "")  
  
curl_version()
```

**Arguments**

filter                    string: only return options with string in name

**Examples**

```
# Available options  
curl_options()  
  
# List proxy options  
curl_options("proxy")  
  
# Symbol table  
curl_symbols("proxy")  
# Curl/ssl version info  
curl_version()
```

---

curl\_parse\_url                    *Normalizing URL parser*

---

**Description**

Interfaces the libcurl **URL parser**. URLs are automatically normalized where possible, such as in the case of relative paths or url-encoded queries (see examples). When parsing hyperlinks from a HTML document, it is possible to set baseurl to the location of the document itself such that relative links can be resolved.

**Usage**

```
curl_parse_url(  
  url,  
  baseurl = NULL,  
  decode = TRUE,  
  params = TRUE,  
  default_scheme = FALSE  
)  
  
curl_modify_url(  
  url = NULL,
```

```

scheme = NULL,
host = NULL,
port = NULL,
path = NULL,
query = NULL,
fragment = NULL,
user = NULL,
password = NULL,
params = NULL
)

```

### Arguments

url	either URL string or list returned by <code>curl_parse_url</code> . Use this to modify a URL using the other parameters.
baseurl	use this as the parent if url may be a relative path
decode	automatically <code>url-decode</code> output into the actual values. If set to FALSE, values for query, path, fragment, user and password are returned in url-encoded format.
params	named character vector with http GET parameters. This will automatically be converted to <code>application/x-www-form-urlencoded</code> and override query,
default_scheme	when url is provided without a scheme prefix, assume <code>https://</code> .
scheme	string with e.g. <code>https</code> . Required if no url parameter was given.
host	string with hostname. Required if no url parameter was given.
port	string or number with port, e.g. <code>"443"</code> .
path	piece of the url starting with / up till ? or #
query	piece of url starting with ? up till #. Only used if no params is given.
fragment	part of url starting with #.
user	string with username
password	string with password

### Details

A valid URL contains at least a scheme and a host, other pieces are optional. If these are missing, the parser raises an error. Otherwise it returns a list with the following elements:

- *url*: the normalized input URL
- *scheme*: the protocol part before the `://` (required)
- *host*: name of host without port (required)
- *port*: decimal between 0 and 65535
- *path*: normalized path up till the ? of the url
- *query*: search query: part between the ? and # of the url. Use params below to get individual parameters from the query.
- *fragment*: the hash part after the # of the url

- *user*: authentication username
- *password*: authentication password
- *params*: named vector with parameters from query if set

Each element above is either a string or NULL, except for *params* which is always a character vector with the length equal to the number of parameters.

Note that the *params* field is only usable if the query is in the usual `application/x-www-form-urlencoded` format which is technically not part of the RFC. Some services may use e.g. a json blob as the query, in which case the parsed *params* field here can be ignored. There is no way for the parser to automatically infer or validate the query format, this is up to the caller.

For more details on the URL format see [rfc3986](#) or the steps explained in the [whatwg basic url parser](#).

You can use `curl_modify_url()` both to modify an existing URL, or to create new URL from scratch. Arguments get automatically URL-encoded where needed, unless wrapped in `I()`. If *params* is given, this gets converted into a `application/x-www-form-urlencoded` string which overrides query. When modifying a URL, use an empty string `""` to unset a piece of the URL.

## Examples

```
url <- "https://jerry:secret@google.com:888/foo/bar?test=123#bla"
curl_parse_url(url)

# Resolve relative links from a baseurl
curl_parse_url("/somelink", baseurl = url)

# Paths get normalized
curl_parse_url("https://foobar.com/foo/bar/../../baz/../../yolo")$url

# Also normalizes URL-encoding (these URLs are equivalent):
url1 <- "https://ja.wikipedia.org/wiki/\u5bff\u53f8"
url2 <- "https://ja.wikipedia.org/wiki/%e5%af%bf%e5%8f%b8"
curl_parse_url(url1)$path
curl_parse_url(url2)$path
curl_parse_url(url1, decode = FALSE)$path
curl_parse_url(url1, decode = FALSE)$path
```

---

curl\_upload

*Upload a File*

---

## Description

Upload a file to an `http://`, `ftp://`, or `sftp://` (ssh) server. Uploading to HTTP means performing an HTTP PUT on that URL. Be aware that sftp is only available for libcurl clients built with libssh2.

## Usage

```
curl_upload(file, url, verbose = TRUE, reuse = TRUE, ...)
```

**Arguments**

file	connection object or path to an existing file on disk
url	where to upload, should start with e.g. ftp://
verbose	emit some progress output
reuse	try to keep alive and recycle connections when possible
...	other arguments passed to <code>handle_setopt()</code> , for example a username and password.

**Examples**

```
## Not run: # Upload package to winbuilder:
curl_upload('mypkg_1.3.tar.gz', 'ftp://win-builder.r-project.org/R-devel/')

## End(Not run)
```

---

file\_writer

*Lazy File Writer*

---

**Description**

Generates a closure that writes binary (raw) data to a file.

**Usage**

```
file_writer(path, append = FALSE)
```

**Arguments**

path	file name or path on disk
append	open file in append mode

**Details**

The writer function automatically opens the file on the first write and closes when it goes out of scope, or explicitly by setting `close = TRUE`. This can be used for the data callback in `multi_add()` or `curl_fetch_multi()` such that we only keep open file handles for active downloads. This prevents running out of file descriptors when performing thousands of concurrent requests.

**Value**

Function with signature `writer(data = raw(), close = FALSE)`

**Examples**

```
# Doesn't open yet
tmp <- tempfile()
writer <- file_writer(tmp)

# Now it opens
writer(charToRaw("Hello!\n"))
writer(charToRaw("How are you?\n"))

# Close it!
writer(charToRaw("All done!\n"), close = TRUE)

# Check it worked
readLines(tmp)
```

---

handle	<i>Create and configure a curl handle</i>
--------	---

---

**Description**

Handles are the work horses of libcurl. A handle is used to configure a request with custom options, headers and payload. Once the handle has been set up, it can be passed to any of the download functions such as `curl()`, `curl_download()` or `curl_fetch_memory()`. The handle will maintain state in between requests, including keep-alive connections, cookies and settings.

**Usage**

```
new_handle(...)

handle_setopt(handle, ..., .list = list())

handle_setheaders(handle, ..., .list = list())

handle_getheaders(handle)

handle_setform(handle, ..., .list = list())

handle_reset(handle)
```

**Arguments**

...	named options / headers to be set in the handle. To send a file, see <code>form_file()</code> . To list all allowed options, see <code>curl_options()</code>
handle	Handle to modify
.list	A named list of options. This is useful if you've created a list of options elsewhere, avoiding the use of <code>do.call()</code> .

## Details

Use `new_handle()` to create a new clean curl handle that can be configured with custom options and headers. Note that `handle_setopt` appends or overrides options in the handle, whereas `handle_setheaders` replaces the entire set of headers with the new ones. The `handle_reset` function resets only options/headers/forms in the handle. It does not affect active connections, cookies or response data from previous requests. The safest way to perform multiple independent requests is by using a separate handle for each request. There is very little performance overhead in creating handles.

The `handle_setform` function is used to perform a multipart/form-data HTTP POST request (a.k.a. posting a form). The form fields can be specified as strings, raw vectors (for binary data), or `form_file` and `form_data` for upload elements. See the examples.

## Value

A handle object (external pointer to the underlying curl handle). All functions modify the handle in place but also return the handle so you can create a pipeline of operations.

## See Also

Other handles: `handle_cookies()`

## Examples

```
h <- new_handle()
handle_setopt(h, customrequest = "PUT")
handle_setform(h, a = "1", b = "2")
r <- curl_fetch_memory("https://hb.cran.dev/put", h)
cat(rawToChar(r$content))

# Or use the list form
h <- new_handle()
handle_setopt(h, .list = list(customrequest = "PUT"))
handle_setform(h, .list = list(a = "1", b = "2"))
r <- curl_fetch_memory("https://hb.cran.dev/put", h)
cat(rawToChar(r$content))

# Posting multipart forms
h <- new_handle()
handle_setform(h,
  foo = "blabla",
  bar = charToRaw("boeboe"),
  iris = form_data(serialize(iris, NULL), "application/rda"),
  description = form_file(system.file("DESCRIPTION")),
  logo = form_file(file.path(R.home('doc'), "html/logo.jpg"), "image/jpeg")
)
req <- curl_fetch_memory("https://hb.cran.dev/post", handle = h)
```

---

handle_cookies	<i>Extract cookies from a handle</i>
----------------	--------------------------------------

---

### Description

The `handle_cookies` function returns a data frame with 7 columns as specified in the [netscape cookie file format](#).

### Usage

```
handle_cookies(handle)
```

### Arguments

`handle` a curl handle object

### See Also

Other handles: [handle](#)

### Examples

```
h <- new_handle()
handle_cookies(h)

# Server sets cookies
req <- curl_fetch_memory("https://hb.cran.dev/cookies/set?foo=123&bar=ftw", handle = h)
handle_cookies(h)

# Server deletes cookies
req <- curl_fetch_memory("https://hb.cran.dev/cookies/delete?foo", handle = h)
handle_cookies(h)

# Cookies will survive a reset!
handle_reset(h)
handle_cookies(h)
```

---

ie_proxy	<i>Internet Explorer proxy settings</i>
----------	---

---

### Description

Lookup and mimic the system proxy settings on Windows as set by Internet Explorer. This can be used to configure curl to use the same proxy server.

**Usage**

```
ie_proxy_info()

ie_get_proxy_for_url(target_url = "http://www.google.com")
```

**Arguments**

target\_url      url with host for which to lookup the proxy server

**Details**

The [ie\\_proxy\\_info](#) function looks up your current proxy settings as configured in IE under "Internet Options" under "LAN Settings". The [ie\\_get\\_proxy\\_for\\_url](#) determines if and which proxy should be used to connect to a particular URL. If your settings have an "automatic configuration script" this involves downloading and executing a PAC file, which can take a while.

---

multi

*Async Concurrent Requests*

---

**Description**

AJAX style concurrent requests, possibly using HTTP/2 multiplexing. Results are only available via callback functions. Advanced use only! For downloading many files in parallel use [multi\\_download](#) instead.

**Usage**

```
multi_add(handle, done = NULL, fail = NULL, data = NULL, pool = NULL)

multi_run(timeout = Inf, poll = FALSE, pool = NULL)

multi_set(
  total_con = 50,
  host_con = 6,
  max_streams = 10,
  multiplex = TRUE,
  pool = NULL
)

multi_list(pool = NULL)

multi_cancel(handle)

new_pool(total_con = 100, host_con = 6, max_streams = 10, multiplex = TRUE)

multi_fdset(pool = NULL)
```

## Arguments

handle	a curl <a href="#">handle</a> with preconfigured url option.
done	callback function for completed request. Single argument with response data in same structure as <a href="#">curl_fetch_memory</a> .
fail	callback function called on failed request. Argument contains error message.
data	(advanced) callback function, file path, or connection object for writing incoming data. This callback should only be used for <i>streaming</i> applications, where small pieces of incoming data get written before the request has completed. The signature for the callback function is <code>write(data, final = FALSE)</code> . If set to NULL the entire response gets buffered internally and returned by in the done callback (which is usually what you want).
pool	a multi handle created by <a href="#">new_pool</a> . Default uses a global pool.
timeout	max time in seconds to wait for results. Use 0 to poll for results without waiting at all.
poll	If TRUE then return immediately after any of the requests has completed. May also be an integer in which case it returns after n requests have completed.
total_con	max total concurrent connections.
host_con	max concurrent connections per host.
max_streams	max HTTP/2 concurrent multiplex streams per connection.
multiplex	use HTTP/2 multiplexing if supported by host and client.

## Details

Requests are created in the usual way using a curl [handle](#) and added to the scheduler with [multi\\_add](#). This function returns immediately and does not perform the request yet. The user needs to call [multi\\_run](#) which performs all scheduled requests concurrently. It returns when all requests have completed, or case of a timeout or SIGINT (e.g. if the user presses ESC or CTRL+C in the console). In case of the latter, simply call [multi\\_run](#) again to resume pending requests.

When the request succeeded, the done callback gets triggered with the response data. The structure if this data is identical to [curl\\_fetch\\_memory](#). When the request fails, the fail callback is triggered with an error message. Note that failure here means something went wrong in performing the request such as a connection failure, it does not check the http status code. Just like [curl\\_fetch\\_memory](#), the user has to implement application logic.

Raising an error within a callback function stops execution of that function but does not affect other requests.

A single handle cannot be used for multiple simultaneous requests. However it is possible to add new requests to a pool while it is running, so you can re-use a handle within the callback of a request from that same handle. It is up to the user to make sure the same handle is not used in concurrent requests.

The [multi\\_cancel](#) function can be used to cancel a pending request. It has no effect if the request was already completed or canceled.

The [multi\\_fdset](#) function returns the file descriptors curl is polling currently, and also a timeout parameter, the number of milliseconds an application should wait (at most) before proceeding. It is equivalent to the `curl_multi_fdset` and `curl_multi_timeout` calls. It is handy for applications that is expecting input (or writing output) through both curl, and other file descriptors.

**See Also**

Advanced download interface: [multi\\_download](#)

**Examples**

```
results <- list()
success <- function(x){
  results <-< append(results, list(x))
}
failure <- function(str){
  cat(paste("Failed request:", str), file = stderr())
}
# This handle will take longest (3sec)
h1 <- new_handle(url = "https://hb.cran.dev/delay/3")
multi_add(h1, done = success, fail = failure)

# This handle writes data to a file
con <- file("output.txt")
h2 <- new_handle(url = "https://hb.cran.dev/post", postfields = "bla bla")
multi_add(h2, done = success, fail = failure, data = con)

# This handle raises an error
h3 <- new_handle(url = "https://urldoesnotexist.xyz")
multi_add(h3, done = success, fail = failure)

# Actually perform the requests
multi_run(timeout = 2)
multi_run()

# Check the file
readLines("output.txt")
unlink("output.txt")
```

---

multipart

*POST files or data*

---

**Description**

Build multipart form data elements. The `form_file` function uploads a file. The `form_data` function allows for posting a string or raw vector with a custom content-type.

**Usage**

```
form_file(path, type = NULL, name = NULL)
```

```
form_data(value, type = NULL)
```

**Arguments**

path	a string with a path to an existing file on disk
type	MIME content-type of the file.
name	a string with the file name to use for the upload
value	a character or raw vector to post

---

multi_download	<i>Advanced download interface</i>
----------------	------------------------------------

---

**Description**

Download multiple files concurrently, with support for resuming large files. This function is based on [multi\\_run\(\)](#) and hence does not error in case any of the individual requests fail; you should inspect the return value to find out which of the downloads were completed successfully.

**Usage**

```
multi_download(
  urls,
  destfiles = NULL,
  resume = FALSE,
  progress = TRUE,
  multi_timeout = Inf,
  multiplex = TRUE,
  ...
)
```

**Arguments**

urls	vector with URLs to download. Alternatively it may also be a list of <a href="#">handle</a> objects that have the url option already set.
destfiles	vector (of equal length as urls) with paths of output files, or NULL to use <a href="#">base-name</a> of urls.
resume	if the file already exists, resume the download. Note that this may change server responses, see details.
progress	print download progress information
multi_timeout	in seconds, passed to <a href="#">multi_run</a>
multiplex	passed to <a href="#">new_pool</a>
...	extra handle options passed to each request <a href="#">new_handle</a>

## Details

Upon completion of all requests, this function returns a data frame with results. The success column indicates if a request was successfully completed (regardless of the HTTP status code). If it failed, e.g. due to a networking issue, the error message is in the error column. A success value NA indicates that the request was still in progress when the function was interrupted or reached the elapsed multi\_timeout and perhaps the download can be resumed if the server supports it.

It is also important to inspect the status\_code column to see if any of the requests were successful but had a non-success HTTP code, and hence the downloaded file probably contains an error page instead of the requested content.

Note that when you set resume = TRUE you should expect HTTP-206 or HTTP-416 responses. The latter could indicate that the file was already complete, hence there was no content left to resume from the server. If you try to resume a file download but the server does not support this, success is FALSE and the file will not be touched. In fact, if we request to a download to be resumed and the server responds HTTP 200 instead of HTTP 206, libcurl will error and not download anything, because this probably means the server did not respect our range request and is sending us the full file.

### About HTTP/2:

Availability of HTTP/2 can increase the performance when making many parallel requests to a server, because HTTP/2 can multiplex many requests over a single TCP connection. Support for HTTP/2 depends on the version of libcurl that your system has, and the TLS back-end that is in use, check [curl\\_version](#). For clients or servers without HTTP/2, curl makes at most 6 connections per host over which it distributes the queued downloads.

On Windows and MacOS you can switch the active TLS backend by setting an environment variable `CURL_SSL_BACKEND` in your `~/.Renvi` file. On Windows you can switch between SecureChannel (default) and OpenSSL where only the latter supports HTTP/2. On MacOS you can use either SecureTransport or LibreSSL, the default varies by MacOS version.

## Value

The function returns a data frame with one row for each downloaded file and the following columns:

- success if the HTTP request was successfully performed, regardless of the response status code. This is FALSE in case of a network error, or in case you tried to resume from a server that did not support this. A value of NA means the download was interrupted while in progress.
- status\_code the HTTP status code from the request. A successful download is usually 200 for full requests or 206 for resumed requests. Anything else could indicate that the downloaded file contains an error page instead of the requested content.
- resumefrom the file size before the request, in case a download was resumed.
- url final url (after redirects) of the request.
- destfile downloaded file on disk.
- error if success == FALSE this column contains an error message.
- type the Content-Type response header value.
- modified the Last-Modified response header value.
- time total elapsed download time for this file in seconds.
- headers vector with http response headers for the request.

**Examples**

```
## Not run:
# Example: some large files
urls <- sprintf(
  "https://d37ci6vzurychx.cloudfront.net/trip-data/yellow_tripdata_2021-%02d.parquet", 1:12)
res <- multi_download(urls, resume = TRUE) # You can interrupt (ESC) and resume

# Example: revdep checker
# Download all reverse dependencies for the 'curl' package from CRAN:
pkg <- 'curl'
mirror <- 'https://cloud.r-project.org'
db <- available.packages(repos = mirror)
packages <- c(pkg, tools::package_dependencies(pkg, db = db, reverse = TRUE)[[pkg]])
versions <- db[packages, 'Version']
urls <- sprintf("%s/src/contrib/%s_%s.tar.gz", mirror, packages, versions)
res <- multi_download(urls)
all.equal(unname(tools::md5sum(res$destfile)), unname(db[packages, 'MD5sum']))
# And then you could use e.g.: tools::check_packages_in_dir()

# Example: URL checker
pkg_url_checker <- function(dir){
  db <- tools::url_db_from_package_sources(dir)
  res <- multi_download(db$URL, rep('/dev/null', nrow(db)), nobody=TRUE)
  db$OK <- res$status_code == 200
  db
}

# Use a local package source directory
pkg_url_checker(".")

## End(Not run)
```

---

nslookup

*Lookup a hostname*


---

**Description**

The nslookup function is similar to ns1 but works on all platforms and can resolve ipv6 addresses if supported by the OS. Default behavior raises an error if lookup fails.

**Usage**

```
nslookup(host, ipv4_only = FALSE, multiple = FALSE, error = TRUE)

has_internet()
```

**Arguments**

host	a string with a hostname
ipv4_only	always return ipv4 address. Set to FALSE to allow for ipv6 as well.
multiple	returns multiple ip addresses if possible
error	raise an error for failed DNS lookup. Otherwise returns NULL.

**Details**

The `has_internet` function tests for internet connectivity by performing a dns lookup. If a proxy server is detected, it will also check for connectivity by connecting via the proxy.

**Examples**

```
# Should always work if we are online
nslookup("www.google.com")

# If your OS supports IPv6
nslookup("ipv6.test-ipv6.com", ipv4_only = FALSE, error = FALSE)
```

---

parse\_date

*Parse date/time*

---

**Description**

Can be used to parse dates appearing in http response headers such as Expires or Last-Modified. Automatically recognizes most common formats. If the format is known, `strptime()` might be easier.

**Usage**

```
parse_date(datestring)
```

**Arguments**

datestring	a string consisting of a timestamp
------------	------------------------------------

**Examples**

```
# Parse dates in many formats
parse_date("Sunday, 06-Nov-94 08:49:37 GMT")
parse_date("06 Nov 1994 08:49:37")
parse_date("20040911 +0200")
```

---

parse_headers	<i>Parse response headers</i>
---------------	-------------------------------

---

### Description

Parse response header data as returned by `curl_fetch`, either as a set of strings or into a named list.

### Usage

```
parse_headers(txt, multiple = FALSE)
parse_headers_list(txt)
```

### Arguments

<code>txt</code>	raw or character vector with the header data
<code>multiple</code>	parse multiple sets of headers separated by a blank line. See details.

### Details

The `parse_headers_list` function parses the headers into a normalized (lowercase field names, trimmed whitespace) named list.

If a request has followed redirects, the data can contain multiple sets of headers. When `multiple = TRUE`, the function returns a list with the response headers for each request. By default it only returns the headers of the final request.

### Examples

```
req <- curl_fetch_memory("https://hb.cran.dev/redirect/3")
parse_headers(req$headers)
parse_headers(req$headers, multiple = TRUE)

# Parse into named list
parse_headers_list(req$headers)
```

---

send_mail	<i>Send email</i>
-----------	-------------------

---

### Description

Use the curl SMTP client to send an email. The message argument must be properly formatted [RFC2822](#) email message with From/To/Subject headers and CRLF line breaks.

**Usage**

```

send_mail(
    mail_from,
    mail_rcpt,
    message,
    smtp_server = "smtp://localhost",
    use_ssl = c("try", "no", "force"),
    verbose = TRUE,
    ...
)

```

**Arguments**

mail_from	email address of the sender.
mail_rcpt	one or more recipient email addresses. Do not include names, these go into the message headers.
message	either a string or connection with (properly formatted) email message, including sender/recipient/subject headers. See example.
smtp_server	hostname or address of the SMTP server, or, an smtp:// or smtps:// URL. See "Specifying the server, port, and protocol" below.
use_ssl	Request to upgrade the connection to SSL using the STARTTLS command, see <a href="#">CURLOPT_USE_SSL</a> for details. Default will try to SSL, proceed as normal otherwise.
verbose	print output
...	other options passed to <a href="#">handle_setopt()</a> . In most cases you will need to set a username and password or login_options to authenticate with the SMTP server, see details.

**Specifying the server, port, and protocol**

The smtp\_server argument takes a hostname, or an SMTP URL:

- mail.example.com - hostname only
- mail.example.com:587 - hostname and port
- smtp://mail.example.com - protocol and hostname
- smtp://mail.example.com:587 - full SMTP URL
- smtps://mail.example.com:465 - full SMTPS URL

By default, the port will be 25, unless smtps:// is specified—then the default will be 465 instead.

For internet SMTP servers you probably need to pass a [username](#) and [passwords](#) option. For some servers you also need to pass a string with [login\\_options](#) for example login\_options="AUTH=NTLM".

### Encrypting connections via SMTPS or STARTTLS

There are two different ways in which SMTP can be encrypted: SMTPS servers run on a port which only accepts encrypted connections, similar to HTTPS. Alternatively, a regular insecure smtp connection can be "upgraded" to a secure TLS connection using the STARTTLS command. It is important to know which method your server expects.

If your smtp server listens on port 465, then use a `smtps://hostname:465` URL. The SMTPS protocol *guarantees* that TLS will be used to protect all communications from the start.

If your email server listens on port 25 or 587, use an `smtp://` URL in combination with the `use_ssl` parameter to control if the connection should be upgraded with STARTTLS. The default value "try" will *opportunistically* try to upgrade to a secure connection if the server supports it, and proceed as normal otherwise.

### Examples

```
## Not run: # Set sender and recipients (email addresses only)
recipients <- readline("Enter your email address to receive test: ")
sender <- 'test@noreply.com'

# Full email message in RFC2822 format
message <- 'From: "R (curl package)" <test@noreply.com>
To: "Roger Recipient" <roger@noreply.com>
Subject: Hello R user!

Dear R user,

I am sending this email using curl.'

# Send the email
send_mail(sender, recipients, message, smtp_server = 'smtps://smtp.gmail.com',
  username = 'curlpackage', password = 'qyyjddvphjsrbnlm')
## End(Not run)
```

# Index

## \* handles

- handle, 13
- handle\_cookies, 15

basename, 19

curl, 2

curl(), 13

curl\_download, 4

curl\_download(), 13

curl\_echo, 5

curl\_escape, 6

curl\_fetch\_disk (curl\_fetch\_memory), 6

curl\_fetch\_echo (curl\_fetch\_memory), 6

curl\_fetch\_memory, 6, 7, 17

curl\_fetch\_memory(), 13

curl\_fetch\_multi (curl\_fetch\_memory), 6

curl\_fetch\_stream (curl\_fetch\_memory), 6

curl\_modify\_url (curl\_parse\_url), 9

curl\_modify\_url(), 11

curl\_options, 8

curl\_options(), 13

curl\_options\_table (curl\_options), 8

curl\_parse\_url, 9, 10

curl\_symbols (curl\_options), 8

curl\_unescape (curl\_escape), 6

curl\_upload, 11

curl\_version, 20

curl\_version (curl\_options), 8

download.file(), 4

file\_writer, 12

find\_port (curl\_echo), 5

form\_data, 14

form\_data (multipart), 18

form\_file, 14

form\_file (multipart), 18

form\_file(), 13

handle, 13, 15, 17, 19

handle(), 2, 4

handle\_cookies, 15

handle\_cookies(), 14

handle\_data (curl\_fetch\_memory), 6

handle\_getheaders (handle), 13

handle\_reset (handle), 13

handle\_setform, 14

handle\_setform (handle), 13

handle\_setheaders (handle), 13

handle\_setopt (handle), 13

handle\_setopt(), 12, 24

has\_internet (nslookup), 21

ie\_get\_proxy\_for\_url, 16

ie\_get\_proxy\_for\_url (ie\_proxy), 15

ie\_proxy, 15

ie\_proxy\_info, 16

ie\_proxy\_info (ie\_proxy), 15

isIncomplete(), 2

multi, 16

multi\_add, 17

multi\_add (multi), 16

multi\_add(), 7

multi\_cancel, 17

multi\_cancel (multi), 16

multi\_download, 4, 16, 18, 19

multi\_fdset, 17

multi\_fdset (multi), 16

multi\_list (multi), 16

multi\_run, 17, 19

multi\_run (multi), 16

multi\_run(), 7, 19

multi\_set (multi), 16

multipart, 18

new\_handle, 19

new\_handle (handle), 13

new\_pool, 7, 17, 19

new\_pool (multi), 16

`nslookup`, [21](#)

`parse_date`, [22](#)

`parse_headers`, [23](#)

`parse_headers_list (parse_headers)`, [23](#)

`send_mail`, [23](#)

`strptime()`, [22](#)

`url()`, [2](#)

`url-decode`, [10](#)