

Package ‘drumr’

May 8, 2026

Title Turn R into a Drum Machine

Version 0.1.0

Description Includes various functions for playing drum sounds. `beat()` plays a drum sound from one of the six included drum kits. `tempo()` sets spacing between calls to `beat()` in bpm. Together the two functions can be used to create many different drum patterns.

Depends R (>= 3.1.0)

License GPL-3

LazyData true

Imports audio, stringr

RoxygenNote 6.1.1

Encoding UTF-8

NeedsCompilation no

Author James Martherus [aut, cre]

Maintainer James Martherus <james@martherus.com>

Repository CRAN

Date/Publication 2019-10-03 06:50:12 UTC

Contents

| | |
|-----------------|----------|
| beat | 2 |
| tempo | 3 |
| Index | 4 |

| | |
|------|--------------------------|
| beat | <i>Play a drum sound</i> |
|------|--------------------------|

Description

beat plays a drum beat.

Usage

```
beat(drum = "snare", kit = "acoustic", expr = NULL)
```

Arguments

| | |
|------|---|
| drum | character string or number specifying which drum is to be played by specifying one of the built in sounds. The default is "snare". Every kit includes at least four pieces: <ol style="list-style-type: none">1. "kick"2. "snare"3. "hihat"4. "crash" If drum does not match any of the options in this list, a random sound will be played. |
| kit | character string specifying which kit is to be used. The default is "acoustic." Possible kits are: <ol style="list-style-type: none">1. "acoustic"2. "hiphop"3. "electro"4. "beatbox"5. "world"6. "r2d2" If kit does not match any of the options in this list, a random sound will be played. |
| expr | An optional expression to be executed before the sound. |

Examples

```
# Play a "snare" sound from the "acoustic" kit
beat()
```

```
# Play a bass sound from the hiphop kit.
beat(drum="kick", kit="hiphop")
```

| | |
|-------|--------------------|
| tempo | <i>Set a tempo</i> |
|-------|--------------------|

Description

tempo is a wrapper for Sys.time() that sets a tempo in bpm.

Usage

```
tempo(bpm = 120)
```

Arguments

bpm A number specifying the tempo in beats per minute. Default is 120.

Examples

```
# Set tempo at 60 beats per minute  
tempo(60)
```

Index

beat, [2](#)

tempo, [3](#)