

Package ‘emphatic’

May 8, 2026

Type Package

Title Exploratory Analysis of Tabular Data using Colour Highlighting

Version 0.1.8

Maintainer Mike Cheng <mikefc@coolbutuseless.com>

Description Tools for exploratory analysis of tabular data using colour highlighting. Highlighting is displayed in any console supporting 'ANSI' colours, and can be converted to 'HTML', 'typst', 'latex' and 'SVG'. 'quarto' and 'rmarkdown' rendering are directly supported. It is also possible to add colour to regular expression matches and highlight differences between two arbitrary R objects.

URL <https://coolbutuseless.github.io/package/emphatic/>,
<https://github.com/coolbutuseless/emphatic>

BugReports <https://github.com/coolbutuseless/emphatic/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.3.1

Depends R (>= 2.10)

Suggests knitr, rmarkdown, dplyr, ggplot2, tidyr, purrr, testthat,
openxlsx

VignetteBuilder knitr

NeedsCompilation no

Author Mike Cheng [aut, cre, cph]

Repository CRAN

Date/Publication 2024-05-28 16:10:05 UTC

Contents

as.character.emphatic	2
as_emphatic	3
as_html	4
as_latex	5
as_svg	5
as_svg_anim	6
as_svg_group	7
as_typst	8
challenger	9
hl	10
hl_adjust	11
hl_diff	12
hl_grep	13
hl_opts	15
is_emphatic	16
knit_print.emphatic	16
print.emphatic	17
sea_ice_area	17
show_html	18
sydney_rain	18
write_xlsx	19

Index	20
--------------	-----------

as.character.emphatic *Convert an emphatic data.frame, matrix or atomic vector into a character string.*

Description

The output contains ANSI escape codes to colour the elements in the object. This string would then be suitable to pass on to `fansi` for further manipulation e.g. conversion to HTML for displaying in a vignette.

Usage

```
## S3 method for class 'emphatic'
as.character(x, ..., mode = "ansi")
```

Arguments

x	emphatic data.frame, matrix or atomic vector
...	other arguments passed on to <code>format()</code>
mode	Render mode 'ansi' (default) or 'html' determines how the colours will be represented in text. If you're in a terminal or console, then choose 'ansi'.

Value

A character string of the requested mode

Examples

```
mtcars |>
  as_emphatic() |>
  as.character()
```

as_emphatic	<i>Convert a data.frame, matrix or atomic vector into an emphatic version</i>
-------------	---

Description

This usually does not need to be called explicitly by the user.

Usage

```
as_emphatic(.data)
```

Arguments

`.data` data.frame, matrix or atomic vector

Details

The function adds the attributes necessary for keeping track of the colours assigned to each cell. This consists of 2 character matrices - one for the text colour and one for the background colour.

Colour information is stored as R colour names (e.g. 'red') or 6 character hex colours (e.g. '#ff0000').

Value

An emphatic version of the given `.data` with added attributes for text and fill colours

Examples

```
mtcars |>
  head() |>
  as_emphatic()
```

`as_html`*Render an emphatic object to HTML*

Description

Render an emphatic object to HTML

Usage

```
as_html(  
  x,  
  ...,  
  font_size = NULL,  
  style = list(),  
  complete = FALSE,  
  browsable = FALSE  
)
```

Arguments

<code>x</code>	emphatic object
<code>...</code>	other arguments passed to <code>as.character.emphatic()</code>
<code>font_size</code>	CSS font-size. Default: <code>NULL</code> means to not adjust font size. Otherwise, use valid CSS font-size specification e.g. "3em", "22px" etc.
<code>style</code>	html tag styling to apply to the <code><pre></code> wrapper for the returned HTML
<code>complete</code>	logical. Default: <code>FALSE</code> . If <code>TRUE</code> , then add <code>DOCTYPE</code> and the tags for 'html', 'body' and 'head' to make a complete standalone html file.
<code>browsable</code>	Should the SVG be rendered to the RStudio Viewer pane when when printed (instead of console output)? Default: <code>FALSE</code>

Value

Character string containing HTML representation

Examples

```
hl_diff('hello', 'there') |>  
  as_html() |>  
  cat()
```

as_latex	<i>Render an emphatic object to Latex</i>
----------	---

Description

Render an emphatic object to Latex

Usage

```
as_latex(x, ..., font_size = NULL)
```

Arguments

x	emphatic object
...	other arguments passed to <code>as.character.emphatic()</code>
font_size	Integer value indicating font size measured in points. Default: NULL.

Value

single character string containing a latex representation

Examples

```
hl_diff("hello", "there") |>  
  as_latex() |>  
  cat()
```

as_svg	<i>Wrap a single emphatic object into an SVG for display</i>
--------	--

Description

This is mainly useful within a github README.md since github will not rendered html-styled text in colour, but *will* render it correctly if it is within a `<svg>` tags.

Usage

```
as_svg(  
  x,  
  width = 1200,  
  height = 900,  
  ...,  
  font_size = NULL,  
  style = list(),  
  browsable = FALSE  
)
```

Arguments

x	emphatic object
width, height	viewBox dimensions for SVG
...	other arguments passed to <code>as.character.emphatic()</code>
font_size	CSS font-size. Default: NULL means to not adjust font size. Otherwise, use valid CSS font-size specification e.g. "3em", "22px" etc.
style	html tag styling to apply to the <code><pre></code> wrapper for the returned HTML
browsable	Should the SVG be rendered to the RStudio Viewer pane when when printed (instead of console output)? Default: FALSE

Details

This is just a the results of `as_html()` wrapped in `<svg>` tags

Value

Character string containing SVG representation

Examples

```
hl_diff('hello', 'there') |>
  as_svg() |>
  cat()
```

as_svg_anim

Wrap multiple emphatic object into an SVG animation

Description

Idea borrowed from `pointblank`

Usage

```
as_svg_anim(
  x,
  width = 1200,
  height = 900,
  duration = 1,
  playback = c("infinite", "click"),
  font_size = NULL,
  style = list(),
  svg_id = NULL,
  browsable = FALSE
)
```

Arguments

x	list of emphatic objects
width, height	viewBox dimensions for SVG
duration	frame duration in seconds. May be a single value used for all frames, or a vector of values (one duration value for each frame). Can be fractions of a second.
playback	'click', 'infinite'
font_size	CSS font-size. Default: NULL means to not adjust font size. Otherwise, use valid CSS font-size specification e.g. "3em", "22px" etc.
style	html tag styling to apply to the <pre> wrapper for the returned HTML
svg_id	ID to use for the SVG tag. Default: NULL means to create a random ID
browsable	Should the SVG be rendered to the RStudio Viewer pane when when printed (instead of console output)? Default: FALSE

Value

Character string containing an animated SVG representation displaying all elements sequentially

Examples

```
list(
  hl_diff('hello', 'there'),
  hl_diff('goodbye', 'good boy')
) |>
  as_svg_anim() |>
  cat()
```

as_svg_group

Wrap an emphatic object to part of an SVG

Description

This function wraps html in SVG group tags (i.e. <g>). This may then be wrapped in <svg> tags to create a stand-alone SVG.

Usage

```
as_svg_group(
  x,
  width = 1200,
  height = 900,
  font_size = NULL,
  style = list(),
  visible = TRUE,
  extra = NULL,
  ...
)
```

Arguments

x	emphatic object
width, height	viewBox dimensions for SVG
font_size	CSS font-size. Default: NULL means to not adjust font size. Otherwise, use valid CSS font-size specification e.g. "3em", "22px" etc.
style	html tag styling to apply to the <pre> wrapper for the returned HTML
visible	should the group be visible? Default: TRUE. When animating, every frame other than the first should be set as visible = FALSE.
extra	extra tags to insert into group. default NULL
...	other arguments passed to as.character.emphatic()

Details

This function is used internally by both as_svg() and as_svg_anim()

Value

Character string containing representation as an SVG group element i.e. <g>. This result is suitable for combining with other SVG elements into a custom SVG document.

Examples

```
hl_diff('hello', 'there') |>
  as_svg_group() |>
  cat()
```

as_typst

Render an emphatic object to typst

Description

Render an emphatic object to typst

Usage

```
as_typst(x, ..., font_size = 10, font = NA, line_spacing = 0.3)
```

Arguments

x	emphatic object
...	other arguments passed to as.character.emphatic()
font_size	font size in points. default: 10
font	name of font. Default: NA means to just use the default raw font
line_spacing	line spacing in em units. Default: 0.3

Value

Character string containing typst representation

Examples

```
hl_diff("hello", "there") |>
  as_typst() |>
  cat()
```

challenger

Challenger o-ring dataset

Description

A dataset containing information about the o-ring status of the flights leading up to the Space Shuttle Challenger disaster.

Usage

```
challenger
```

Format

A data.frame

flight Flight number

temp Launch temperature (Fahrenheit)

erosion Number of o-ring erosion incidents

blowby Number of o-ring blow-by incidents

damage Damage severity index

date Date of launch

Details

Sourced from a table in Tufte's "Visual and Statistical Thinking"

hl *Highlight elements in a data.frame*

Description

Highlight elements in a `data.frame` by specifying rows and columns, and the colour to be applied. The colour can be either a vector of colours expressed as characters (e.g. `'red'`, `'#ff0000'`), or a `ggplot2` Scale object e.g. `scale_colour_viridis_c()`.

Usage

```
hl(
  .data,
  palette,
  rows = NULL,
  cols = NULL,
  scale_apply,
  elem = "fill",
  show_legend = FALSE,
  opts = hl_opts()
)
```

Arguments

<code>.data</code>	emphatic <code>data.frame</code>
<code>palette</code>	colours to use for highlighting. This may be a single R colour, a vector of R colours, or a <code>ggplot2</code> style "Scale" object e.g. <code>scale_colour_continuous()</code> .
<code>rows, cols</code>	specification for rows and columns to target. Default is <code>NULL</code> for both rows and columns, which will target all columns/rows. When <code>palette</code> argument is a scale object, then <code>cols</code> indicates the columns which will be used to calculate the extents of the scale.
<code>scale_apply</code>	Only valid when <code>palette</code> is a scale object, specify the target columns to colour. If missing (the default), this function will only colour the column specified in the <code>cols</code> argument. Use <code>NULL</code> to colour all columns.
<code>elem</code>	Apply the highlighting to the <code>'fill'</code> (the background) or the <code>'text'</code> . Default: <code>'fill'</code>
<code>show_legend</code>	if a scale object is used for colour, and <code>show_legend = TRUE</code> , then a colourbar legend will be added to the bottom of the output. Default: <code>FALSE</code>
<code>opts</code>	create options list

Value

An emphatic object suitable to output to console (for example)

Row and Column Specifications

Specifying rows and columns can be done in a number of ways. These methods are similar to the ideas of `tidyselect` and `dplyr` commands such as `filter()` and `select()`

numeric vector row or column indices specified as a numeric vector e.g. `c(1, 2, 8)`

character vector vector of names matching row or column names e.g. `c('mpg', 'wt')`

vector of symbols/names vector of symbols which will be evaluated as column names e.g. `c(mpg, wt)`

numeric range range of indices specified using the `:` operator e.g. `1:8`

symbolic range range of columns specified using the `:` operator e.g. `mpg:wt`

tidyselect-style selectors `starts_with()`, `ends_with()`, `everything()`, `all_of()`, `any_of()`, `matches()` `contains()`, `row_number()`, `n()`. These work similar to `dplyr` and `tidyselect` but are bespoke implementations so there may be some differences

NULL specifying NULL means that all rows/columns will be selected

all() specifying `all()` means that all rows/columns will be selected

code that will evaluate to row positions For *row* selection only, the user can specify code which will evaluate to a logical vector of rows which the highlighting should apply to. These will look like statements used in `dplyr::filter()`. E.g. `cyl == 6 & mpg > 20`

Examples

```
# Simple
mtcars |>
  head() |>
  hl(c('red', 'blue'))

# More involved example
mtcars |>
  head() |>
  hl(
    ggplot2::scale_colour_viridis_c(),
    rows = cyl == 6,
    cols = mpg,
    scale_apply = c(mpg, cyl)
  )
```

 hl_adjust

Set options for printing on the emphatic matrix or data.frame

Description

Set options for printing on the emphatic matrix or data.frame

Usage

```
hl_adjust(.data, na, full_colour, text_mode, text_contrast)
```

Arguments

<code>.data</code>	emphatic matrix or data.frame
<code>na</code>	Character string to display for NA values. Default 'NA'
<code>full_colour</code>	Use 24bit ANSI escape codes? default: FALSE - use 8bit colour. Note: RStudio only supports 8 bit ANSI output (24bit ANSI is rendered invisibly in Rstudio). For 24bit colour output, try R in the terminal e.g. 'iTerm' on OSX.
<code>text_mode</code>	How to handle text if no text colour has been explicitly specified by the user. contrast (default) automatically select a contrasting colour for enhanced readability. asis render text in the default text colour for the output device, unless the user has already specified a text colour at this location remove remove all text without a user-defined colour
<code>text_contrast</code>	When <code>text_mode='contrast'</code> this numeric value in range [0, 1] adjusts the visibility. Default: 1 (high contrast)

Value

emphatic object with updated options

Examples

```
mtcars |>
  hl('red') |>
  hl_adjust(text_contrast = 0.3)
```

 hl_diff

Colour the differences between character representations of objects

Description

Highlight the differences between two strings in terms of substitutions, insertions and deletions calculated by the generalized Levenshtein (edit) distance (using `adist()`)

Usage

```
hl_diff(
  x,
  y,
  coerce = "default",
  fill = NULL,
  text = NULL,
  opts = hl_opts(),
  sep = NULL,
  ...
)
```

Arguments

x, y	each argument is a single string. vectors of strings not currently supported.
coerce	How should non-character arguments be coerced to character strings? default - the given object x must already be a character string character - performs the matching after first calling as.character(x) print - performs the matching against the default print(x) output deparse - performs the matching after first calling deparse1(x) str - performs the matching on the output of calling str(x)
fill	named list of colours for substitutions, insertions and deletions with names 'sub', 'ins' and 'del'. If set to NULL (the default) then default colours will be used.
text	named list of colours for the text for 'sub', 'ins' and 'del' operations. If NULL, then colours which contrast with fill will be chosen automatically
opts	create options list
sep	character string of the line separating the two objects. Default: NULL for no separation. Use the empty string to insert an empty line.
...	further arguments passed to adist()

Details

This works character-by-character, so the displayed difference for multiline strings can be quite busy if there are a lot of changes.

Value

list of 'emphatic' objects which could be rendered to ANSI (for example)

Examples

```
hl_diff('hello', 'there')
```

```
hl_grep
```

Colour highlighting a regular expression search

Description

Highlight text within an R object which matches a given regex. This only works in a terminal which supports ANSI colour codes.

There are slightly different versions of the highlighting function depending upon which text version of the object you'd like to match against:

Usage

```
hl_grep(
  x,
  pattern,
  coerce = "default",
  opts = hl_opts(),
  fill = NULL,
  text = NULL,
  ...,
  perl = TRUE
)
```

Arguments

x	character string
pattern	regular expression string. Note: don't get too fancy here
coerce	How should non-character arguments be coerced to character strings? default - the given object x must already be a character string character - performs the matching after first calling <code>as.character(x)</code> print - performs the matching against the default <code>print(x)</code> output deparse - performs the matching after first calling <code>deparse1(x)</code> str - performs the matching on the output of calling <code>str(x)</code>
opts	create options list
fill	solid colour for background. If NULL (the default), then the default colour will be selected
text	text colour. If NULL (the default), then a colour will be selected which contrasts with the fill colour.
...	extra args passed to <code>gsub</code>
perl	logical. use perl style regex. default: TRUE

Value

An emphatic object suitable to output to console (for example)

Examples

```
hl_grep(mode, 'switch')
```

hl_opts *Create a set of options*

Description

Create a set of options

Usage

```
hl_opts(  
  na = getOption("HL_NA", "NA"),  
  full_colour = getOption("HL_FULL_COLOUR", FALSE),  
  text_mode = getOption("HL_TEXT_MODE", "contrast"),  
  text_contrast = getOption("HL_TEXT_CONTRAST", 1)  
)
```

Arguments

na	Character string to display for NA values. Default 'NA'
full_colour	Use 24bit ANSI escape codes? default: FALSE - use 8bit colour. Note: RStudio only supports 8 bit ANSI output (24bit ANSI is rendered invisibly in Rstudio). For 24bit colour output, try R in the terminal e.g. 'iTerm' on OSX.
text_mode	How to handle text if no text colour has been explicitly specified by the user. contrast (default) automatically select a contrasting colour for enhanced readability. asis render text in the default text colour for the output device, unless the user has already specified a text colour at this location remove remove all text without a user-defined colour
text_contrast	When text_mode='contrast' this numeric value in range [0, 1] adjusts the visibility. Default: 1 (high contrast)

Value

named list of standard options

Examples

```
# Generate a standard set of options  
hl_opts()
```

is_emphatic	<i>Check if data.frame, matrix or atomic vector is a valid emphatic version</i>
-------------	---

Description

Check if data.frame, matrix or atomic vector is a valid emphatic version

Usage

```
is_emphatic(x)
```

Arguments

x	Object to test
---	----------------

Value

Logical value

Examples

```
mtcars |>
  hl('red') |>
  is_emphatic()
```

knit_print.emphatic	<i>Automatically output emphatic objects to HTML knitted documents.</i>
---------------------	---

Description

Automatically output emphatic objects to HTML knitted documents.

Usage

```
knit_print.emphatic(x, style = list(), ...)
```

Arguments

x	emphatic object
style	html tag styling to apply to the <pre> wrapper for the returned HTML
...	other arguments passed to as.character.emphatic()

Value

a character vector suitable for output during an rmarkdown render

Examples

```
mtcars |>
  hl('red') |>
  knit_print.emphatic()
```

print.emphatic	<i>Print an emphatic data.frame, matrix or atomic vector</i>
----------------	--

Description

Print an emphatic data.frame, matrix or atomic vector

Usage

```
## S3 method for class 'emphatic'
print(x, ...)
```

Arguments

x	emphatic data.frame, matrix or atomic vector
...	other arguments passed on to format()

Value

None.

Examples

```
mtcars |>
  head() |>
  hl('red') |>
  print()
```

sea_ice_area	<i>Monthly Southern Sea Ice Area over the last 40 years</i>
--------------	---

Description

From the 'National Snow and Ice Data Center' <https://nsidc.org/data/g02135>

Usage

```
sea_ice_area
```

Format

Matrix of sea ice area, monthly from 1978 to 2020.

 show_html

Show HTML or SVG content in the rstudio viewer pane

Description

Show HTML or SVG content in the rstudio viewer pane

Usage

```
show_html(x, viewer = getOption("viewer", utils::browseURL))
```

Arguments

x	svg or html
viewer	function which activates viewer

Value

None

Examples

```
# This example will try and spawn an external viewer for HTML content
hl_grep(mode, "switch") |>
  as_html() |>
  show_html()
```

 sydney_rain

Monthly total rainfall in Centennial Park, Sydney, Australia

Description

From the Australian Bureau of Meteorology

Usage

```
sydney_rain
```

Format

data.frame with each row representing a year, and each column representing a month of that year

write_xlsx	<i>Write an emphatic data.frame to an Excel workbook</i>
------------	--

Description

Requires openxlsx package

Usage

```
write_xlsx(x, xlsx_filename, colNames = TRUE, opts = hl_opts())
```

Arguments

x	emphatic data.frame object
xlsx_filename	xlsx filename
colNames	Display column names? logical. Default: TRUE
opts	rendering options

Value

None

Examples

```
mtcars |>  
  hl('blue') |>  
  write_xlsx(tempfile())
```

Index

* datasets

- challenger, 9
- sea_ice_area, 17
- sydney_rain, 18

as.character.emphatic, 2

as_emphatic, 3

as_html, 4

as_latex, 5

as_svg, 5

as_svg_anim, 6

as_svg_group, 7

as_typst, 8

challenger, 9

hl, 10

hl_adjust, 11

hl_diff, 12

hl_grep, 13

hl_opts, 15

is_emphatic, 16

knit_print.emphatic, 16

print.emphatic, 17

sea_ice_area, 17

show_html, 18

sydney_rain, 18

write_xlsx, 19