

Package ‘fairadapt’

May 8, 2026

Title Fair Data Adaptation with Quantile Preservation

Description An implementation of the fair data adaptation with quantile preservation described in Plecko & Meinshausen (JMLR 2020, 21(242), 1-44). The adaptation procedure uses the specified causal graph to pre-process the given training and testing data in such a way to remove the bias caused by the protected attribute. The procedure uses tree ensembles for quantile regression. Instructions for using the methods are further elaborated in the corresponding JSS manuscript, see <[doi:10.18637/jss.v110.i04](https://doi.org/10.18637/jss.v110.i04)>.

Version 1.0.0

License GPL (>= 3)

Encoding UTF-8

Language en-US

LazyData true

URL <https://github.com/dplecko/fairadapt>

BugReports <https://github.com/dplecko/fairadapt/issues>

Depends R (>= 3.5.0)

Imports ranger (>= 0.13.1), assertthat, quantreg, qrn, igraph, ggplot2, cowplot, scales

Suggests testthat (>= 3.0.3), knitr, rmarkdown, rticles, mvtnorm, magick, ggraph, pdftools, microbenchmark, xtable, spelling

RoxygenNote 7.3.1

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Author Drago Plecko [aut, cre],
Nicolas Bennett [aut]

Maintainer Drago Plecko <www.plecko@gmail.com>

Repository CRAN

Date/Publication 2024-09-06 12:50:08 UTC

Contents

adaptedData	2
autoplot.fairadapt	3
compas	3
computeQuants	4
fairadapt	5
fairadaptBoot	7
fairTwins	9
gov_census	10
graphModel	11
plot.fairadapt	12
predict.fairadapt	13
predict.fairadaptBoot	14
quantFit	15
rangerQuants	16
summary.fairadapt	17
summary.fairadaptBoot	18
uni_admission	18
visualizeGraph	19
Index	20

adaptedData	<i>Convenience function for returning adapted data</i>
-------------	--

Description

Convenience function for returning adapted data

Usage

```
adaptedData(x, train = TRUE)

## S3 method for class 'fairadapt'
adaptedData(x, train = TRUE)

## S3 method for class 'fairadaptBoot'
adaptedData(x, train = TRUE)
```

Arguments

x	Object of class fairadapt or fairadaptBoot, a result of an adaptation procedure.
train	A logical indicating whether train data should be returned. Defaults to TRUE. If FALSE, test data is returned.

Value

Either a `data.frame` when called on an `fairadapt` object, or a list of `data.frames` with the adapted data of length `n.boot`, when called on a `fairadaptBoot` object.

<code>autoplot.fairadapt</code>	<i>Plotting data before and after adaptation</i>
---------------------------------	--

Description

Plotting data before and after adaptation

Usage

```
## S3 method for class 'fairadapt'
autoplot(object, when = "after", ...)
```

Arguments

<code>object</code>	An object of class <code>"fairadapt"</code> .
<code>when</code>	A character(1L) indicating whether data before or after adaptation is visualized. Default value is <code>"after"</code> , but can also take values <code>"before"</code> and <code>"both"</code> (in which case both visualizations are provided).
<code>...</code>	In this case ignored.

Value

A `ggplot` for visualizing the distribution of the outcome before/after the adaptation procedure.

<code>compas</code>	<i>COMPAS dataset</i>
---------------------	-----------------------

Description

A real dataset from Broward County, Florida. Contains information on individuals released on parole, and whether they reoffended within two years.

Usage

```
compas
```

Format

A data frame with 1,000 rows and 9 variables:

sex sex of the individual

age age, measured in years

race race, binary with values Non-White and White

juv_fel_count count of juvenile felonies

juv_misd_count count of juvenile misdemeanors

juv_other_count count of other juvenile offenses

priors_count count of prior offenses

c_charge_degree degree of charge, with two values, F (felony) and M (misdemeanor)

two_year_recid a logical TRUE/FALSE indicator of recidivism within two years after parole start

computeQuants

Compute quantiles generic for the quantile learning step

Description

Compute quantiles generic for the quantile learning step

Usage

```
computeQuants(x, data, newdata, ind, ...)
```

Arguments

x	Object with an associated computeQuants() method, to be used for inferring quantiles.
data	data.frame containing samples used in the quantile regression.
newdata	data.frame containing counterfactual values for which the quantiles need to be inferred.
ind	A logical vector of length nrow(data), indicating which samples have the baseline value of the protected attribute.
...	Additional arguments to be passed down to respective method functions.

Value

A vector of counterfactual values corresponding to newdata.

 fairadapt

Fair data adaptation (fairadapt)

Description

Implementation of fair data adaptation with quantile preservation (Plecko & Meinshausen, 2020).
 Uses only plain R.

Usage

```

fairadapt(
  formula,
  prot.attr,
  adj.mat,
  train.data,
  test.data = NULL,
  cfd.mat = NULL,
  top.ord = NULL,
  res.vars = NULL,
  quant.method = rangerQuants,
  visualize.graph = FALSE,
  eval.qfit = NULL,
  ...
)

## S3 method for class 'fairadapt'
print(x, ...)
```

Arguments

formula	Object of class formula describing the response and the covariates.
prot.attr	A value of class character describing the binary protected attribute. Must be one of the entries of colnames(adj.mat).
adj.mat	Matrix of class matrix encoding the relationships in the causal graph. $M[i, j] == 1L$ implies the existence of an edge from node i to node j . Must include all the variables appearing in the formula object. When the adj.mat argument is set to NULL, then the top.ord argument has to be supplied.
train.data, test.data	Training data & testing data, both of class data.frame. Test data is by default NULL.
cfd.mat	Symmetric matrix of class matrix encoding the bidirected edges in the causal graph. $M[i, j] == M[j, i] == 1L$ implies the existence of a bidirected edge between nodes i and j . Must include all the variables appearing in the formula object.

<code>top.ord</code>	A vector of class character describing the topological ordering of the causal graph. Default value is <code>NULL</code> , but this argument must be supplied if <code>adj.mat</code> is not specified. Also must include all the variables appearing in the formula object.
<code>res.vars</code>	A vector of class character listing all the resolving variables, which should not be changed by the adaption procedure. Default value is <code>NULL</code> , corresponding to no resolving variables. Resolving variables should be a subset of the descendants of the protected attribute.
<code>quant.method</code>	A function choosing the method used for quantile regression. Default value is <code>rangerQuants</code> (using random forest quantile regression). Other implemented options are <code>linearQuants</code> and <code>mcqrnnQuants</code> . A custom function can be supplied by the user here, and the associated method for the S3 generic <code>computeQuants</code> needs to be added.
<code>visualize.graph</code>	A logical indicating whether the causal graph should be plotted upon calling the <code>fairadapt()</code> function. Default value is <code>FALSE</code> .
<code>eval.qfit</code>	Argument indicating whether the quality of the quantile regression fit should be computed using cross-validation. Default value is <code>NULL</code> , but whenever a positive integer value is specified, then it is interpreted as the number of folds used in the cross-validation procedure.
<code>...</code>	Additional arguments forwarded to the function passed as <code>quant.method</code> .
<code>x</code>	Object of class "fairadapt".

Details

The procedure takes the training and testing data as an input, together with the causal graph given by an adjacency matrix and the list of resolving variables, which should be kept fixed during the adaptation procedure. The procedure then calculates a fair representation of the data, after which any classification method can be used. There are, however, several valid training options yielding fair predictions, and the best of them can be chosen with cross-validation. For more details we refer the user to the original paper. Most of the running time is due to the quantile regression step using the `ranger` package.

Value

An object of class `fairadapt`, containing the original and adapted training and testing data, together with the causal graph and some additional meta-information.

References

- Plecko, D. & Meinshausen, N. (2020). Fair Data Adaptation with Quantile Preservation. *Journal of Machine Learning Research*, 21(242), 1-44.
- Plecko, D. & Bennett, N. & Meinshausen, N. (2024). `fairadapt`: Causal reasoning for fair data pre-processing. *Journal of Statistical Software*, 110(4). doi:10.18637/jss.v110.i04.

Examples

```

n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada <- fairadapt(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  test.data = tail(uni_admission, n = n_samp),
  adj.mat = uni_adj,
  prot.attr = "gender"
)

uni_ada

```

fairadaptBoot

Fairadapt bootstrap wrapper

Description

The `fairadapt()` function performs data adaptation, but does so only once. Sometimes, it might be desirable to repeat this process, in order to be able to make uncertainty estimates about the data adaptation that is performed. The wrapper function `fairadaptBoot()` enables the user to do so, by performing the `fairadapt()` procedure multiple times, and keeping in memory the important multiple data transformations. For a worked example of how to use `fairadaptBoot()` for uncertainty quantification, see the `fairadapt` vignette.

Usage

```

fairadaptBoot(
  formula,
  prot.attr,
  adj.mat,
  train.data,
  test.data = NULL,
  cfd.mat = NULL,
  top.ord = NULL,
  res.vars = NULL,
  quant.method = rangerQuants,
  keep.object = FALSE,
  n.boot = 100,
  rand.mode = c("finsamp", "quant", "both"),

```

```

    test.seed = 2022,
    ...
)

## S3 method for class 'fairadaptBoot'
print(x, ...)

```

Arguments

<code>formula</code>	Object of class <code>formula</code> describing the response and the covariates.
<code>prot.attr</code>	A value of class character describing the binary protected attribute. Must be one of the entries of <code>colnames(adj.mat)</code> .
<code>adj.mat</code>	Matrix of class <code>matrix</code> encoding the relationships in the causal graph. $M[i, j] == 1L$ implies the existence of an edge from node i to node j . Must include all the variables appearing in the formula object. When the <code>adj.mat</code> argument is set to <code>NULL</code> , then the <code>top.ord</code> argument has to be supplied.
<code>train.data, test.data</code>	Training data & testing data, both of class <code>data.frame</code> . Test data is by default <code>NULL</code> .
<code>cfid.mat</code>	Symmetric matrix of class <code>matrix</code> encoding the bidirected edges in the causal graph. $M[i, j] == M[j, i] == 1L$ implies the existence of a bidirected edge between nodes i and j . Must include all the variables appearing in the formula object.
<code>top.ord</code>	A vector of class character describing the topological ordering of the causal graph. Default value is <code>NULL</code> , but this argument must be supplied if <code>adj.mat</code> is not specified. Also must include all the variables appearing in the formula object.
<code>res.vars</code>	A vector of class character listing all the resolving variables, which should not be changed by the adaption procedure. Default value is <code>NULL</code> , corresponding to no resolving variables. Resolving variables should be a subset of the descendants of the protected attribute.
<code>quant.method</code>	A function choosing the method used for quantile regression. Default value is <code>rangerQuants</code> (using random forest quantile regression). Other implemented options are <code>linearQuants</code> and <code>mcqrnnQuants</code> . A custom function can be supplied by the user here, and the associated method for the S3 generic <code>computeQuants</code> needs to be added.
<code>keep.object</code>	a logical scalar, indicating whether all the <code>fairadapt</code> S3 objects built in bootstrap repetitions should be saved.
<code>n.boot</code>	An integer corresponding to the number of bootstrap iterations.
<code>rand.mode</code>	A string, taking values <code>"finsamp"</code> , <code>"quant"</code> or <code>"both"</code> , corresponding to considering finite sample uncertainty, quantile uncertainty, or both.
<code>test.seed</code>	a seed for the randomness in breaking quantiles for the discrete variables. This argument is only relevant when <code>rand.mode</code> equals <code>"quant"</code> or <code>"both"</code> (otherwise ignored).
<code>...</code>	Additional arguments forwarded to the function passed as <code>quant.method</code> .
<code>x</code>	Object of class <code>"fairadaptBoot"</code> .

Value

An object of class `fairadaptBoot`, containing the original and adapted training and testing data, together with the causal graph and some additional meta-information.

References

Plecko, D. & Meinshausen, N. (2020). Fair Data Adaptation with Quantile Preservation. *Journal of Machine Learning Research*, 21(242), 1-44.

Plecko, D. & Bennett, N. & Meinshausen, N. (2024). `fairadapt`: Causal reasoning for fair data pre-processing. *Journal of Statistical Software*, 110(4). doi:10.18637/jss.v110.i04.

Examples

```
n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada <- fairadaptBoot(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  test.data = tail(uni_admission, n = n_samp),
  adj.mat = uni_adj,
  prot.attr = "gender",
  n.boot = 5
)

uni_ada
```

 fairTwins

Fair twin inspection convenience function

Description

Fair twin inspection convenience function

Usage

```
fairTwins(x, train.id = seq_len(nrow(x$train)), test.id = NULL, cols = NULL)
```

Arguments

<code>x</code>	Object of class <code>fairadapt</code> , a result of an adaptation procedure.
<code>train.id</code>	A vector of indices specifying which rows of the training data should be displayed.
<code>test.id</code>	A vector of indices specifying which rows of the test data should be displayed.
<code>cols</code>	A character vector, subset of <code>names(train.data)</code> , which specifies which subset of columns is to be displayed in the result.

Value

A data frame, containing the original and adapted values of the requested individuals. Adapted columns have `_adapted` appended to their original name.

Examples

```
n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada <- fairadapt(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  test.data = tail(uni_admission, n = n_samp),
  adj.mat = uni_adj,
  prot.attr = "gender"
)

fairTwins(uni_ada, train.id = 1:5)
```

gov_census

Census information of US government employees

Description

The dataset contains various demographic, education and work information of the employees of the US government. The data is taken from the 2018 US Census data.

Usage

```
gov_census
```

Format

A data frame with 204,309 rows and 17 variables:

sex gender of the employee

age employee age in years

race race of the employee

hispanic_origin indicator of hispanic origin

citizenship citizenship of the employee

nativity indicator of nativity to the US

marital marital status

family_size size of the employee's family

children number of children of the employee

education_level education level measured in years

english_level

salary yearly salary in US dollars

hours_worked hours worked every week

weeks_worked weeks worked in the given year

occupation occupation classification

industry industry classification

economic_region economic region where the person is employed in the US

Source

<https://www.census.gov/programs-surveys/acs/microdata/documentation.html>

graphModel

Obtaining the graphical causal model (GCM)

Description

Obtaining the graphical causal model (GCM)

Usage

```
graphModel(adj.mat, cfd.mat = NULL, res.vars = NULL)
```

Arguments

adj.mat	Matrix of class <code>matrix</code> encoding the relationships in the causal graph. $M[i, j] == 1L$ implies the existence of an edge from node i to node j .
cfid.mat	Symmetric matrix of class <code>matrix</code> encoding the bidirected edges in the causal graph. $M[i, j] == M[j, i] == 1L$ implies the existence of a bidirected edge between nodes i and j .
res.vars	A vector of class <code>character</code> listing all the resolving variables, which should not be changed by the adaption procedure. Default value is <code>NULL</code> , corresponding to no resolving variables. Resolving variables should be a subset of <code>colnames(adj.mat)</code> . Resolving variables are marked with a different color in the output.

Value

An object of class `igraph`, containing the causal graphical, with directed and bidirected edges.

Examples

```
adj.mat <- cfd.mat <- array(0L, dim = c(3, 3))
colnames(adj.mat) <- rownames(adj.mat) <-
  colnames(cfd.mat) <- rownames(cfd.mat) <- c("A", "X", "Y")

adj.mat["A", "X"] <- adj.mat["X", "Y"] <-
  cfd.mat["X", "Y"] <- cfd.mat["Y", "X"] <- 1L

gcm <- graphModel(adj.mat, cfd.mat, res.vars = "X")
```

plot.fairadapt

Plotting data before and after adaptation

Description

Plotting data before and after adaptation

Usage

```
## S3 method for class 'fairadapt'
plot(x, when = "after", ...)
```

Arguments

x	An object of class <code>"fairadapt"</code> .
when	A character(1L) indicating whether data before or after adaptation is visualized. Default value is <code>"after"</code> , but can also take values <code>"before"</code> and <code>"both"</code> (in which case both visualizations are provided).
...	In this case ignored.

Value

A base R plot for visualizing the distribution of the outcome before/after the adaptation procedure.

predict.fairadapt	<i>Prediction function for new data from a saved fairadapt object</i>
-------------------	---

Description

Prediction function for new data from a saved fairadapt object

Usage

```
## S3 method for class 'fairadapt'
predict(object, newdata, ...)
```

Arguments

object	Object of class fairadapt, a result of an adaptation procedure.
newdata	A data.frame containing the new data.
...	Additional arguments forwarded to computeQuants().

Details

The newdata argument should be compatible with adapt.test argument that was used when constructing the fairadapt object. In particular, newdata should contain column names that appear in the formula argument that was used when calling fairadapt() (apart from the outcome variable on the LHS of the formula).

Value

A data.frame containing the adapted version of the new data.

Examples

```
n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada <- fairadapt(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  adj.mat = uni_adj,
  prot.attr = "gender")
```

```
)
predict(object = uni_ada, newdata = tail(uni_admission, n = n_samp))
```

predict.fairadaptBoot *Prediction function for new data from a saved fairadaptBoot object*

Description

Prediction function for new data from a saved fairadaptBoot object

Usage

```
## S3 method for class 'fairadaptBoot'
predict(object, newdata, ...)
```

Arguments

object	Object of class fairadapt, a result of an adaptation procedure.
newdata	A data.frame containing the new data.
...	Additional arguments forwarded to computeQuants().

Details

The newdata argument should be compatible with adapt.test argument that was used when constructing the fairadaptBoot object. In particular, newdata should contain column names that appear in the formula argument that was used when calling fairadaptBoot() (apart from the outcome variable on the LHS of the formula).

Value

A data.frame containing the adapted version of the new data.

Examples

```
n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada_boot <- fairadaptBoot(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  adj.mat = uni_adj,
```

```

    prot.attr = "gender",
    n.boot = 5,
    keep.object = TRUE
  )

  predict(object = uni_ada_boot, newdata = tail(uni_admission, n = n_samp))

```

 quantFit

Quality of quantile fit statistics

Description

Quality of quantile fit statistics

Usage

```
quantFit(x, ...)
```

Arguments

`x` Object of class `fairadapt`, a result of an adaptation procedure.
`...` Ignored in this case.

Value

A numeric vector, containing the average empirical loss for the 25%, 50% and 75% quantile loss functions, for each variable.

Examples

```

n_samp <- 200
uni_dim <- c("gender", "edu", "test", "score")
uni_adj <- matrix(c(
  0, 1, 1, 0,
  0, 0, 1, 1,
  0, 0, 0, 1,
  0, 0, 0, 0),
  ncol = length(uni_dim),
  dimnames = rep(list(uni_dim), 2),
  byrow = TRUE)

uni_ada <- fairadapt(score ~ .,
  train.data = head(uni_admission, n = n_samp),
  test.data = tail(uni_admission, n = n_samp),
  adj.mat = uni_adj,
  prot.attr = "gender",
  eval.qfit = 3L
)

quantFit(uni_ada)

```

 rangerQuants

Quantile engine constructor for the quantile learning step

Description

There are several methods that can be used for the quantile learning step in the fairadapt package. Each of the methods needs a specific constructor. The constructor is a function that takes the data (with some additional meta-information) and returns an object on which the computeQuants() generic can be called.

Usage

```
rangerQuants(data, A.root, ind, min.node.size = 20, ...)
```

```
linearQuants(
  data,
  A.root,
  ind,
  tau = c(0.001, seq(0.005, 0.995, by = 0.01), 0.999),
  ...
)
```

```
mcqrnnQuants(
  data,
  A.root,
  ind,
  tau = seq(0.005, 0.995, by = 0.01),
  iter.max = 500,
  ...
)
```

Arguments

data	A data.frame with data to be used for quantile regression.
A.root	A logical(1L) indicating whether the protected attribute A is a root node of the causal graph. Used for splitting the quantile regression.
ind	A logical vector of length nrow(data), indicating which samples have the baseline value of the protected attribute.
min.node.size	Forwarded to ranger::ranger() .
...	Forwarded to further methods.
tau	Forwarded to quantreg::rq() or qrnn::mcqrnn.fit() .
iter.max	Forwarded to qrnn::mcqrnn.fit() .

Details

Within the package, there are 3 different methods implemented, which use quantile regressors based on linear models, random forests and neural networks. However, there is additional flexibility and the user can provide her/his own quantile method. For this, the user needs to write (i) the constructor which returns an S3 classed object (see examples below); (ii) a method for the computeQuants() generic for the S3 class returned in (i).

The rangerQuants() function uses random forests (ranger package) for quantile regression.

The linearQuants() function uses linear quantile regression (quantreg package) for the Quantile Learning step.

The mcqrnnQuants() function uses monotone quantile regression neural networks (mcqrnn package) in the Quantile Learning step.

Value

A ranger or a rangersplit S3 object, depending on the value of the A.root argument, for rangerQuants().

A rqs or a quantregsplit S3 object, depending on the value of the A.root argument, for linearQuants().

An mcqrnn S3 object for mcqrnnQuants().

summary.fairadapt *Summarizing fairadapt fit*

Description

summary method for class "fairadapt".

Usage

```
## S3 method for class 'fairadapt'
summary(object, ...)
```

```
## S3 method for class 'summary.fairadapt'
print(x, digits = max(3L, getOption("digits") - 3L), ...)
```

Arguments

object	An object of class "fairadapt".
...	In this case ignored.
x	Object of class "summary.fairadapt".
digits	Number of digits appearing in the output.

Value

Summary of the object formula, protected attribute, attribute levels, resolving variables, number of training and test samples, adapted variables, TV measure before adaptation, TV measure after adaptation, and the quantile method that was used.

summary.fairadaptBoot *Summarizing fairadaptBoot fit*

Description

summary method for class "fairadaptBoot".

Usage

```
## S3 method for class 'fairadaptBoot'
summary(object, ...)

## S3 method for class 'summary.fairadaptBoot'
print(x, ...)
```

Arguments

object	An object of class "fairadaptBoot".
...	In this case ignored.
x	Object of class "summary.fairadaptBoot".

Value

Summary of the bootstrap wrapper call, protected attribute, attribute levels, resolving variables, number of training and test samples, adapted variables, number of bootstrap repetitions, indicator if the quantileFit objects were saved, randomness mode, and the quantile method that was used.

uni_admission *University admission data of 1,000 students*

Description

A simulated dataset containing the evaluation of students' abilities.

Usage

```
uni_admission
```

Format

A data frame with 1,000 rows and 4 variables:

gender the gender of the student

edu educational achievement, for instance GPA

test performance on a university admission test

score overall final score measuring the quality of a candidate

visualizeGraph	<i>Visualize graphical causal model</i>
----------------	---

Description

Visualize graphical causal model

Usage

```
visualizeGraph(x, ...)
```

Arguments

x	Object of class fairadapt, a result of an adaptation procedure.
...	Additional arguments passed to the graph plotting function.

Index

- * **datasets**
 - compas, 3
 - gov_census, 10
 - uni_admission, 18
- adaptedData, 2
- autoplot.fairadapt, 3
- compas, 3
- computeQuants, 4
- fairadapt, 5
- fairadaptBoot, 7
- fairTwins, 9
- gov_census, 10
- graphModel, 11
- linearQuants (rangerQuants), 16
- mcqrnnQuants (rangerQuants), 16
- plot.fairadapt, 12
- predict.fairadapt, 13
- predict.fairadaptBoot, 14
- print.fairadapt (fairadapt), 5
- print.fairadaptBoot (fairadaptBoot), 7
- print.summary.fairadapt
 - (summary.fairadapt), 17
- print.summary.fairadaptBoot
 - (summary.fairadaptBoot), 18
- qrnn::mcqrnn.fit(), 16
- quantFit, 15
- quantreg::rq(), 16
- ranger::ranger(), 16
- rangerQuants, 16
- summary.fairadapt, 17
- summary.fairadaptBoot, 18
- uni_admission, 18
- visualizeGraph, 19