

Package ‘forecaster’

May 8, 2026

Title Time Series Forecast System

Version 3.0.2

Description A web application for displaying, analysing and forecasting univariate time series. Includes basic methods such as mean, naïve, seasonal naïve and drift, as well as more complex methods such as Holt-Winters Box,G and Jenkins, G (1976) <[doi:10.1111/jtsa.12194](https://doi.org/10.1111/jtsa.12194)> and ARIMA Brockwell, P.J. and R.A.Davis (1991) <[doi:10.1007/978-1-4419-0320-4](https://doi.org/10.1007/978-1-4419-0320-4)>.

License GPL (>= 2)

Imports DT, zoo, golem, config, forecast, htmltools, lubridate, stringr, rlang, shinyjs, shinyAce, echarts4r, htmlwidgets, colourpicker, shinydashboard, shiny (>= 1.7.1), shinycustomloader, shinydashboardPlus (>= 2.0.0)

Depends R (>= 4.0)

Encoding UTF-8

URL <https://promidat.website>, <https://github.com/PROMiDAT/forecaster>

BugReports <https://github.com/PROMiDAT/forecaster/issues>

RoxygenNote 7.3.2

Language en-US

NeedsCompilation no

Author Oldemar Rodriguez [aut, cre],
Diego Jiménez [aut]

Maintainer Oldemar Rodriguez <oldemar.rodriguez@ucr.ac.cr>

Repository CRAN

Date/Publication 2024-11-26 08:30:02 UTC

Contents

| | |
|--------------------------|---|
| calibrar.arima | 2 |
| calibrar.HW | 3 |
| dfnormal | 4 |

| | |
|---------------------------|-----------|
| df_periods | 4 |
| e_acf | 5 |
| e_decompose | 6 |
| e_histnormal | 6 |
| e_pacf | 7 |
| e_periods | 8 |
| e_qq | 8 |
| e_tc | 9 |
| forecasteR | 10 |
| get_start | 11 |
| grafico.errores | 11 |
| MSE | 12 |
| RE | 13 |
| RMSE | 13 |
| RSS | 14 |
| run_app | 15 |
| smoothing | 15 |
| tabla.errores | 16 |
| text_toDate | 16 |
| var.categoricas | 17 |
| var.numericas | 18 |
| Index | 19 |

| | |
|----------------|------------------------------------|
| calibrar.arima | <i>Best parameters arima model</i> |
|----------------|------------------------------------|

Description

Best parameters arima model

Usage

```
calibrar.arima(train, test, period, ar = 0:2, es = 0:1)
```

Arguments

| | |
|--------|--|
| train | a ts object (train of a time series). |
| test | a ts object (test of a time series). |
| period | value indicate the period to use. |
| ar | vector of values to test p, d, q of arima model. |
| es | vector of values to test P, D, Q of arima model. |

Value

arima model

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
calibrar.arima(AirPassengers[1:132], AirPassengers[133:144], 12, 0:1)
```

calibrar.HW *Best parameters HoltWinters model*

Description

Best parameters HoltWinters model

Usage

```
calibrar.HW(train, test, paso = 0.1)
```

Arguments

| | |
|-------|---|
| train | a ts object (train of a time series). |
| test | a ts object (test of a time series). |
| paso | indicates by value to test alpha, beta and gamma. |

Value

HoltWinters model

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
calibrar.HW(window(AirPassengers, end = c(1959, 12)), window(AirPassengers, start = 1960), 0.5)
```

| | |
|----------|------------------------------------|
| dfnormal | <i>Data.frame with normal test</i> |
|----------|------------------------------------|

Description

Data.frame with normal test

Usage

```
dfnormal(data)
```

Arguments

data a data.frame object only with the numeric columns.

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
dfnormal(iris[, -5])
```

| | |
|------------|-------------------------------|
| df_periods | <i>Periodogram Data.frame</i> |
|------------|-------------------------------|

Description

Periodogram Data.frame

Usage

```
df_periods(x)
```

Arguments

x a ts object.

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
df_periods(AirPassengers)
```

e_acf

Best parameters arima model

Description

Best parameters arima model

Usage

```
e_acf(x)
```

Arguments

x a ts object.

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_acf(AirPassengers)
```

| | |
|-------------|-----------------------|
| e_decompose | <i>Decompose plot</i> |
|-------------|-----------------------|

Description

Decompose plot

Usage

```
e_decompose(serie, f = NULL, noms = NULL)
```

Arguments

| | |
|-------|--------------------------------------|
| serie | a ts object. |
| f | vector of dates for the time series. |
| noms | vector of names for y axis. |

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_decompose(AirPassengers)
```

| | |
|--------------|--------------------|
| e_histnormal | <i>Normal plot</i> |
|--------------|--------------------|

Description

Normal plot

Usage

```
e_histnormal(  
  data,  
  colorbar = "steelblue",  
  colorline = "gray",  
  nombres = c("Histograma", "Curva Normal")  
)
```

Arguments

| | |
|-----------|--|
| data | a numeric column of a data.frame. |
| colorbar | a color for the bars. |
| colorline | a color for the line. |
| nombres | a character vector of length 2 specifying the titles to use on legend. |

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_histnormal(iris$Sepal.Length)
```

e_pacf

Best parameters arima model

Description

Best parameters arima model

Usage

```
e_pacf(x)
```

Arguments

x a ts object.

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_pacf(AirPassengers)
```

| | |
|-----------|-------------------------|
| e_periods | <i>Periodogram Plot</i> |
|-----------|-------------------------|

Description

Periodogram Plot

Usage

```
e_periods(x, p = NULL, noms = NULL)
```

Arguments

| | |
|------|---|
| x | a ts object. |
| p | which important period to plot. |
| noms | vector of length 3 to indicate the text to use. |

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_periods(AirPassengers)
```

| | |
|------|----------------------|
| e_qq | <i>Qplot + Qline</i> |
|------|----------------------|

Description

Qplot + Qline

Usage

```
e_qq(data, colorpoint = "steelblue", colorline = "gray")
```

Arguments

| | |
|------------|-----------------------------------|
| data | a numeric column of a data.frame. |
| colorpoint | a color for the points. |
| colorline | a color for the line. |

Value

echarts4r plot

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_qq(iris$Sepal.Length)
```

e_tc

Tendencia y Estacionalidad

Description

Tendencia y Estacionalidad

Usage

```
e_tc(x, d = NULL, noms = c("Time Series", "Trend", "Cyclicalitv"))
```

Arguments

x a ts object.
d a vector of dates to use on axis x (Optional).
noms a vector of 3 to indicate the names to use on legend.

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
e_tc(AirPassengers)
```

forecaster

Time Series Forecast System

Description

A web application for displaying, analysing and forecasting univariate time series. Includes basic methods such as mean, naïve, seasonal naïve and drift, as well as more complex methods such as Holt-Winters Box, G and Jenkins, G (1976) <doi:10.1111/jtsa.12194> and ARIMA Brockwell, P.J. and R.A.Davis (1991) <doi:10.1007/978-1-4419-0320-4>.

Details

Package: forecaster
Type: Package
Version: 3.0.2
Date: 2024-11-25
License: GPL (>=2)

Author(s)

Maintainer: Oldemar Rodriguez Rojas <oldemar.rodriguez@ucr.ac.cr>

- Oldemar Rodriguez Rojas <oldemar.rodriguez@ucr.ac.cr>
- Diego Jiménez Alvarado

See Also

Useful links:

- <https://promidat.website>
- <https://github.com/PROMiDAT/forecaster>
- Report bugs at <https://github.com/PROMiDAT/forecaster/issues>

| | |
|-----------|--------------------------------------|
| get_start | <i>Get ts start of a time series</i> |
|-----------|--------------------------------------|

Description

Get ts start of a time series

Usage

```
get_start(ini, tipo_f, patron)
```

Arguments

| | |
|--------|--|
| ini | a Date object. |
| tipo_f | type of the time series ('year', 'month', ..., 'seconds'). |
| patron | frequency of time series. |

Value

numeric vector of length 2

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
get_start(as.Date("2021-06-30"), 'days', 365)
```

| | |
|-----------------|---------------------------------------|
| grafico.errores | <i>Error plot for all predictions</i> |
|-----------------|---------------------------------------|

Description

Error plot for all predictions

Usage

```
grafico.errores(errores)
```

Arguments

| | |
|---------|--|
| errores | a data.frame with errors of a time series. |
|---------|--|

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))
pred <- predict(model, 12)
e <- tabla.errores(list(pred$pred), window(AirPassengers, start = 1960))
grafico.errores(e)
```

MSE

Mean Square Error

Description

Mean Square Error

Usage

```
MSE(Pred, Real)
```

Arguments

Pred a ts object (prediction).
Real a ts object (real).

Value

numeric

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))
pred <- predict(model, 12)
MSE(pred$pred, window(AirPassengers, start = 1960))
```

RE *Relative Error*

Description

Relative Error

Usage

RE(Pred, Real)

Arguments

Pred a ts object (prediction).
Real a ts object (real).

Value

numeric

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))  
pred <- predict(model, 12)  
RE(pred$pred, window(AirPassengers, start = 1960))
```

RMSE *Root Mean Square Error*

Description

Root Mean Square Error

Usage

RMSE(Pred, Real)

Arguments

Pred a ts object (prediction).
Real a ts object (real).

Value

numeric

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))
pred <- predict(model, 12)
RMSE(pred$pred, window(AirPassengers, start = 1960))
```

RSS

RSS

Description

RSS

Usage

RSS(Pred, Real)

Arguments

Pred a ts object (prediction).

Real a ts object (real).

Value

numeric

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))
pred <- predict(model, 12)
RSS(pred$pred, window(AirPassengers, start = 1960))
```

| | |
|---------|----------------------------------|
| run_app | <i>Run the Shiny Application</i> |
|---------|----------------------------------|

Description

Run the Shiny Application

Usage

```
run_app(...)
```

Arguments

... A series of options to be used inside the app.

| | |
|-----------|---|
| smoothing | <i>Apply rolling to a numeric vector.</i> |
|-----------|---|

Description

Apply rolling to a numeric vector.

Usage

```
smoothing(v, n)
```

Arguments

v a numeric vector.
n integer value specifying the window width.

Value

numeric vector

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
smoothing(AirPassengers, 5)
```

tabla.errores *Error table for all predictions*

Description

Error table for all predictions

Usage

```
tabla.errores(Preds, Real, nombres = NULL)
```

Arguments

Preds a list of ts objects (prediction).
Real a ts object (real).
nombres names for the data.frame (optional).

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
model <- arima(window(AirPassengers, end = c(1959, 12)))  
pred <- predict(model, 12)  
tabla.errores(list(pred$pred), window(AirPassengers, start = 1960))
```

text_toDate *Convert character to dates*

Description

Convert character to dates

Usage

```
text_toDate(f)
```

Arguments

f a vector of character.

Value

list

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
text_toDate(c("2023 january 27", "2023 january 28"))
```

`var.categoricas` *Filter category variables of a data.frame*

Description

Filter category variables of a data.frame

Usage

```
var.categoricas(data)
```

Arguments

`data` a data.frame object.

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
var.categoricas(iris)
```

| | |
|---------------|---|
| var.numericas | <i>Filter numeric variables of a data.frame</i> |
|---------------|---|

Description

Filter numeric variables of a data.frame

Usage

```
var.numericas(data)
```

Arguments

data a data.frame object.

Value

data.frame

Author(s)

Diego Jimenez <diego.jimenez@promidat.com>

Examples

```
var.numericas(iris)
```

Index

- * **package**
 - forecasteR, 10
- calibrar.arima, 2
- calibrar.HW, 3
- df_periods, 4
- dfnormal, 4
- e_acf, 5
- e_decompose, 6
- e_histnormal, 6
- e_pacf, 7
- e_periods, 8
- e_qq, 8
- e_tc, 9
- forecasteR, 10
- forecasteR-package (forecasteR), 10
- get_start, 11
- grafico.errores, 11
- MSE, 12
- RE, 13
- RMSE, 13
- RSS, 14
- run_app, 15
- smoothing, 15
- tabla.errores, 16
- text_toDate, 16
- var.categoricas, 17
- var.numericas, 18