

Package ‘frailtyMMpen’

May 8, 2026

Type Package

Title Efficient Algorithm for High-Dimensional Frailty Model

Version 1.2.1

Maintainer Yunpeng Zhou <u3514104@connect.hku.hk>

Description The penalized and non-penalized Minorize-Maximization (MM) method for frailty models to fit the clustered data, multi-event data and recurrent data. Least absolute shrinkage and selection operator (LASSO), minimax concave penalty (MCP) and smoothly clipped absolute deviation (SCAD) penalized functions are implemented. All the methods are computationally efficient. These general methods are proposed based on the following papers, Huang, Xu and Zhou (2022) <doi:10.3390/math10040538>, Huang, Xu and Zhou (2023) <doi:10.1177/09622802221133554>.

License GPL (>= 2)

Encoding UTF-8

LazyData false

Depends R (>= 3.5.0), survival, numDeriv, mgcv

Imports Rcpp (>= 1.0.8), utils, graphics, stats

LinkingTo Rcpp, RcppGSL

RoxygenNote 7.2.3

NeedsCompilation yes

Author Xifen Huang [aut],
Yunpeng Zhou [aut, cre],
Jinfeng Xu [ctb]

Repository CRAN

Date/Publication 2023-08-08 09:10:02 UTC

Contents

cluster	2
coef.fpen	2
event	3
frailtyMM	4

frailtyMMpen	9
hdCLdata	12
plot.fmm	13
plot.fpen	14
predict.fmm	14
predict.fpen	15
print.fmm	16
print.fpen	17
simdataCL	17
simdataME	18
simdataRE	18
summary.fmm	19

Index	20
--------------	-----------

cluster	<i>cluster function</i>
---------	-------------------------

Description

Specify cluster id for clustered data or object id for recurrent data in the input formula.

Usage

```
cluster(x)
```

Arguments

x name from original dataframe which specifies the cluster or object id.

Value

No return value, called to construct formula.

coef.fpen	<i>retrieve the coefficients under given tuning parameter</i>
-----------	---

Description

retrieve the coefficients under given tuning parameter

Usage

```
## S3 method for class 'fpen'
coef(object, ...)
```

Arguments

object Object with class "fpen", generated from frailtyMMpen.
... Ignored

Details

Without given a specific tune value, the coefficients with minimum BIC is returned. If tune=a, the coefficient is computed using linear interpolation of the result from the coefficients estimated from the run of regularization path. Thus, a should between the minimum and maximum value of the tuning parameter sequences used for the model fitting.

Value

A vector of estimated parameters.

event	<i>event function</i>
-------	-----------------------

Description

Specify event id for multi-event data in the input formula.

Usage

```
event(x)
```

Arguments

x name from original dataframe which specifies the event id.

Value

No return value, called to construct formula.

frailtyMM

Fitting frailty models with clustered, multi-event and recurrent data using MM algorithm

Description

This formula is used to fit the non-penalized regression. 3 types of the models can be fitted, shared frailty model where hazard rate of j^{th} object in i^{th} cluster is

$$\lambda_{ij}(t|\omega_i) = \lambda_0(t)\omega_i \exp(\boldsymbol{\beta}'\mathbf{X}_{ij}).$$

The multi-event frailty model with different baseline hazard of different event and the hazard rate of j^{th} event for individual i^{th} is

$$\lambda_{ij}(t|\omega_i) = \lambda_{0j}(t)\omega_i \exp(\boldsymbol{\beta}'\mathbf{X}_{ij}).$$

The recurrent event model where the j^{th} event of individual i has observed feature \mathbf{X}_{ij} ,

$$\lambda_{ij}(t|\omega_i) = \lambda_0(t)\omega_i \exp(\boldsymbol{\beta}'\mathbf{X}_{ij}).$$

For the clustered type of data, we further assume that cluster i has n_i with $j = 1, \dots, n_i$ number of objects where they share the common frailty parameter ω_i . For simplicity, we let $\boldsymbol{\alpha}$ be the collection of all parameters and baseline hazard function. Then, the marginal likelihood is as follows,

$$L(\boldsymbol{\alpha}) = \prod_{i=1}^n \int_{\mathbb{W}} f(\omega_i; \boldsymbol{\theta}) \prod_{j=1}^{n_i} \left(\lambda_0(t_{ij})\omega_i \exp(\mathbf{X}_{ij}^T \boldsymbol{\beta}) \right)^{I_{ij}} \exp(-\Lambda_0(t_{ij})\omega_i \exp(\mathbf{X}_{ij}^T \boldsymbol{\beta})) d\omega_i.$$

Given the objective functions above, we take the clustered data as an example to illustrate the application of MM algorithm in optimizing the observed likelihood function, the observed log-likelihood function is,

$$\ell(\boldsymbol{\alpha}) = \sum_{i=1}^n \log \int_{\mathbb{W}} h_i(\omega_i|\boldsymbol{\alpha}) d\omega_i,$$

where,

$$h_i(\omega_i|\boldsymbol{\alpha}) = f(\omega_i; \boldsymbol{\theta}) \prod_{j=1}^{n_i} \left\{ \left(\lambda_0(t_{ij})\omega_i \exp(\mathbf{X}_{ij}^T \boldsymbol{\beta}) \right)^{I_{ij}} \exp(-\Lambda_0(t_{ij})\omega_i \exp(\mathbf{X}_{ij}^T \boldsymbol{\beta})) \right\}.$$

In order to formulate the iterative algorithm to optimize the observed log likelihood, we further define density function $g_i(\cdot)$ based on the estimates of the parameters in k^{th} iteration $\boldsymbol{\alpha}^{(k)}$

$$g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) = \frac{h_i(\omega_i|\boldsymbol{\alpha}^{(k)})}{\int_{\mathbb{W}} h_i(\omega_i|\boldsymbol{\alpha}^{(k)}) d\omega_i},$$

Then, we construct the surrogate function to minimize the marginal log-likelihood using the Jensen's inequality,

$$\begin{aligned}
 \ell(\boldsymbol{\alpha}) &= \sum_{i=1}^n \log \left(\int_{\mathbb{W}} \frac{h_i(\omega_i|\boldsymbol{\alpha})}{g_i(\omega_i|\boldsymbol{\alpha}^{(k)})} \cdot g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) d\omega_i \right). \\
 &\geq \sum_{i=1}^n \int_{\mathbb{W}} g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) \cdot \log h_i(\omega_i|\boldsymbol{\alpha}) d\omega_i + C_1 \quad (\text{Jensen's inequality}) \\
 &= \sum_{i=1}^n \int_{\mathbb{W}} g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) \left(\log f(\omega_i|\boldsymbol{\theta}) \right. \\
 &\quad \left. + \sum_{j=1}^{n_i} (-\omega_j \Lambda_0(t_{ij}) \exp(\mathbf{X}_{ij}^\top \boldsymbol{\beta}) + I_{ij} \log \lambda_0(t_{ij}) + I_{ij} \mathbf{X}_{ij}^\top \boldsymbol{\beta}) \right) d\omega_i + C_2 \\
 &= Q_1(\boldsymbol{\theta}|\boldsymbol{\alpha}^{(k)}) + Q_2(\boldsymbol{\beta}, \Lambda_0|\boldsymbol{\alpha}^{(k)}) + C_2,
 \end{aligned}$$

which successfully separated $\boldsymbol{\alpha}$ into $\boldsymbol{\theta}$ and $(\boldsymbol{\beta}, \Lambda_0)$ where,

$$Q_1(\boldsymbol{\theta}|\boldsymbol{\alpha}^{(k)}) = \sum_{i=1}^n \int_{\mathbb{W}} \log[f(\omega_i|\boldsymbol{\theta})] \cdot g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) d\omega_i,$$

and let $A_i^{(k)} = \int_{\mathbb{W}} \omega_i \cdot g_i(\omega_i|\boldsymbol{\alpha}^{(k)}) d\omega_i$,

$$Q_2(\boldsymbol{\beta}, \Lambda_0|\boldsymbol{\alpha}^{(k)}) = \sum_{i=1}^n \sum_{j=1}^{n_i} (-A_i^{(k)} \Lambda_0(t_{ij}) \exp(\mathbf{X}_{ij}^\top \boldsymbol{\beta}) + I_{ij} \log \lambda_0(t_{ij}) + I_{ij} \mathbf{X}_{ij}^\top \boldsymbol{\beta})$$

And then we estimate Λ_0 by,

$$d\hat{\Lambda}_{0j}(t_{ij}) = \frac{I_{ij}}{\sum_{i=1}^n \sum_{j=1}^{n_i} I(t_{ij} \geq t_{ij}) A_i^{(k)} \exp(\mathbf{X}_{ij}^\top \boldsymbol{\beta}^{(k)})},$$

Then, we have,

$$Q_3(\boldsymbol{\beta}|\boldsymbol{\alpha}^{(k)}) = \sum_{i=1}^n \sum_{j=1}^{n_i} I_{ij} \left\{ \mathbf{X}_{ij}^\top \boldsymbol{\beta} - \frac{\sum_{r=1}^n \sum_{s=1}^{n_r} I_{trs \geq t_{ij}} A_r^{(k)} \exp(\mathbf{X}_{rs}^\top \boldsymbol{\beta})}{\sum_{r=1}^n \sum_{s=1}^{n_r} I_{trs \geq t_{ij}} A_r^{(k)} \exp(\mathbf{X}_{rs}^\top \boldsymbol{\beta}^{(k)})} \right\} + C_3.$$

Further more, we apply hyperplane inequality to construct surrogate function for $\boldsymbol{\beta}$ where we can update the its estimates coordinate wise,

$$\mathbf{X}_{ij}^\top \boldsymbol{\beta} = \sum_{p=1}^q \pi_{pij} (\pi_{pij}^{-1} X_{pij} (\beta_p - \beta_p^{(k)}) + \mathbf{X}_{ij}^\top \boldsymbol{\beta}^{(k)}).$$

By applying Jensen's inequality,

$$\exp(\mathbf{X}_{ij}^\top \boldsymbol{\beta}) \leq \sum_{p=1}^q \pi_{pij} \exp(\pi_{pij}^{-1} X_{pij} (\beta_p - \beta_p^{(k)}) + \mathbf{X}_{ij}^\top \boldsymbol{\beta}^{(k)}).$$

Finally,

$$Q(\boldsymbol{\alpha} | \boldsymbol{\alpha}^{(k)}) = Q_1(\boldsymbol{\theta} | \boldsymbol{\alpha}^{(k)}) + \sum_{p=1}^q Q_3^{(p)}(\beta_p | \boldsymbol{\alpha}^{(k)}).$$

Usage

```
frailtyMM(
  formula,
  data,
  frailty = "gamma",
  power = NULL,
  tol = 1e-05,
  maxit = 200,
  ...
)
```

Arguments

formula	Formula where the left hand side is an object of the type <code>Surv</code> and the right hand side contains the variables and additional specifications. <code>+cluster()</code> function specify the group id for clustered data or individual id for recurrent data. <code>+event()</code> function specify the event id for multi-event data (only two events are allowed).
data	The <code>data.frame</code> where the formula argument can be evaluated.
frailty	The frailty used for model fitting. The default is "lognormal", other choices are "invgauss", "gamma" and "pvf". (Note that the computation time for PVF family will be slow due to the non-explicit expression of likelihood function)
power	The power used if PVF frailty is applied.
tol	The tolerance level for convergence.
maxit	Maximum iterations for MM algorithm.
...	additional arguments pass to the function.

Details

To run the shared frailty model, `Surv(tstop, status)` formula should be applied along with `+cluster()` to specify the corresponding clusters, if you want to run the simple frailty model without shared frailty, you do not need to use `+cluster()` and the formula only contains the name of the covariates. To run the multi-event model, `Surv(tstop, status)` formula should be applied along with `+event()` to specify the corresponding events. If multi-event data is fitted, please use

1,2,...,K to denote the event id from the input data. To run the recurrent event model, `Surv(tstart, tstop, status)` formula should be applied along with `+cluster()` where the cluster here denotes the individual id and each individual may have many observed events at different time points.

The default frailty will be log-normal frailty, in order to fit other frailty models, simply set parameter `frailty` as "InvGauss", "Gamma" or "PVF", the parameter `power` is only used when `frailty=PVF` and since the likelihood of PVF (tweedie) distribution is approximated using Tweedie function from package `mgcv`, $1 < \text{power} < 2$.

Value

An object of class `fmm` that contains the following fields:

<code>coef</code>	coefficient estimated from a specific model.
<code>est.tht</code>	frailty parameter estimated from a specific model.
<code>lambda</code>	frailty for each observation estimated from a specific model.
<code>likelihood</code>	The observed log-likelihood given estimated parameters.
<code>input</code>	The input data re-ordered by cluster id. <code>y</code> is the event time, <code>X</code> is covariate matrix and <code>d</code> is the status while 0 indicates censoring.
<code>frailty</code>	frailty used for model fitting.
<code>power</code>	power used for model fitting is PVF frailty is applied.
<code>iter</code>	total number of iterations.
<code>convergence</code>	convergence threshold.
<code>formula</code>	formula applied as input.
<code>coefname</code>	name of each coefficient from input.
<code>id</code>	id for individuals or clusters, 1,2,...,a. Note that, since the original id may not be the sequence starting from 1, this output id may not be identical to the original id. Also, the order of id is corresponding to the returned input.
<code>N</code>	total number of observations.
<code>a</code>	total number of individuals or clusters.
<code>datatype</code>	model used for fitting.

References

- Huang, X., Xu, J. and Zhou, Y. (2022). Profile and Non-Profile MM Modeling of Cluster Failure Time and Analysis of ADNI Data. *Mathematics*, 10(4), 538.
- Huang, X., Xu, J. and Zhou, Y. (2023). Efficient algorithms for survival data with multiple outcomes using the frailty model. *Statistical Methods in Medical Research*, 32(1), 118-132.

Examples

```
# Kidney data fitted by Clustered Inverse Gaussian Frailty Model
```

```
InvG_real_cl = frailtyMM(Surv(time, status) ~ age + sex + cluster(id),
                        kidney, frailty = "invgauss")
```

```
InvG_real_cl

# Cgd data fitted by Recurrent Log-Normal Frailty Model

logN_real_re = frailtyMM(Surv(tstart, tstop, status) ~ sex + treat + cluster(id),
                        cgd, frailty = "gamma")
logN_real_re

# Simulated data example

data(simdataCL)

# Parameter estimation under different model structure and frailties

# Clustered Gamma Frailty Model
gam_cl = frailtyMM(Surv(time, status) ~ . + cluster(id),
                  simdataCL, frailty = "gamma")

# Clustered Log-Normal Frailty Model
logn_cl = frailtyMM(Surv(time, status) ~ . + cluster(id),
                   simdataCL, frailty = "lognormal")

# Clustered Inverse Gaussian Frailty Model
invg_cl = frailtyMM(Surv(time, status) ~ . + cluster(id),
                   simdataCL, frailty = "invgauss")

data(simdataME)

# Multi-event Gamma Frailty Model
gam_me = frailtyMM(Surv(time, status) ~ . + cluster(id),
                  simdataCL, frailty = "gamma")

# Multi-event Log-Normal Frailty Model
logn_me = frailtyMM(Surv(time, status) ~ . + event(id),
                   simdataME, frailty = "lognormal")

# Multi-event Inverse Gaussian Frailty Model
invg_me = frailtyMM(Surv(time, status) ~ . + event(id),
                   simdataME, frailty = "invgauss")

data(simdataRE)

# Recurrent event Gamma Frailty Model
gam_re = frailtyMM(Surv(start, end, status) ~ . + cluster(id),
                  simdataRE, frailty = "gamma")

# Recurrent event Log-Normal Frailty Model
logn_re = frailtyMM(Surv(start, end, status) ~ . + cluster(id),
                   simdataRE, frailty = "lognormal")
```

```

# Recurrent event Inverse Gaussian Frailty Model
invg_re = frailtyMM(Surv(start, end, status) ~ . + cluster(id),
                    simdataRE, frailty = "invgauss")

# Obtain the summary statistics under fitted model

coef(gam_cl)
summary(gam_cl)

```

frailtyMMpen	<i>Fitting penalized frailty models with clustered, multi-event and recurrent data using MM algorithm</i>
--------------	---

Description

This formula is used to fit the penalized regression. 3 types of the models can be fitted similar to the function `frailtyMM`. In addition, variable selection can be done by three types of penalty, LASSO, MCP and SCAD with the following objective function where λ is the tuning parameter and q is the dimension of β ,

$$l(\beta, \Lambda_0 | Y_{obs}) - n \sum_{p=1}^q P(|\beta_p|, \lambda).$$

The BIC is computed using the following equation,

$$-2l(\hat{\beta}, \hat{\Lambda}_0) + G_n(\hat{S} + 1) \log(n),$$

where $G_n = \max\{1, \log(\log(q + 1))\}$ and \hat{S} is the degree of freedom.

Surrogate function is also derived for penalty part for efficient estimation of penalized regression, similar to the notation used in `frailtyMM`, we let α be the collection of all parameters and baseline hazard function. Given that,

$$\ell(\alpha) - n \sum_{p=1}^q P(|\beta_p|, \lambda),$$

by local quadratic approximation,

$$-P(|\beta_p|, \lambda) \geq -P(|\beta_p^{(k)}|, \lambda) - \frac{[\beta_p^2 - (\beta_p^{(k)})^2]P'(|\beta_p^{(k)}|_+, \lambda)}{2|\beta_p^{(k)}|}.$$

And thus, the surrogate function given k^{th} iteration result is as follows,

$$Q^P(\alpha | \alpha^{(k)}) = Q_1(\theta | \alpha^{(k)}) + \sum_{p=1}^q \left(Q_3^{(p)}(\beta_p | \alpha^{(k)}) - \frac{[\beta_p^2 - (\beta_p^{(k)})^2]P'(|\beta_p^{(k)}|_+, \lambda)}{2|\beta_p^{(k)}|} \right).$$

Usage

```
frailtyMMpen(
  formula,
  data,
  frailty = "gamma",
  power = NULL,
  penalty = "LASSO",
  gam = NULL,
  tune = NULL,
  tol = 1e-05,
  maxit = 200,
  ...
)
```

Arguments

formula	Formula where the left hand side is an object of the type <code>Surv</code> and the right hand side contains the variables and additional specifications. <code>+cluster()</code> function specify the group id for clustered data or individual id for recurrent data. <code>+event()</code> function specify the event id for multi-event data (only two events are allowed).
data	The data.frame where the formula argument can be evaluated.
frailty	The frailty used for model fitting. The default is "lognormal", other choices are "invgauss", "gamma" and "pvf". (Note that the computation time for PVF family will be slow due to the non-explicit expression of likelihood function)
power	The power used if PVF frailty is applied.
penalty	The penalty used for regularization, the default is "LASSO", other choices are "MCP" and "SCAD".
gam	The tuning parameter for MCP and SCAD which controls the concavity of the penalty. For MCP, $p'(\beta, \lambda) = \text{sign}(\beta)(\lambda - \frac{ \beta }{\gamma})$ and for "SCAD", $p'(\beta, \lambda) = \lambda\{I(\beta \leq \lambda) + \frac{(\gamma\lambda - \beta)_+}{(\gamma - 1)\lambda}I(\beta > \lambda)\}.$ The default value of γ for MCP is 3 and SCAD is 3.7.
tune	The sequence of tuning parameters provided by user. If not provided, the default grid will be applied.
tol	The tolerance level for convergence.
maxit	Maximum iterations for MM algorithm.
...	additional arguments pass to the function.

Details

Without a given tune, the default sequence of tuning parameters are used to provide the regularization path. The formula is same as the input for function `frailtyMM`.

Value

An object of class `fmm` that contains the following fields:

<code>coef</code>	matrix of coefficient estimated from a specific model where each column corresponds to an input tuning parameter.
<code>est.tht</code>	vector of frailty parameters estimated from a specific model with respect to each tuning parameter.
<code>lambda</code>	list of frailty for each observation estimated from a specific model with respect to each tuning parameter.
<code>likelihood</code>	vector of the observed log-likelihood given estimated parameters with respect to each tuning parameter.
<code>BIC</code>	vector of the BIC given estimated parameters with respect to each tuning parameter.
<code>tune</code>	vector of tuning parameters used for penalized regression.
<code>tune.min</code>	tuning parameter where minimal of BIC is obtained.
<code>convergence</code>	convergence threshold.
<code>input</code>	The input data re-ordered by cluster id. <code>y</code> is the event time, <code>X</code> is covariate matrix and <code>d</code> is the status while 0 indicates censoring.
<code>y</code>	input stopping time.
<code>X</code>	input covariate matrix.
<code>d</code>	input censoring indicator.
<code>formula</code>	formula applied as input.
<code>coefname</code>	name of each coefficient from input.
<code>id</code>	id for individuals or clusters, 1,2,...,a. Note that, since the original id may not be the sequence starting from 1, this output id may not be identical to the original id. Also, the order of id is corresponding to the returned <code>input</code> .
<code>N</code>	total number of observations.
<code>a</code>	total number of individuals or clusters.
<code>datatype</code>	model used for fitting.

References

- Huang, X., Xu, J. and Zhou, Y. (2022). Profile and Non-Profile MM Modeling of Cluster Failure Time and Analysis of ADNI Data. *Mathematics*, 10(4), 538.
- Huang, X., Xu, J. and Zhou, Y. (2023). Efficient algorithms for survival data with multiple outcomes using the frailty model. *Statistical Methods in Medical Research*, 32(1), 118-132.

See Also

[frailtyMM](#)

Examples

```
data(simdataCL)

# Penalized regression under clustered frailty model

# Clustered Gamma Frailty Model

# Using default tuning parameter sequence
gam_cl1 = frailtyMMPen(Surv(time, status) ~ . + cluster(id),
                      simdataCL, frailty = "gamma")

# Using given tuning parameter sequence
gam_cl2 = frailtyMMPen(Surv(time, status) ~ . + cluster(id),
                      simdataCL, frailty = "gamma", tune = 0.1)

# Obtain the coefficient where minimum BIC is obtained
coef(gam_cl1)

# Obtain the coefficient with tune = 0.2.
coef(gam_cl1, tune = 0.2)

# Plot the regularization path
plot(gam_cl1)

# Get the degree of freedom and BIC for the sequence of tuning parameters provided
print(gam_cl1)
```

hdCLdata

Simulated High-dimensional Clustered data

Description

This data include 50 clusters with 4 objects, a total of 200 events are recorded. 500 covariates can be used for model fitting. The data is generated from a gamma frailty model with coefficients (5,5,5,5,...,0) and frailty variance 1.

Usage

```
data(hdCLdata)
```

Format

An object of class `data.frame` with 200 rows and 503 columns.

Examples

```
data(hdCLdata)
```

```
plot.fmm
```

Plot the baseline hazard or the predicted hazard based on the new data

Description

Both the cumulative hazard and the survival curves can be plotted.

Usage

```
##S3 method for class "fmm"
```

Arguments

newdata	The new data for prediction of hazard
surv	Plot survival curve instead of cumulative hazard, the default is FALSE
...	Further arguments pass to or from other methods
object	Object with class "fmm"

Details

If parameter newdata is given, the plot is based on the predicted hazard while if it is not given, the plot is based on the baseline hazard. To construct the new data, please refer to the detailed description from function predict.fmm and the following example.

See Also

[predict.fmm](#)

Examples

```
gam_re = frailtyMM(Surv(tstart, tstop, status) ~ sex + treat + cluster(id), cgd, frailty = "gamma")

# Plot the survival curve based on baseline hazard
plot(gam_re, surv = TRUE)

# Construct new data and plot the cumulative hazard based on new data
newre = c(1, 1, 2)
names(newre) = c(gam_re$coefname, "id")
plot(gam_re, newdata = newre)
```

plot.fpen	<i>Plot the regularization path</i>
-----------	-------------------------------------

Description

Plot the whole regularization path run by frailtyMMpen

Usage

```
##S3 method for class "fpen"
```

Arguments

x	Object with class "fpen"
...	Further arguments pass to or from other methods

predict.fmm	<i>Estimate the baseline hazard or the predict hazard rate based on the new data for non-penalized regression</i>
-------------	---

Description

This function is used to estimate the baseline hazard or to predict the hazard rate of a specific individual given result from model fitting.

Usage

```
##S3 method for class "fmm"
```

Arguments

object	Object with class "fmm"
newdata	The new data for prediction of hazard, categorical data has to be transformed to 0 and 1
surv	Plot survival curve instead of cumulative hazard, the default is FALSE
...	Further arguments pass to or from other methods

Details

If parameter newdata is given, the predicted hazard is calculated based on the given data. If parameter newdata is not given, the estimation of baseline hazard will be returned. The confidence band is calculated based on the delta method. Please insure that the input of new data should be of the same coefficient name as object\$coefname. Note that if original data contains categorical data, you could check object\$coefname to input the corresponding 0 or 1 and name of coefficient for the newdata. For example, if the coefficient name is "sexfemale", then 1 denotes female while 0 denotes male. You may refer to the example below to construct the new data.

Value

output A dataframe that the first column is the evaluated time point, the second column is the estimated cumulative hazard or survival curve, the third column is the standard error of the estimation result and the fourth and fifth column are the lower bound and upper bound based on 95 percent confidence interval.

Examples

```
gam_re = frailtyMM(Surv(tstart, tstop, status) ~ sex + treat + cluster(id), cgd, frailty = "Gamma")

# Calculate the survival curve based on baseline hazard
predict(gam_re, surv = TRUE)

# Construct new data and calculate the cumulative hazard based on new data
newre = c(1, 1, 2)
names(newre) = c(gam_re$coefname, "id")
predict(gam_re, newdata = newre)
```

predict.fpen	<i>Estimate the baseline hazard or the predict hazard rate based on the new data for penalized regression</i>
--------------	---

Description

This function is used to estimate the baseline hazard or to predict the hazard rate of a specific individual given result from model fitting.

Usage

```
##S3 method for class "fpen"
```

Arguments

object	Object with class "fpen"
tune	The tuning parameter for estimating coefficients
coef	Instead of providing tuning parameter, you can directly provide the coefficients for prediction
newdata	The new data for prediction of hazard, categorical data has to be transformed to 0 and 1
surv	Plot survival curve instead of cumulative hazard, the default is FALSE
...	Further arguments pass to or from other methods

Details

If parameter `newdata` is given, the predicted hazard is calculated based on the given data. If parameter `newdata` is not given, the estimation of baseline hazard will be returned. Since the covariance of estimated parameters for penalized regression cannot be obtained from MLE theorem, we only provide the estimation without confidence band. For the formulation of new data, you may refer to function `predict.fmm` for detailed description.

Value

`output` A dataframe that the first column is the evaluated time point and the second column is the estimated cumulative hazard or survival curve.

Examples

```
data(simdataCL)

gam_cl = frailtyMpen(Surv(time, status) ~ . + cluster(id), simdataCL, frailty = "Gamma")

# Calculate the survival curve based on baseline hazard
predict(gam_cl, surv = TRUE)

# Construct new data and calculate the cumulative hazard based on new data
newcl = c(gam_cl$X[1,], 2)
names(newcl) = c(gam_cl$coefname, "id")
predict(gam_cl, newdata = newcl)
```

`print.fmm` *print a non-penalized regression object*

Description

Print the summary of a non-penalized regression fitted by any model with function `frailtyMM`

Usage

```
## S3 method for class 'fmm'
print(x, ...)
```

Arguments

`x` Object with class "fmm" fitted by function `frailtyMM`.
`...` Ignored

Value

No return value, called to print the summary for non-penalized regression.

See Also[frailtyMM](#)

print.fpen	<i>print a penalized regression object</i>
------------	--

Description

Print the summary of a non-penalized regression fitted by any model with function `frailtyMMpen`. The first column is the tuning parameter sequence, the second column is the degree of freedom and the third column is the BIC.

Usage

```
## S3 method for class 'fpen'
print(x, ...)
```

Arguments

x	Object with class "fpen" fitted by function <code>frailtyMMpen</code> .
...	Ignored

Value

No return value, called to print the summary for penalized regression.

See Also[frailtyMMpen](#)

simdataCL	<i>Simulated Clustered data</i>
-----------	---------------------------------

Description

This data include 50 clusters with 10 objects, a total of 100 events are recorded. 30 temporal covariates can be used for model fitting. The data is generated from a gamma frailty model with coefficients (1,2,3,4,0,...,0) and frailty variance 1.

Usage

```
data(simdataCL)
```

Format

An object of class `data.frame` with 500 rows and 33 columns.

Examples

```
data(simdataCL)
```

simdataME	<i>Simulated Multiple Event data</i>
-----------	--------------------------------------

Description

This data include 50 individuals with 2 events, a total of 100 events are recorded. 30 temporal covariates can be used for model fitting. The data is generated from a gamma frailty model with coefficients (1,2,3,4,0,...,0) and frailty variance 1.

Usage

```
data(simdataME)
```

Format

An object of class `data.frame` with 100 rows and 33 columns.

Examples

```
data(simdataME)
```

simdataRE	<i>Simulated Recurrent Event data</i>
-----------	---------------------------------------

Description

This data include 50 individuals with recurrent observation of events, a total of 706 events are recorded. 30 temporal covariates can be used for model fitting. The data is generated from a gamma frailty model with coefficients (1,2,3,4,0,...,0) and frailty variance 1.

Usage

```
data(simdataRE)
```

Format

An object of class `data.frame` with 706 rows and 34 columns.

Examples

```
data(simdataRE)
```

`summary.fmm`*Provide the summary for the model fitting*

Description

Provide the summary for the model fitting

Usage

```
##S3 method for class "fmm"
```

Arguments

<code>object</code>	Object with class "fmm", generated from <code>frailtyMM</code> .
<code>...</code>	Ignored

Details

the summary for the model of `frailtyMM`. The standard error and p-value of estimated parameters are based on Fisher Information matrix.

Index

* datasets

- hdCLdata, [12](#)
- simdataCL, [17](#)
- simdataME, [18](#)
- simdataRE, [18](#)

cluster, [2](#)
coef.fpen, [2](#)

event, [3](#)

frailtyMM, [4](#), [9](#), [11](#), [17](#)
frailtyMMpen, [9](#), [17](#)

hdCLdata, [12](#)

plot.fmm, [13](#)
plot.fpen, [14](#)
predict.fmm, [13](#), [14](#)
predict.fpen, [15](#)
print.fmm, [16](#)
print.fpen, [17](#)

simdataCL, [17](#)
simdataME, [18](#)
simdataRE, [18](#)
summary.fmm, [19](#)