

Package ‘geonames’

May 8, 2026

Encoding UTF-8

Type Package

Title Interface to the ``Geonames'' Spatial Query Web Service

Version 0.999

Date 2019-02-17

Author Barry Rowlingson

Maintainer Barry Rowlingson <b.rowlingson@gmail.com>

Depends R (>= 2.2.0)

Imports rjson

Description The web service at <<https://www.geonames.org/>> provides a number of spatial data queries, including administrative area hierarchies, city locations and some country postal code queries. A (free) username is required and rate limits exist.

License GPL-3

LazyLoad yes

BugReports <https://github.com/ropensci/geonames/issues>

RoxygenNote 6.1.0

NeedsCompilation no

Repository CRAN

Date/Publication 2019-02-19 12:30:15 UTC

Contents

| | |
|--------------------------------|---|
| geonames | 2 |
| GNcities | 3 |
| GNcountryCode | 3 |
| GNcountryInfo | 4 |
| GNcountrySubdivision | 5 |
| GNearthquakes | 5 |

| | |
|-------------------------------------|-----------|
| GNfindNearby | 6 |
| GNfindNearbyPlaceName | 7 |
| GNfindNearbyPostalCodes | 8 |
| GNfindNearbyStreets | 8 |
| GNfindNearByWeather | 9 |
| GNfindNearbyWikipedia | 10 |
| GNfindNearestAddress | 11 |
| GNfindNearestIntersection | 11 |
| GNgtopo30 | 12 |
| GNneighbourhood | 13 |
| GNpostalCodeCountryInfo | 13 |
| GNpostalCodeLookup | 14 |
| GNpostalCodeSearch | 15 |
| GNsearch | 15 |
| GNsrtm3 | 16 |
| GNtimezone | 17 |
| GNweather | 18 |
| GNweatherIcao | 18 |
| GNwikipediaBoundingBox | 19 |
| GNwikipediaSearch | 20 |
| hierarchy | 21 |
| Index | 22 |

geonames

Query the geonames web API for geographic data

Description

www.geonames.org is a service where you can query for global geographic data such as administrative areas, populated places, weather data etc.

Details

The functions in this package are mostly thin wrappers to the API calls documented at the geonames web services overview <http://www.geonames.org/export/ws-overview.html>.

A set of example calls are supplied in a file with the package. Once you have set your geonames username with `options(geonamesUsername="myusernamehere")` you can run this with `source(system.file("tests","testing.R",package="geonames"),echo=TRUE)`

| | |
|----------|--------------------|
| GNcities | <i>find cities</i> |
|----------|--------------------|

Description

Search for cities

Usage

```
GNcities(north, east, south, west, lang = "en", maxRows = 10)
```

Arguments

| | |
|---------|---------------------------------|
| north | north bound |
| east | east bound |
| south | south bound |
| west | west bound |
| lang | language code |
| maxRows | max number of records to return |

Details

find cities

API doc for GNcities is at <http://www.geonames.org/export/JSON-webservices.html#citiesJSON>

Value

city records

Author(s)

Barry Rowlingson

| | |
|---------------|----------------------------------|
| GNcountryCode | <i>country code for location</i> |
|---------------|----------------------------------|

Description

Get country code

Usage

```
GNcountryCode(lat, lng, lang = "", radius = "")
```

Arguments

| | |
|--------|---------------|
| lat | latitude |
| lng | longitude |
| lang | language code |
| radius | radius size |

Details

country code for location

API doc for GNcountryCode is at <http://www.geonames.org/export/web-services.html#countrycode>

Value

country record

Author(s)

Barry Rowlingson

| | |
|---------------|---------------------|
| GNcountryInfo | <i>country info</i> |
|---------------|---------------------|

Description

Get country info

Usage

```
GNcountryInfo(country = "", lang = "")
```

Arguments

| | |
|---------|---------------|
| country | country code |
| lang | language code |

Details

country info

API doc for GNcountryInfo is at <http://www.geonames.org/export/web-services.html#countryInfo>

Value

country record info

Author(s)

Barry Rowlingson

GNcountrySubdivision *country code and subdivision*

Description

country code and admin subdivision

Usage

```
GNcountrySubdivision(lat, lng, lang = "en", radius = "",  
maxRows = 10)
```

Arguments

| | |
|---------|--------------------------------|
| lat | latitude |
| lng | longitude |
| lang | language code |
| radius | search radius |
| maxRows | max number of returned records |

Details

looks up country and admin subdivisions

API doc for GNcountrySubdivision is at <http://www.geonames.org/export/web-services.html#countrysubdiv>

Value

iso country code

Author(s)

Barry Rowlingson

GNearthquakes *recent earthquakes*

Description

recent earthquakes

Usage

```
GNearthquakes(north, east, south, west, date, minMagnitude, maxRows = 10)
```

Arguments

| | |
|--------------|----------------------------|
| north | north bound |
| east | east bound |
| south | south bound |
| west | west bound |
| date | optional date |
| minMagnitude | optional minimal magnitude |
| maxRows | max records to return |

Details

get recent earthquakes in a region

API doc for GNearthquakes is at <http://www.geonames.org/export/JSON-webservices.html#earthquakesJSON>

Value

earthquake records

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNearthquakes(north=44.1, south=-9.9, east=-22.4, west=55.2)
```

```
## End(Not run)
```

GNfindNearby

nearby search

Description

find nearby entities

Usage

```
GNfindNearby(...)
```

Arguments

... search parameters

Details

nearby search

API doc for GNfindNearby is at <http://www.geonames.org/export/web-services.html#findNearby>

Value

matched records

Author(s)

Barry Rowlingson

GNfindNearbyPlaceName *populated place search*

Description

find nearby populated place

Usage

```
GNfindNearbyPlaceName(lat, lng, radius = "", maxRows = "10",  
style = "MEDIUM")
```

Arguments

| | |
|---------|----------------------|
| lat | latitude |
| lng | longitude |
| radius | search radius |
| maxRows | max records returned |
| style | verbosity of record |

Details

search for populated places

API doc for GNfindNearbyPlaceName is at <http://www.geonames.org/export/web-services.html#findNearbyPlaceName>

Value

nearby populated place records

Author(s)

Barry Rowlingson

GNfindNearbyPostalCodes
find postal code

Description

find postal code by lat long or code

Usage

GNfindNearbyPostalCodes(...)

Arguments

... search parameters, see geonames web docs for details

Details

find postal code

API doc for GNfindNearbyPostalCodes is at <http://www.geonames.org/export/web-services.html#findNearbyPostalCodes>

Value

postal code records

Author(s)

Barry Rowlingson

GNfindNearbyStreets *nearby street finding*

Description

find nearby streets (US only)

Usage

GNfindNearbyStreets(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

for a lat-long, find nearby US streets

API doc for GNfindNearbyStreets is at <http://www.geonames.org/maps/us-reverse-geocoder.html#findNearbyStreets>

Value

street records

Author(s)

Barry Rowlingson

GNfindNearByWeather *weather at location*

Description

get weather at location

Usage

GNfindNearByWeather(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

get weather

API doc for GNfindNearByWeather is at <http://www.geonames.org/export/JSON-webservices.html#findNearByWeatherJSON>

Value

weather record

Note

check capitalisation of 'NearBy'

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNfindNearByWeather(57,-2)  
  
## End(Not run)
```

GNfindNearbyWikipedia *nearby wikipedia entries*

Description

find nearby wikipedia entries

Usage

```
GNfindNearbyWikipedia(...)
```

Arguments

... see geonames.org documentation

Details

search wikipedia entries by lat/lng or location name parameters

API doc for GNfindNearbyWikipedia is at <http://www.geonames.org/export/wikipedia-webservice.html#findNearbyWikipedia>

Value

wikipedia entries

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNfindNearbyWikipedia(postalcode=8775, country="CH", radius=10)  
  
## End(Not run)
```

GNfindNearestAddress *nearest address*

Description

find nearest street and address

Usage

GNfindNearestAddress(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

search US for nearest street and address

API doc for GNfindNearestAddress is at <http://www.geonames.org/maps/us-reverse-geocoder.html#findNearestAddress>

Value

address record

Author(s)

Barry Rowlingson

GNfindNearestIntersection
nearest intersection

Description

search US for nearest intersection

Usage

GNfindNearestIntersection(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

finds nearest intersection

API doc for GNfindNearestIntersection is at <http://www.geonames.org/maps/us-reverse-geocoder.html#findNearestIntersection>

Value

intersection record

Author(s)

Barry Rowlingson

| | |
|-----------|----------------------|
| GNgtopo30 | <i>topo30 height</i> |
|-----------|----------------------|

Description

height from topo30

Usage

GNgtopo30(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

get height from topo30 data

API doc for GNgtopo30 is at <http://www.geonames.org/export/web-services.html#gtopo30>

Value

height record

Author(s)

Barry Rowlingson

Examples

```
## Not run:
GNgtopo30(lat=54, lng=-1)
```

```
## End(Not run)
```

| | |
|-----------------|----------------------|
| GNneighbourhood | <i>neighbourhood</i> |
|-----------------|----------------------|

Description

find neighbourhood

Usage

GNneighbourhood(lat, lng)

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

find neighbourhood

API doc for GNneighbourhood is at <http://www.geonames.org/export/web-services.html#neighbourhood>

Value

neighbourhood records

Author(s)

Barry Rowlingson

| | |
|-------------------------|-------------------------|
| GNpostalCodeCountryInfo | <i>postal code info</i> |
|-------------------------|-------------------------|

Description

countries with postal code info

Usage

GNpostalCodeCountryInfo()

Details

list countries with postal code info

API doc for GNpostalCodeCountryInfo is at <http://www.geonames.org/export/web-services.html#postalCodeCountryInfo>

Value

list of countries with postal codes on geonames

Author(s)

Barry Rowlingson

GNpostalCodeLookup *postal code lookup*

Description

postal code lookup

Usage

GNpostalCodeLookup(...)

Arguments

... parameters

Details

postal code lookup

API doc for GNpostalCodeLookup is at <http://www.geonames.org/export/web-services.html#postalCodeLookupJSON>

Value

list of places for a given input postal code

Author(s)

Barry Rowlingson

| | |
|--------------------|---------------------------|
| GNpostalCodeSearch | <i>postal code search</i> |
|--------------------|---------------------------|

Description

search for postal code

Usage

```
GNpostalCodeSearch(...)
```

Arguments

... search parameters

Details

full text search for postal codes

API doc for GNpostalCodeSearch is at <http://www.geonames.org/export/web-services.html#postalCodeSearch>

Value

postal code record

Author(s)

Barry Rowlingson

| | |
|----------|------------------------|
| GNsearch | <i>search geonames</i> |
|----------|------------------------|

Description

search geonames

Usage

```
GNsearch(...)
```

Arguments

... search parameters

Details

general search call

API doc for GNsearch is at <http://www.geonames.org/export/geonames-search.html>

Value

matched records

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
# Find places called Lancaster and 'geocode' the result  
(lanc_df <- GNsearch(name = "Lancaster", country = "UK"))  
lanc_coords <- lanc_df[1, c("lng", "lat")]  
  
## End(Not run)
```

GNsrtm3

srtm3 height

Description

height from srtm3 data

Usage

```
GNsrtm3(lat, lng)
```

Arguments

| | |
|-----|-----------|
| lat | latitude |
| lng | longitude |

Details

get srtm3 height

API doc for GNsrtm3 is at <http://www.geonames.org/export/web-services.html#srtm3>

Value

height record

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNsrtm3(lat=54, lng=-1)  
  
## End(Not run)
```

| | |
|------------|------------------------------|
| GNtimezone | <i>timezone for location</i> |
|------------|------------------------------|

Description

get timezone

Usage

```
GNtimezone(lat, lng, radius = 0)
```

Arguments

| | |
|--------|---------------|
| lat | latitude |
| lng | longitude |
| radius | search radius |

Details

timezone for location

API doc for GNtimezone is at <http://www.geonames.org/export/web-services.html#timezone>

Value

time zone record

Author(s)

Barry Rowlingson

GNweather

weather stations in box

Description

weather stations in region

Usage

GNweather(north, east, south, west, maxRows = 10)

Arguments

| | |
|---------|-----------------------|
| north | north bound |
| east | east bound |
| south | south bound |
| west | west bound |
| maxRows | max records to return |

Details

get weather stations in region with latest readings

Value

weather records

Author(s)Barry Rowlingson

GNweatherIcao

ICAO weather station data

Description

weather record from ICAO station

Usage

GNweatherIcao(ICA0)

Arguments

| | |
|------|-----------|
| ICA0 | ICAO code |
|------|-----------|

Details

get most recent ICAO station data

API doc for GNweatherIcao is at <http://www.geonames.org/export/JSON-webservices.html#weatherIcaoJSON>

Value

weather record

Author(s)

Barry Rowlingson

GNwikipediaBoundingBox

wikipedia articles in a box

Description

wikipedia articles in bounding box

Usage

```
GNwikipediaBoundingBox(...)
```

Arguments

```
...           parameters (north, south, east, west etc.)
```

Details

find articles in a box

API doc for GNwikipediaBoundingBox is at <http://www.geonames.org/export/wikipedia-webservice.html#wikipediaBoundingBox>

Value

wikipedia records

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNwikipediaBoundingBox(north=44.1, south=-9.9, east=-22.4, west=55.2)  
  
## End(Not run)
```

GNwikipediaSearch *search wikipedia*

Description

wikipedia fulltext search

Usage

```
GNwikipediaSearch(q, maxRows = 10)
```

Arguments

| | |
|---------|--------------------------|
| q | search string |
| maxRows | maximum returned records |

Details

find geolocated articles in wikipedia

API doc for GNwikipediaSearch is at <http://www.geonames.org/export/wikipedia-webservice.html#wikipediaSearch>

Value

wikipedia entries

Author(s)

Barry Rowlingson

Examples

```
## Not run:  
GNwikipediaSearch("london")  
  
## End(Not run)
```

| | |
|-----------|-----------------------------|
| hierarchy | <i>Admin area hierarchy</i> |
|-----------|-----------------------------|

Description

See <http://www.geonames.org/export/ws-overview.html> for a full description of valid arguments and return values

Usage

GNchildren(geonameId, ...)

GNhierarchy(geonameId, ...)

GNsiblings(geonameId, ...)

GNneighbours(geonameId, ...)

Arguments

| | |
|-----------|--------------------------------------|
| geonameId | a geonames ID value |
| ... | other parameters to pass to geonames |

Details

API doc for GNchildren is at <http://www.geonames.org/export/place-hierarchy.html#children>

API doc for GNhierarchy is at <http://www.geonames.org/export/place-hierarchy.html#hierarchy>

API doc for GNsiblings is at <http://www.geonames.org/export/place-hierarchy.html#siblings>

API doc for GNneighbours is at <http://www.geonames.org/export/place-hierarchy.html#neighbours>

Index

[geonames](#), [2](#)
[geonames-package \(geonames\)](#), [2](#)
[GNchildren \(hierarchy\)](#), [21](#)
[GNcities](#), [3](#)
[GNcountryCode](#), [3](#)
[GNcountryInfo](#), [4](#)
[GNcountrySubdivision](#), [5](#)
[GNearthquakes](#), [5](#)
[GNfindNearby](#), [6](#)
[GNfindNearbyPlaceName](#), [7](#)
[GNfindNearbyPostalCodes](#), [8](#)
[GNfindNearbyStreets](#), [8](#)
[GNfindNearByWeather](#), [9](#)
[GNfindNearbyWikipedia](#), [10](#)
[GNfindNearestAddress](#), [11](#)
[GNfindNearestIntersection](#), [11](#)
[GNgtopo30](#), [12](#)
[GNhierarchy \(hierarchy\)](#), [21](#)
[GNneighbourhood](#), [13](#)
[GNneighbours \(hierarchy\)](#), [21](#)
[GNpostalCodeCountryInfo](#), [13](#)
[GNpostalCodeLookup](#), [14](#)
[GNpostalCodeSearch](#), [15](#)
[GNsearch](#), [15](#)
[GNsiblings \(hierarchy\)](#), [21](#)
[GNsrtm3](#), [16](#)
[GNtimezone](#), [17](#)
[GNweather](#), [18](#)
[GNweatherIcao](#), [18](#)
[GNwikipediaBoundingBox](#), [19](#)
[GNwikipediaSearch](#), [20](#)

[hierarchy](#), [21](#)