

Package ‘heck’

May 8, 2026

Type Package

Title Highly Performant String Case Converter

Version 0.1.5

Description Provides a case conversion between common cases like CamelCase and snake_case. Using the 'rust crate heck' <<https://github.com/withoutboats/heck>> as the backend for a highly performant case conversion for 'R'.

License MIT + file LICENSE

Encoding UTF-8

URL <https://github.com/DyfanJones/heck>,
<https://dyfanjones.r-universe.dev/heck>

Config/rextendr/version 0.3.1.9001

RoxygenNote 7.3.2

SystemRequirements Cargo (Rust's package manager), rustc >= 1.56.0

Suggests spelling, testthat (>= 3.0.0)

Config/testthat/edition 3

Language en-US

Depends R (>= 4.2)

NeedsCompilation yes

Author Josiah Parry [aut] (ORCID: <<https://orcid.org/0000-0001-9910-865X>>),
Dyfan Jones [cre]

Maintainer Dyfan Jones <dyfan.r.jones@gmail.com>

Repository CRAN

Date/Publication 2025-04-17 16:00:05 UTC

Contents

to_kebab_case	2
Index	4

to_kebab_case	<i>Convert string depending case preference</i>
---------------	-------------------------------------------------

Description

Convert string depending case preference

Usage

to_kebab_case(x)

to_lower_camel_case(x)

to_upper_camel_case(x)

to_pascal_case(x)

to_snake_case(x)

to_snek_case(x)

to_title_case(x)

to_train_case(x)

to_shouty_kebab_case(x)

to_shouty_snake_case(x)

Arguments

x A character vector to be converted.

Value

- to_kebab_case() returns character vector in kebab case i.e. "kebab-case"
- to_lower_camel_case() returns character vector in lower camel case i.e. "lowerCamelCase"
- to_upper_camel_case() returns character vector in upper camel case i.e. "UpperCammel-Case"
- to_pascal_case() returns character vector in pascal case i.e. "PascalCase"
- to_snake_case() returns character vector in snake case i.e. "snake_case"
- to_snek_case() returns character vector in snake case i.e. "snek_case"
- to_title_case() returns character vector in title case i.e. "Title Case"
- to_train_case() returns character vector in train case i.e. "Train-Case"

- `to_shouty_kebab_case()` returns character vector in shouty kebab case i.e. "SHOUTY-KEBAB-CASE"
- `to_shouty_snake_case()` returns character vector in shouty snake case i.e. "SHOUTY_SNAKE_CASE"

Examples

```
x <- "Demo String"

to_kebab_case(x)

to_lower_camel_case(x)
to_upper_camel_case(x)

to_pascal_case(x)

to_snake_case(x)
to_snek_case(x)

to_title_case(x)
to_train_case(x)

to_shouty_kebab_case(x)
to_shouty_snake_case(x)
```

Index

caseconverter (to_kebab_case), [2](#)

to_kebab_case, [2](#)

to_lower_camel_case (to_kebab_case), [2](#)

to_pascal_case (to_kebab_case), [2](#)

to_shouty_kebab_case (to_kebab_case), [2](#)

to_shouty_snake_case (to_kebab_case), [2](#)

to_snake_case (to_kebab_case), [2](#)

to_snek_case (to_kebab_case), [2](#)

to_title_case (to_kebab_case), [2](#)

to_train_case (to_kebab_case), [2](#)

to_upper_camel_case (to_kebab_case), [2](#)