

# Package ‘hms’

May 8, 2026

**Title** Pretty Time of Day

**Date** 2025-10-11

**Version** 1.1.4

**Description** Implements an S3 class for storing and formatting time-of-day values, based on the 'difftime' class.

**License** MIT + file LICENSE

**URL** <https://hms.tidyverse.org/>, <https://github.com/tidyverse/hms>

**BugReports** <https://github.com/tidyverse/hms/issues>

**Imports** cli, lifecycle, methods, pkgconfig, rlang (>= 1.0.2), vctrs (>= 0.3.8)

**Suggests** crayon, lubridate, pillar (>= 1.1.0), testthat (>= 3.0.0)

**Config/Needs/website** tidyverse/tidytemplate

**Config/testthat/edition** 3

**Encoding** UTF-8

**RoxygenNote** 7.3.3.9000

**NeedsCompilation** no

**Author** Kirill Müller [aut, cre] (ORCID:  
<<https://orcid.org/0000-0002-1416-3412>>),  
R Consortium [fnd],  
Posit Software, PBC [fnd] (ROR: <<https://ror.org/03wc8by49>>)

**Maintainer** Kirill Müller <[kirill@cynkra.com](mailto:kirill@cynkra.com)>

**Repository** CRAN

**Date/Publication** 2025-10-17 05:10:11 UTC

## Contents

|                          |   |
|--------------------------|---|
| hms . . . . .            | 2 |
| parse_hms . . . . .      | 3 |
| round_hms . . . . .      | 4 |
| vec_cast.hms . . . . .   | 5 |
| vec_ptype2.hms . . . . . | 5 |

---

|     |  |
|-----|--|
| hms | <i>A simple class for storing time-of-day values</i> |
|-----|--|

---

### Description

The values are stored as a `difftime` vector with a custom class, and always with "seconds" as unit for robust coercion to numeric. Supports construction from time values, coercion to and from various data types, and formatting. Can be used as a regular column in a data frame.

`hms()` is a high-level constructor that accepts second, minute, hour and day components as numeric vectors.

`new_hms()` is a low-level constructor that only checks that its input has the correct base type, `numeric`.

`is_hms()` checks if an object is of class `hms`.

`as_hms()` is a generic that supports conversions beyond casting. The default method forwards to `vctrs::vec_cast()`.

### Usage

```
hms(seconds = NULL, minutes = NULL, hours = NULL, days = NULL)
```

```
new_hms(x = numeric())
```

```
is_hms(x)
```

```
as_hms(x, ...)
```

```
## S3 method for class 'hms'
as.POSIXct(x, ...)
```

```
## S3 method for class 'hms'
as.POSIXlt(x, ...)
```

```
## S3 method for class 'hms'
as.character(x, ...)
```

```
## S3 method for class 'hms'
format(x, ...)
```

```
## S3 method for class 'hms'
print(x, ...)
```

```
## S3 method for class 'hms'
seq(from = hms(1), to = hms(1), by = NULL, ...)
```

**Arguments**

|                               |   |
|-------------------------------|---|
| seconds, minutes, hours, days | Time since midnight. No bounds checking is performed.   |
| x                             | An object.  |
| ...                           | additional arguments to be passed to or from methods.   |
| from, to                      | the starting and (maximal) end values of the sequence. Of length 1 unless just from is supplied as an unnamed argument. |
| by                            | number: increment of the sequence.  |

**Details**

For `hms()`, all arguments must have the same length or be `NULL`. Odd combinations (e.g., passing only seconds and hours but not minutes) are rejected.

For arguments of type `lubridate::POSIXct` and `POSIXlt`, `as_hms()` does not perform timezone conversion. Use `lubridate::with_tz()` and `lubridate::force_tz()` as necessary.

**Examples**

```
hms(56, 34, 12)
hms()

new_hms(as.numeric(1:3))
# Supports numeric only!
try(new_hms(1:3))

as_hms(1)
as_hms("12:34:56")
as_hms(Sys.time())
as.POSIXct(hms(1))
data.frame(a = hms(1))
d <- data.frame(hours = 1:3)
d$hours <- hms(hours = d$hours)
d
```

---

 parse\_hms

*Parsing hms values*


---

**Description**

These functions convert character vectors to objects of the `hms` class. NA values are supported.

`parse_hms()` accepts values of the form "HH:MM:SS", with optional fractional seconds.

`parse_hm()` accepts values of the form "HH:MM".

**Usage**

```
parse_hms(x)
```

```
parse_hm(x)
```

**Arguments**

x                    A character vector

**Value**

An object of class `hms`.

**Examples**

```
parse_hms("12:34:56")
parse_hms("12:34:56.789")
parse_hms("12:34")
```

---

|           |                            |
|-----------|----------------------------|
| round_hms | <i>Round an hms object</i> |
|-----------|----------------------------|

---

**Description**

Convenience functions to round to a multiple of seconds or digits.

**Usage**

```
round_hms(x, secs = NULL, digits = NULL)
trunc_hms(x, secs = NULL, digits = NULL)
ceiling_hms(x, secs = NULL, digits = NULL)
floor_hms(x, secs = NULL, digits = NULL)
```

**Arguments**

x                    A vector of class `hms`

secs                Multiple of seconds, a positive numeric. Values less than one are supported

digits              Number of digits, a whole number. Negative numbers are supported.

**Value**

The input, rounded or truncated to the nearest multiple of secs (or number of digits)

**Examples**

```

round_hms(as_hms("12:34:56"), 5)
round_hms(as_hms("12:34:56"), 60)
round_hms(as_hms("12:34:56.78"), 0.25)
round_hms(as_hms("12:34:56.78"), digits = 1)
round_hms(as_hms("12:34:56.78"), digits = -2)
trunc_hms(as_hms("12:34:56"), 60)
ceiling_hms(as_hms("12:34:56"), 60)
floor_hms(as_hms("12:34:56"), 60)

```

---

|              |                |
|--------------|----------------|
| vec_cast.hms | <i>Casting</i> |
|--------------|----------------|

---

**Description**

Double dispatch methods to support `vctrs::vec_cast()`.

**Usage**

```

## S3 method for class 'hms'
vec_cast(x, to, ...)

```

**Arguments**

|                  |   |
|------------------|---|
| <code>x</code>   | Vectors to cast.  |
| <code>to</code>  | Type to cast to. If NULL, <code>x</code> will be returned as is.  |
| <code>...</code> | For <code>vec_cast_common()</code> , vectors to cast. For <code>vec_cast()</code> , <code>vec_cast_default()</code> , and <code>vec_restore()</code> , these dots are only for future extensions and should be empty. |

---

|                |                 |
|----------------|-----------------|
| vec_ptype2.hms | <i>Coercion</i> |
|----------------|-----------------|

---

**Description**

Double dispatch methods to support `vctrs::vec_ptype2()`.

**Usage**

```

## S3 method for class 'hms'
vec_ptype2(x, y, ..., x_arg = "", y_arg = "")

```

**Arguments**

|                           |  |
|---------------------------|--|
| <code>x, y</code>         | Vector types.  |
| <code>...</code>          | These dots are for future extensions and must be empty.  |
| <code>x_arg, y_arg</code> | Argument names for <code>x</code> and <code>y</code> . These are used in error messages to inform the user about the locations of incompatible types (see <code>stop_incompatible_type()</code> ). |

# Index

`as.character.hms` (`hms`), 2  
`as.POSIXct.hms` (`hms`), 2  
`as.POSIXlt.hms` (`hms`), 2  
`as_hms` (`hms`), 2

`ceiling_hms` (`round_hms`), 4

`difftime`, 2

`floor_hms` (`round_hms`), 4  
`format.hms` (`hms`), 2

`hms`, 2, 3, 4

`is_hms` (`hms`), 2

`lubridate::force_tz()`, 3  
`lubridate::POSIXct`, 3  
`lubridate::with_tz()`, 3

`new_hms` (`hms`), 2  
`numeric`, 2

`parse_hm` (`parse_hms`), 3  
`parse_hms`, 3  
`POSIXlt`, 3  
`print.hms` (`hms`), 2

`round_hms`, 4

`seq.hms` (`hms`), 2  
`stop_incompatible_type()`, 5

`trunc_hms` (`round_hms`), 4

`vctrs::vec_cast()`, 2, 5  
`vctrs::vec_ptype2()`, 5  
`vec_cast.hms`, 5  
`vec_ptype2.hms`, 5