

# Package ‘ipeadatar’

May 8, 2026

**Type** Package

**Title** API Wrapper for 'Ipeadata'

**Version** 0.1.6

**Author** Luiz Eduardo S. Gomes [aut, cre],  
Jessyka A. P. Goltara [ctb]

**Maintainer** Luiz Eduardo S. Gomes <gomes.leduardo@gmail.com>

**Description** Allows direct access to the macroeconomic,  
financial and regional database maintained by  
Brazilian Institute for Applied Economic Research ('Ipea').  
This R package uses the 'Ipeadata' API. For more information,  
see <<http://www.ipeadata.gov.br/>>.

**Depends** R (>= 3.5.0)

**License** MIT + file LICENSE

**Encoding** UTF-8

**URL** <https://github.com/gomesleduardo/ipeadatar>

**BugReports** <https://github.com/gomesleduardo/ipeadatar/issues>

**Imports** stringr, curl, rlang, jsonlite, magrittr, dplyr, lubridate,  
purrr, sjlabelled

**NeedsCompilation** no

**RoxygenNote** 7.1.2

**Suggests** rmarkdown, knitr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**Repository** CRAN

**Date/Publication** 2022-02-03 07:50:05 UTC

## Contents

available_countries . . . . .	2
available_series . . . . .	2
available_subjects . . . . .	3
available_territories . . . . .	3
ipeadata . . . . .	4
metadata . . . . .	5
search_series . . . . .	6

<b>Index</b>	<b>7</b>
--------------	----------

---

available\_countries    *List with available countries*

---

### Description

Returns a list with available countries from Ipeadata API database.

### Usage

```
available_countries(language = c("en", "br"))
```

### Arguments

language            String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").

### Value

A data frame containing 3-letter country code and name of available countries.

---

available\_series        *List with available series*

---

### Description

Returns a list with available series from Ipeadata API database.

### Usage

```
available_series(language = c("en", "br"))
```

### Arguments

language            String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").

**Value**

A data frame containing Ipeadata code, name, theme, source, frequency, last update and activity status of available series.

**Note**

The original language of the available series' names were preserved.

---

available\_subjects     *List with available subjects*

---

**Description**

Returns a list with available subjects from Ipeadata API database.

**Usage**

```
available_subjects(language = c("en", "br"))
```

**Arguments**

language     String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").

**Value**

A data frame containing code and name of available subjects.

---

available\_territories     *List with available territorial divisions*

---

**Description**

Returns a list with available Brazilian territorial divisions from Ipeadata API database.

**Usage**

```
available_territories(language = c("en", "br"))
```

**Arguments**

language     String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").

**Value**

A data frame containing unit name, code, name and area (in km2) of Brazilian territorial divisions.

---

ipeadata	<i>Returns a database about the requested series</i>
----------	--

---

### Description

Returns a list with available database about the requested series.

### Usage

```
ipeadata(code, language = c("en", "br"), quiet = FALSE)
```

### Arguments

code	A character vector with Ipeadata code.
language	String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").
quiet	Logical. If FALSE (default), a progress bar is shown.

### Value

A data frame containing Ipeadata code, date, value, territorial unit name and country or territorial code of requested series.

### Note

The Ipeadata codes may be required by `available_series()`.

### References

This R package uses the Ipeadata API. For more information go to <http://www.ipeadata.gov.br/>.

### See Also

[available\\_series](#), [available\\_territories](#)

### Examples

```
## Not run:  
# Data from  
# "PAN_RRPE": Average real income from effective main work, Brazil  
data <- ipeadata(code = "PAN_RRPE", language = "br")  
  
## End(Not run)
```

---

metadata	<i>Returns a metadata about the requested series</i>
----------	--

---

### Description

Returns a list with metadata information about the requested series.

### Usage

```
metadata(code, language = c("en", "br"), quiet = FALSE)
```

### Arguments

code	A character vector with Ipeadata code.
language	String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").
quiet	Logical. If FALSE (default), a progress bar is shown.

### Value

A data frame containing Ipeadata code, name, short comment, last update, theme name, source's name and full name, source's URL, frequency, unity, multiplier factor, status, subject code and the country or territorial code of requested series.

### Note

The original language of the available series' names and the comments were preserved. The Ipeadata codes may be required by `available_series()`.

### References

This R package uses the Ipeadata API. For more information go to <http://www.ipeadata.gov.br/>.

### See Also

[available\\_series](#), [available\\_subjects](#), [available\\_territories](#)

### Examples

```
## Not run:  
# Metadata from  
# "PRECOS12_IPCA12": Extended National Consumer Price Index (IPCA), Brazil  
meta <- metadata(code = "PRECOS12_IPCA12")  
  
## End(Not run)
```

---

search_series	<i>List with searched series</i>
---------------	----------------------------------

---

**Description**

Returns a list with searched series by terms from Ipeadata API database.

**Usage**

```
search_series(terms = NULL, fields = c('name'), language = c("en", "br"))
```

**Arguments**

terms	A character vector with search terms.
fields	A character vector with table fields where matches are sought. See 'Details'.
language	String specifying the selected language. Language options are English ("en", default) and Brazilian Portuguese ("br").

**Details**

The fields options are "code", "name", "theme", "source", "freq", "lastupdate" and "status".

**Value**

A data frame containing Ipeadata code, name, theme, source, frequency, last update and activity status of searched series.

**Note**

The original language of the available series' names were preserved.

# Index

available\_countries, [2](#)  
available\_series, [2](#), [4](#), [5](#)  
available\_subjects, [3](#), [5](#)  
available\_territories, [3](#), [4](#), [5](#)  
  
ipeadata, [4](#)  
  
metadata, [5](#)  
  
search\_series, [6](#)