

Package ‘orbweaver’

May 9, 2026

Title Fast and Efficient Graph Data Structures

Version 0.18.2

Description Seamlessly build and manipulate graph structures, leveraging its high-performance methods for filtering, joining, and mutating data. Ensures that mutations and changes to the graph are performed in place, streamlining your workflow for optimal productivity.

License MIT + file LICENSE

URL <https://github.com/ixpantia/orbweaver-r>

BugReports <https://github.com/ixpantia/orbweaver-r/issues>

Depends R (>= 4.2.0)

Imports glue, methods, rlang

Suggests testthat (>= 3.0.0)

Config/rextendr/version 0.3.1.9001

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.3.2

SystemRequirements Cargo (Rust's package manager) >= 1.70, rustc >= 1.70

Config/Needs/website rmarkdown

NeedsCompilation yes

Author ixpantia, SRL [cph],
Andres Quintero [aut, cre],
The authors of the dependency Rust crates [ctb] (see inst/AUTHORS file
for details)

Maintainer Andres Quintero <andres@ixpantia.com>

Repository CRAN

Date/Publication 2025-04-28 13:50:07 UTC

Contents

| | |
|-----------------------|----|
| add_edge | 2 |
| add_path | 3 |
| build_acyclic | 4 |
| build_directed | 4 |
| children | 5 |
| find_all_paths | 6 |
| find_path | 7 |
| find_path_one_to_many | 8 |
| get_all_leaves | 9 |
| get_all_roots | 9 |
| get_leaves_as_df | 10 |
| get_leaves_under | 11 |
| get_roots_over | 11 |
| graph_builder | 12 |
| graph_from_bin | 13 |
| graph_to_bin | 13 |
| has_children | 14 |
| has_parents | 15 |
| least_common_parents | 15 |
| nodes | 16 |
| parents | 17 |
| populate_edges | 17 |

| | |
|--------------|-----------|
| Index | 19 |
|--------------|-----------|

| | |
|----------|---------------------------------------|
| add_edge | <i>Add an edge to a graph builder</i> |
|----------|---------------------------------------|

Description

Adds an edge from one node to another in a a directed graph builder.

Usage

```
add_edge(graph_builder, from, to)
```

Arguments

| | |
|---------------|------------------------|
| graph_builder | A graph builder_object |
| from | The from node. |
| to | The to node. |

Value

The updated graph builder object

See Also

Other build graphs: [add_path\(\)](#), [build_acyclic\(\)](#), [build_directed\(\)](#), [graph_builder\(\)](#), [populate_edges\(\)](#)

Examples

```
graph_builder() |>
  add_edge("A", "B")
```

| | |
|----------|------------------------------|
| add_path | <i>Add a path to a graph</i> |
|----------|------------------------------|

Description

Adds all of the edges that make up the given path to the graph.

Usage

```
add_path(graph_builder, path)
```

Arguments

`graph_builder` A graph builder_object
`path` A character vector that describes the path

Value

The updated graph builder object

See Also

Other build graphs: [add_edge\(\)](#), [build_acyclic\(\)](#), [build_directed\(\)](#), [graph_builder\(\)](#), [populate_edges\(\)](#)

Examples

```
graph_builder() |>
  add_path(c("A", "B", "C"))
```

| | |
|---------------|--|
| build_acyclic | <i>Build a DirectedAcyclicGraph from a builder</i> |
|---------------|--|

Description

Builds a graph builder into a new DirectedAcyclicGraph object.

NOTE: This will consume the builder. It will leave an empty builder in its place.

Usage

```
build_acyclic(graph_builder)
```

Arguments

graph_builder A graph builder object

Value

A DirectedAcyclicGraph Object

See Also

Other build graphs: [add_edge\(\)](#), [add_path\(\)](#), [build_directed\(\)](#), [graph_builder\(\)](#), [populate_edges\(\)](#)

Examples

```
graph_builder() |>  
  add_path(c("1", "2", "3", "4")) |>  
  build_acyclic()
```

| | |
|----------------|---|
| build_directed | <i>Build a DirectedGraph from a builder</i> |
|----------------|---|

Description

Builds a graph builder into a new DirectedGraph object.

NOTE: This will consume the builder. It will leave an empty builder in its place.

Usage

```
build_directed(graph_builder)
```

Arguments

graph_builder A graph builder object

Value

A DirectedGraph Object

See Also

Other build graphs: [add_edge\(\)](#), [add_path\(\)](#), [build_acyclic\(\)](#), [graph_builder\(\)](#), [populate_edges\(\)](#)

Examples

```
graph_builder() |>
  add_path(c("1", "2", "3", "4")) |>
  build_directed()
```

children

Get the children on a node

Description

Get a list of the node ids of the children of the provided node.

Usage

```
children(graph, nodes)
```

Arguments

| | |
|-------|--|
| graph | A graph object |
| nodes | A character vector of nodes to find children for |

Value

A character vector

Examples

```
graph <- graph_builder() |>
  add_edge(from = "A", to = "B") |>
  build_directed()

graph |> children("A")
```

| | |
|----------------|---|
| find_all_paths | <i>Find all paths between two nodes</i> |
|----------------|---|

Description

Find all the paths between two nodes in a graph.

Not all graphs support this function. Currently only DirectedAcyclicGraph supports this.

Usage

```
find_all_paths(graph, from, to)
```

Arguments

| | |
|-------|-------------------------------|
| graph | A graph object |
| from | The starting node of the path |
| to | The ending node of the path |

Value

A list of character vectors

See Also

Other analyze graphs: [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  add_path(c("A", "Z", "C")) |>
  add_path(c("A", "B", "A")) |>
  build_directed()

find_all_paths(graph, "A", "C")
```

| | |
|-----------|--------------------------------------|
| find_path | <i>Find a path between two nodes</i> |
|-----------|--------------------------------------|

Description

Finds a path between two nodes in a graph.

Different types of graphs use different algorithms to find the paths. a `DirectedGraph` uses breadth-first search while an `DirectedAcyclicGraph` uses topological sort.

The path is represented as a character vector with the node ids of the nodes that make up the path.

Usage

```
find_path(graph, from, to)
```

Arguments

| | |
|-------|-------------------------------|
| graph | A graph object |
| from | The starting node of the path |
| to | The ending node of the path |

Value

A character vector

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  build_directed()

find_path(graph, "A", "C")
```

find_path_one_to_many *Find the a valid path from one node to many*

Description

Find a valid path from one node to many

Usage

```
find_path_one_to_many(graph, from, to)
```

Arguments

| | |
|-------|-------------------------------|
| graph | A graph object |
| from | The starting node of the path |
| to | A character vector of nodes |

Value

A list of paths

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
edges <- data.frame(
  parent = c("A", "A", "B", "Z"),
  child = c("B", "Z", "Z", "F")
)

graph <- graph_builder() |>
  populate_edges(edges, parent, child) |>
  build_acyclic()

find_path_one_to_many(graph, "A", edges$child)
```

| | |
|----------------|--|
| get_all_leaves | <i>Get all the leaf nodes of a graph</i> |
|----------------|--|

Description

Retrieves the nodes in a graph that have no children

Usage

```
get_all_leaves(graph, ...)
```

Arguments

| | |
|-------|----------------|
| graph | A graph object |
| ... | Unused |

Value

A character vector of nodes

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  add_path(c("A", "D", "C")) |>
  add_path(c("Z", "B", "C")) |>
  add_path(c("Z", "B", "H")) |>
  build_directed()

get_all_leaves(graph)
```

| | |
|---------------|--|
| get_all_roots | <i>Get the all the root nodes of a graph</i> |
|---------------|--|

Description

Retrieves the nodes in a graph that have no parents

Usage

```
get_all_roots(graph, ...)
```

Arguments

| | |
|-------|----------------|
| graph | A graph object |
| ... | Unused |

Value

A character vector of nodes

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  add_path(c("A", "D", "C")) |>
  add_path(c("Z", "B", "C")) |>
  build_directed()

get_all_roots(graph)
```

| | |
|------------------|-----------------------------------|
| get_leaves_as_df | <i>Get leaves as a data frame</i> |
|------------------|-----------------------------------|

Description

Get leaves of a set of nodes in a data frame format.

Usage

```
get_leaves_as_df(graph, nodes)
```

Arguments

| | |
|-------|--------------------------------|
| graph | A graph object |
| nodes | A character vector of node IDs |

Value

A data frame of leaves

| | |
|------------------|---|
| get_leaves_under | <i>Get the leaf nodes of a graph under some nodes</i> |
|------------------|---|

Description

Retrieves the nodes in a graph that have no children under a certain node or group of nodes

Usage

```
get_leaves_under(graph, nodes)
```

Arguments

| | |
|-------|--|
| graph | A graph object |
| nodes | A character vector of nodes to find leaves for |

Value

A character vector of nodes

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_roots_over\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  add_path(c("A", "D", "C")) |>
  add_path(c("Z", "B", "C")) |>
  add_path(c("Z", "B", "H")) |>
  build_directed()

get_leaves_under(graph, "D")
```

| | |
|----------------|--|
| get_roots_over | <i>Get the root nodes of a graph over some nodes</i> |
|----------------|--|

Description

Retrieves the nodes in a graph that have no parents over a certain node or group of nodes

Usage

```
get_roots_over(graph, nodes)
```

Arguments

graph A graph object
 nodes A character vector of nodes to find roots for

Value

A character vector of nodes

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [least_common_parents\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_path(c("A", "B", "C")) |>
  add_path(c("A", "D", "C")) |>
  add_path(c("Z", "B", "C")) |>
  build_directed()

get_roots_over(graph, "D")
```

graph_builder

A new builder for a graph based on the type

Description

Object used to build graphs

Usage

```
graph_builder(type = c("directed"))
```

Arguments

type The type of graph

Value

An object of class 'DirectedGraphBuilder'.

See Also

Other build graphs: [add_edge\(\)](#), [add_path\(\)](#), [build_acyclic\(\)](#), [build_directed\(\)](#), [populate_edges\(\)](#)

Examples

```
graph_builder()
```

| | |
|----------------|--|
| graph_from_bin | <i>Read the graph from a binary blob</i> |
|----------------|--|

Description

Read the graph from a binary blob

Usage

```
graph_from_bin(path, bin, type = c("directed", "dag"))
```

Arguments

| | |
|------|---|
| path | (Optional) Path to a file containing a graph binary |
| bin | (Optional) The raw binary of the graph |
| type | The type of graph the JSON represents |

Value

A graph object

See Also

Other graphs i/o: [graph_to_bin\(\)](#)

Examples

```
bin <- graph_builder() |>
  add_edge("A", "B") |>
  build_directed() |>
  graph_to_bin()
bin

graph_from_bin(bin = bin)
```

| | |
|--------------|--|
| graph_to_bin | <i>Save the graph into a binary blob</i> |
|--------------|--|

Description

Save the graph into a binary blob

Usage

```
graph_to_bin(graph, path)
```

Arguments

| | |
|-------|---------------------------------------|
| graph | A graph object |
| path | Path to a file to save the graph into |

Value

Run for its side-effects

See Also

Other graphs i/o: [graph_from_bin\(\)](#)

Examples

```
graph <- graph_builder() |>
  add_edge("A", "B") |>
  build_directed()

graph_to_bin(graph)
```

| | |
|--------------|---|
| has_children | <i>Checks if a node in a graph has children</i> |
|--------------|---|

Description

This function validates if the node has an edge pointing to any other node.

Usage

```
has_children(graph, nodes)
```

Arguments

| | |
|-------|--|
| graph | A graph object |
| nodes | A character vector of nodes to determine |

Value

A logical vector with the same length as nodes

Examples

```
graph <- graph_builder() |>
  add_edge(from = "A", to = "B") |>
  build_directed()
graph

graph |> has_children(nodes = "A")
graph |> has_children(nodes = "B")
```

| | |
|-------------|--|
| has_parents | <i>Checks if a node in a graph has parents</i> |
|-------------|--|

Description

This function validates if any edge points to the given node.

Usage

```
has_parents(graph, nodes)
```

Arguments

| | |
|-------|--|
| graph | A graph object |
| nodes | A character vector of nodes to determine |

Value

A logical vector with the same length as nodes

Examples

```
graph <- graph_builder() |>  
  add_edge(from = "A", to = "B") |>  
  build_directed()  
graph  
  
graph |> has_parents(nodes = "A")  
graph |> has_parents(nodes = "B")
```

| | |
|----------------------|---|
| least_common_parents | <i>Find the least common parents in a graph</i> |
|----------------------|---|

Description

It finds the nodes that have no parents in the given set.

Usage

```
least_common_parents(graph, selected)
```

Arguments

| | |
|----------|--------------------------------|
| graph | A graph object |
| selected | A character vector of node ids |

Value

A character vector of node ids

See Also

Other analyze graphs: [find_all_paths\(\)](#), [find_path\(\)](#), [find_path_one_to_many\(\)](#), [get_all_leaves\(\)](#), [get_all_roots\(\)](#), [get_leaves_under\(\)](#), [get_roots_over\(\)](#)

Examples

```
graph_edges <- data.frame(
  parent = c("A", "B", "C", "C", "F"),
  child  = c("B", "C", "D", "E", "D")
)

graph <- graph_builder() |>
  populate_edges(graph_edges, parent, child) |>
  build_directed()
graph

graph |> least_common_parents(c("D", "E"))
```

nodes

Get the nodes in the graph

Description

Returns the unique nodes in the graph

Usage

```
nodes(graph, ...)
```

Arguments

graph A directed or directed acyclic graph
 ... Reserved for later use

Value

A character vector with the nodes

Examples

```
graph <- graph_builder() |>
  add_edge(from = "A", to = "B") |>
  build_directed()
graph

nodes(graph)
```

| | |
|---------|----------------------------------|
| parents | <i>Get the parents on a node</i> |
|---------|----------------------------------|

Description

Get a list of the node ids of the parents of the provided node.

Usage

```
parents(graph, nodes)
```

Arguments

| | |
|-------|---|
| graph | A graph object |
| nodes | A character vector of nodes to find parents for |

Value

A character vector

Examples

```
graph <- graph_builder() |>
  add_edge(from = "A", to = "B") |>
  build_directed()

graph |> parents("A")
graph |> parents("B")
```

| | |
|----------------|---|
| populate_edges | <i>Populates the edges of a graph from a data.frame</i> |
|----------------|---|

Description

Adds a set of edges from a data.frame to a graph

Usage

```
populate_edges(graph_builder, edges_df, parent_col, child_col)
```

Arguments

| | |
|---------------|--|
| graph_builder | A graph builder object |
| edges_df | A data.frame with a parent and child variable |
| parent_col | The name of the column containing the parents |
| child_col | The name of the column containing the children |

Value

The updated graph builder object

See Also

Other build graphs: [add_edge\(\)](#), [add_path\(\)](#), [build_acyclic\(\)](#), [build_directed\(\)](#), [graph_builder\(\)](#)

Examples

```
graph_edges <- data.frame(
  parent = c("A", "B", "C"),
  child = c("B", "C", "D")
)

graph_builder() |>
  populate_edges(
    edges_df = graph_edges,
    parent_col = "parent",
    child_col = "child"
  )
```

Index

* analyze graphs

- find_all_paths, 6
- find_path, 7
- find_path_one_to_many, 8
- get_all_leaves, 9
- get_all_roots, 9
- get_leaves_under, 11
- get_roots_over, 11
- least_common_parents, 15

* build graphs

- add_edge, 2
- add_path, 3
- build_acyclic, 4
- build_directed, 4
- graph_builder, 12
- populate_edges, 17

* graphs i/o

- graph_from_bin, 13
- graph_to_bin, 13

add_edge, 2, 3–5, 12, 18
add_path, 3, 3, 4, 5, 12, 18

build_acyclic, 3, 4, 5, 12, 18
build_directed, 3, 4, 4, 12, 18

children, 5

find_all_paths, 6, 7–12, 16
find_path, 6, 7, 8–12, 16
find_path_one_to_many, 6, 7, 8, 9–12, 16

get_all_leaves, 6–8, 9, 10–12, 16
get_all_roots, 6–9, 9, 11, 12, 16
get_leaves_as_df, 10
get_leaves_under, 6–10, 11, 12, 16
get_roots_over, 6–11, 11, 16
graph_builder, 3–5, 12, 18
graph_from_bin, 13, 14
graph_to_bin, 13, 13

has_children, 14

has_parents, 15

least_common_parents, 6–12, 15

nodes, 16

parents, 17

populate_edges, 3–5, 12, 17