

# Package ‘rnetcarto’

May 9, 2026

**Type** Package

**Title** Fast Network Modularity and Roles Computation by Simulated Annealing (Rgraph C Library Wrapper for R)

**Version** 0.2.6

**Description** Provides functions to compute the modularity and modularity-related roles in networks. It is a wrapper around the rgraph library (Guimera & Amaral, 2005, <[doi:10.1038/nature03288](https://doi.org/10.1038/nature03288)>).

**License** GPL (>= 2)

**Encoding** UTF-8

**LazyLoad** no

**SystemRequirements** GNU GSL

**NeedsCompilation** yes

**Suggests** testthat, knitr, rmarkdown, igraph

**VignetteBuilder** knitr

**RoxygenNote** 7.2.1

**Author** Daniel B. Stouffer [cre, aut, ths] (Maintainer),  
Guilhem Doulcier [aut] (R bindings, current implementation of the simulated annealing algorithm),  
Roger Guimera [ctb] (Author of the original rgraph library)

**Maintainer** Daniel B. Stouffer <daniel.stouffer@canterbury.ac.nz>

**Repository** CRAN

**Date/Publication** 2023-01-16 21:50:02 UTC

## Contents

rnetcarto . . . . .	2
<b>Index</b>	<b>3</b>

---

`netcarto`*Computes modularity and modularity roles from a network.*

---

## Description

Compute modularity and modularity roles for graphs using simulated annealing

## Usage

```
netcarto(  
  web,  
  seed = as.integer(floor(runif(1, 1, 100000001))),  
  iterfac = 1,  
  coolingfac = 0.995,  
  bipartite = FALSE  
)
```

## Arguments

<code>web</code>	network either as a square adjacency matrix or a list describing E interactions a->b: the first (resp. second) element is the vector of the labels of a (resp. b), the third (optional) is the vector of interaction weights.
<code>seed</code>	Seed for the random number generator: Must be a positive integer.
<code>iterfac</code>	At each temperature of the simulated annealing (SA), the program performs $fN^2$ individual-node updates (involving the movement of a single node from one module to another) and $fN$ collective updates (involving the merging of two modules and the split of a module). The number "f" is the iteration factor.
<code>coolingfac</code>	Temperature cooling factor.
<code>bipartite</code>	If True use the bipartite definition of modularity.

## Value

A list. The first element is a dataframe with the name, module, z-score, and participation coefficient for each row of the input matrix. The second element is the modularity of this partition.

## Examples

```
# Generate a simple random network  
a = matrix(as.integer(runif(100)<.3), ncol=10)  
a[lower.tri(a)] = 0  
# Find an optimal partition for modularity using netcarto.  
netcarto(a)
```

# Index

netcarto (rnetcarto), [2](#)

rnetcarto, [2](#)