

# Package ‘shapeNA’

May 9, 2026

**Title** M-Estimation of Shape for Data with Missing Values

**Version** 0.0.2

**Description** M-estimators of location and shape following the power family (Frahm, Nordhausen, Oja (2020) <[doi:10.1016/j.jmva.2019.104569](https://doi.org/10.1016/j.jmva.2019.104569)>) are provided in the case of complete data and also when observations have missing values together with functions aiding their visualization.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**Depends** R (>= 3.6)

**Imports** graphics, stats

**Suggests** knitr, rmarkdown, mvtnorm, mice

**NeedsCompilation** no

**Author** Katharina Riemer [cre, aut],  
Gabriel Frahm [aut] (ORCID: <<https://orcid.org/0000-0001-7507-730X>>),  
Klaus Nordhausen [aut] (ORCID: <<https://orcid.org/0000-0002-3758-8501>>),  
Una Radojicic [aut] (ORCID: <<https://orcid.org/0000-0003-0329-0595>>)

**Maintainer** Katharina Riemer <[kathariemer.maintainer@gmail.com](mailto:kathariemer.maintainer@gmail.com)>

**Repository** CRAN

**Date/Publication** 2021-03-15 09:10:02 UTC

## Contents

barplot.shapeNA . . . . .	2
naBlocks . . . . .	3
plot.naBlocks . . . . .	4
plot.shapeNA . . . . .	4
powerShape . . . . .	5
powerShapeNA . . . . .	7
print.naBlocks . . . . .	9

print.shapeNA . . . . .	10
print.summary.shapeNA . . . . .	11
shape2scatter . . . . .	11
summary.shapeNA . . . . .	12

<b>Index</b>	<b>13</b>
--------------	-----------

---

barplot.shapeNA	<i>Barplot Showcasing Missingness Proportion of the Original Data</i>
-----------------	---

---

## Description

Visualize the proportion of missingness per variable in a barplot.

## Usage

```
## S3 method for class 'shapeNA'
barplot(height, sortNA = FALSE, ...)
```

## Arguments

height	A shapeNA object.
sortNA	A logical. If FALSE, the original variable order is kept. Otherwise the variables are ordered from least to most missingness.
...	Additional graphical arguments passed to <a href="#">barplot</a> .

## Value

Invisibly returns a named vector holding the proportion of missingness per variable.

## See Also

[barplot](#)

## Examples

```
S <- toeplitz(seq(1, 0.1, length.out = 3))
x <- mvtnorm::rmvt(100, S, df = 5)
y <- mice::ampute(x, mech='MCAR')$amp
res <- classicShapeNA(y)
barplot(res)
```

---

`naBlocks`*Reorder Data with Missing Values*

---

**Description**

Reorder a data set with NA entries to form blocks of missing values. The resulting data will have increasing missingness along the rows and along the columns. The rows are ordered such that the first block consists of complete observations, and the following blocks are ordered from most frequent missingness pattern to least frequent missingness pattern.

**Usage**

```
naBlocks(x, cleanup = TRUE, plot = FALSE)
```

**Arguments**

<code>x</code>	A matrix with missing values.
<code>cleanup</code>	A logical flag. If TRUE, observations with less than 2 responses are discarded.
<code>plot</code>	A logical flag. If TRUE, a plot of the missingness pattern is produced.

**Details**

In case of ties, that is if two patterns occur with the same frequency, the block whose pattern occurs first will be ordered in front of the other block.

This method may fail if the missingness is too strong or if the number of observations is too low (the number of observations has to exceed the number of variables), as it has been designed as a preprocessing step for shape estimations.

**Value**

A list of class `naBlocks` with components:

<code>x</code>	The reordered data matrix.
<code>permutation</code>	The permutation of the columns that was applied to reorder the columns according to the number of NAs.
<code>rowPermutation</code>	The permutation of the rows that generates the blocks.
<code>N</code>	A vector of all row indices. Each row number points to the beginning of a new missingness pattern.
<code>D</code>	A vector specifying the missingness pattern for each block.
<code>P</code>	A vector specifying the number of observed variables per block.
<code>kn</code>	A vector specifying the percentage of observed responses per variable.

---

plot.naBlocks *Plot Missingness Pattern of Data*

---

### Description

Function to visualize the missingness patterns for objects of class naBlocks.

### Usage

```
## S3 method for class 'naBlocks'
plot(x, ...)
```

### Arguments

x                    A naBlocks object.  
 ...                  Additional parameters passed on to [rect](#).

### Value

No return value.

### Examples

```
x <- mvtnorm::rmvt(100, toeplitz(seq(1, 0.1, length.out = 3))), df = 5)
y <- mice::ampute(x, mech='MCAR')$amp
res <- classicShapeNA(y)
plot(res$naBlocks)
```

---

plot.shapeNA *Visualization of Shape Estimate*

---

### Description

Function to visualize the shape matrix from objects of class shapeNA by plotting a heatmap where light colored cells indicate small values and dark colored cells indicate high values.

### Usage

```
## S3 method for class 'shapeNA'
plot(x, message = TRUE, ...)
```

### Arguments

x                    A shapeNA oobject  
 message            A logical, If TRUE, the percentage of observed values per variable is printed in the console.  
 ...                  Additional parameters passed to [image](#).

**Value**

A matrix with the proportion of observed values for each variable.

**Examples**

```
x <- mvtnorm::rmvt(100, toeplitz(seq(1, 0.1, length.out = 3))), df = 5)
y <- mice::ampute(x, mech='MCAR')$amp
res <- tylerShapeNA(y)
## default plot
plot(res)
## plot result in gray scale - reverse order to get a palette starting
## with the lightest instead of the darkest color
plot(res, col = gray.colors(9, rev = TRUE))
```

---

powerShape

*M-estimators of Shape from the Power Family.*

---

**Description**

Power M-estimators of shape and location were recently suggested in Frahm et al. (2020). They have a tuning parameter  $\alpha$  taking values in  $[\theta, 1]$ . The extreme case  $\alpha = 1$  corresponds to Tyler's shape matrix and  $\alpha = 0$  to the classical covariance matrix. These special cases have their own, more efficient functions `tylerShape` and `classicShape`, respectively. If the true location is known, it should be supplied as `center`, otherwise it is estimated simultaneously with the shape.

**Usage**

```
powerShape(x, alpha, center = NULL,
           normalization = c("det", "trace", "one"), maxiter = 1e4, eps = 1e-6)
```

```
tylerShape(x, center = NULL,
           normalization = c("det", "trace", "one"), maxiter = 1e4, eps = 1e-6)
```

```
classicShape(x, center = NULL,
            normalization = c("det", "trace", "one"), maxiter = 1e4, eps = 1e-6)
```

**Arguments**

- |                            |   |
|----------------------------|---|
| <code>x</code>             | A numeric data matrix or data.frame without missing data.   |
| <code>alpha</code>         | Tail index, a numeric value in the interval $[\theta, 1]$ . Determines the power function. For more information see 'Details'.  |
| <code>center</code>        | An optional vector of the data's center. If NULL the center will be estimated simultaneously with the shape.  |
| <code>normalization</code> | A string determining how the shape matrix is standardized. The possible values are <ul style="list-style-type: none"> <li>'det' such that the returned shape estimate has determinant 1.</li> </ul> |

- 'trace' such that the returned shape estimate has trace  $\text{ncol}(x)$ .
  - 'one' such that the returned shape estimate's top left entry ( $S[1, 1]$ ) is 1.
- maxiter      A positive integer, restricting the maximum number of iterations.
- eps            A numeric, specifying the tolerance level of when the iteration stops.

### Details

These functions assume that the data were generated from an elliptical distribution, for Tyler's estimate this can be relaxed to generalized elliptical distributions.

For multivariate normally distributed data, `classicShape` is the maximum likelihood estimator of location and scale. It is a special case of the power M-estimator with tail index  $\alpha = 0$ , which returns the empirical covariance matrix and the empirical mean vector.

The function `tylerShape` maximizes the likelihood function after projecting the observed data of each individual onto the unit hypersphere, in which case we obtain an angular central Gaussian distribution. It is a special case of the power M-estimator with tail index  $\alpha = 1$ , which returns Tyler's M-estimator of scatter and an affine equivariant multivariate median according to Hettmansperger and Randles (2002).

The function `powerShape` requires an additional parameter, the so-called tail index  $\alpha$ . For heavy tailed data, the index should be chosen closer to 1, whereas for light tailed data the index should be chosen closer to 0.

### Value

A list with class 'shapeNA' containing the following components:

- S              The estimated shape matrix.
- scale         The scale with which the shape matrix may be scaled to obtain a scatter estimate. If  $\alpha = 1$ , then this value is NA, as Tyler's shape matrix has no natural scale.
- mu             The location parameter, either provided by the user or estimated.
- alpha         The tail index with which the Power M-estimator has been called.
- naBlocks     NULL, since `powerShape` operates only on complete data.
- iterations    Number of computed iterations before convergence.
- call          The matched call.

### References

- Tyler, D.E. (1987). A Distribution-Free M-Estimator of Multivariate Scatter. *The Annals of Statistics*, 15, 234-251. doi: [10.1214/aos/1176350263](https://doi.org/10.1214/aos/1176350263).
- Frahm, G., Nordhausen, K., & Oja, H. (2020). M-estimation with incomplete and dependent multivariate data. *Journal of Multivariate Analysis*, 176, 104569. doi: [10.1016/j.jmva.2019.104569](https://doi.org/10.1016/j.jmva.2019.104569).
- Hettmansperger, T. P., & Randles, R. H. (2002). A practical affine equivariant multivariate median. *Biometrika*, 89(4), 851-860. doi: [10.1093/biomet/89.4.851](https://doi.org/10.1093/biomet/89.4.851)

### See Also

`powerShapeNA`, `tylerShapeNA` and `classicShapeNA` for the corresponding functions for data with missing values.

**Examples**

```
## Generate example data
S <- toeplitz(c(1, 0.1))
x <- mvtnorm::rmvt(100, S)
## Compute some M-estimators
res0 <- classicShape(x, center = c(0, 0))
res1 <- powerShape(x, alpha = 0.67, normalization = 'one')
res2 <- tylerShape(x, normalization = 'trace')
## Get location estimates
res1$mu
res2$mu
## Get shape estimates
res0$S
res1$S
res2$S
## Print summary
summary(res0)
```

---

powerShapeNA

*M-estimators of the Shape from the Power Family when Data is Missing*


---

**Description**

Power M-estimators of shape and location were recently suggested in Frahm et al. (2020). They have a tuning parameter  $\alpha$  taking values in  $[0, 1]$ . The extreme case  $\alpha = 1$  corresponds to Tyler's shape matrix and  $\alpha = 0$  to the classical covariance matrix. These special cases have their own, more efficient functions `tylerShapeNA` and `classicShapeNA`, respectively. If the true location is known, it should be supplied as `center`, otherwise it is estimated simultaneously with the shape.

**Usage**

```
powerShapeNA(x, alpha, center = NULL, normalization = c("det", "trace", "one"),
             maxiter = 1e4, eps = 1e-6)
```

```
tylerShapeNA(x, center = NULL, normalization = c("det", "trace", "one"),
             maxiter = 1e4, eps = 1e-6)
```

```
classicShapeNA(x, center = NULL, normalization = c("det", "trace", "one"),
              maxiter = 1e4, eps = 1e-6)
```

**Arguments**

`x` A data matrix or data.frame with missing data and  $p > 2$  columns.

`alpha` Tail index, a numeric value in the interval  $[0, 1]$ . Determines the power function. For more information see 'Details'.

center	An optional vector of the data's center, if NULL the center will be estimated simultaneously with the shape.
normalization	A string determining how the shape matrix is standardized. The possible values are <ul style="list-style-type: none"> <li>• 'det' such that the returned shape estimate has determinant 1.</li> <li>• 'trace' such that the returned shape estimate has trace <math>n \text{col}(x)</math>.</li> <li>• 'one' such that the returned shape estimate's top left entry (<math>S[1, 1]</math>) is 1.</li> </ul>
maxiter	A positive integer, restricting the maximum number of iterations.
eps	A numeric, specifying tolerance level of when the iteration stops.

### Details

These functions assume that the data were generated from an elliptical distribution, for Tyler's estimate this can be relaxed to generalized elliptical distributions. The missingness mechanism should be MCAR or, under stricter distributional assumptions, MAR. See the references for details.

For multivariate normally distributed data, [classicShapeNA](#) is the maximum likelihood estimator of the location and scale. It is a special case of the power M-estimator with tail index  $\alpha = 0$ , which returns the empirical covariance matrix and the empirical mean vector.

The function [tylerShapeNA](#) maximizes the likelihood function after projecting the observed data of each individual onto the unit hypersphere, in which case we obtain an angular central Gaussian distribution. It is a special case of the power M-estimator with tail index  $\alpha = 1$ , which returns Tyler's M-estimator of scatter and an affine equivariant multivariate median according to Hettmansperger and Randles (2002).

The function [powerShapeNA](#) requires an additional parameter, the so-called tail index  $\alpha$ . For heavy tailed data, the index should be chosen closer to 1, whereas for light tailed data the index should be chosen closer to 0.

### Value

A list with class 'shapeNA' containing the following components:

**S** The estimated shape matrix.

**scale** The scale with which the shape matrix may be scaled to obtain a scatter estimate. If  $\alpha = 1$ , then this value will be NA, as Tyler's shape matrix has no natural scale.

**mu** The location parameter, either provided by the user or estimated.

**alpha** The tail index with which the Power M-estimator has been called.

**naBlocks** An naBlocks object, with information about the missingness of the data.

**iterations** Number of computed iterations before convergence.

**call** The matched call.

### References

Frahm, G., & Jaekel, U. (2010). A generalization of Tyler's M-estimators to the case of incomplete data. *Computational Statistics & Data Analysis*, 54, 374-393. doi: [10.1016/j.csda.2009.08.019](https://doi.org/10.1016/j.csda.2009.08.019).

Frahm, G., Nordhausen, K., & Oja, H. (2020). M-estimation with incomplete and dependent multivariate data. *Journal of Multivariate Analysis*, 176, 104569. doi: [10.1016/j.jmva.2019.104569](https://doi.org/10.1016/j.jmva.2019.104569).

Hettmansperger, T. P., & Randles, R. H. (2002). A practical affine equivariant multivariate median. *Biometrika*, 89(4), 851-860. doi: [10.1093/biomet/89.4.851](https://doi.org/10.1093/biomet/89.4.851)

### See Also

[powerShape](#), [tylerShape](#) and [classicShape](#) for the corresponding functions for data without missing values.

### Examples

```
## Generate a data set with missing values
x <- mvtnorm::rmvt(100, toeplitz(seq(1, 0.1, length.out = 3))), df = 5)
y <- mice::ampute(x, mech = 'MCAR')$amp

## Compute some M-estimators
res0 <- classicShapeNA(y, center = c(0, 0, 0))
res1 <- powerShapeNA(y, alpha = 0.67, normalization = 'one')
res2 <- tylerShapeNA(y, normalization = 'trace')

## Get location estimates
res1$mu
res2$mu
## Get shape estimates
res0$S
res1$S
res2$S

## Print summary
summary(res0)
## Inspect missingness pattern
plot(res0$naBlocks)
barplot(res0)
```

---

print.naBlocks

*Print Missingness Pattern*

---

### Description

Print the pattern of missingness in the supplied data, as a block matrix. Observed data are represented by 1, missing values by 0.

### Usage

```
## S3 method for class 'naBlocks'
print(x, ...)
```

**Arguments**

x                    An naBlocks object.  
 ...                  Additional parameters passed to `print`.

**Details**

The first row shows the column names. The leftmost column, without column name, shows the number of rows per block and the rightmost column with name # shows the number of observed variables in the block.

**Value**

A named matrix representing the missingness pattern of the data.

**Examples**

```
x <- mvtnorm::rmvt(100, toeplitz(seq(1, 0.1, length.out = 3))), df = 5)
y <- mice::ampute(x, mech='MCAR')$amp
res <- classicShapeNA(y)
print(res$naBlocks)
```

---

print.shapeNA

*Print Method for Objects of Class shapeNA*

---

**Description**

Prints the chosen value of alpha as well as the estimated shape and location for objects of class shapeNA.

**Usage**

```
## S3 method for class 'shapeNA'
print(x, ...)
```

**Arguments**

x                    A shapeNA object  
 ...                  Additional parameters passed to lower level `print`.

**Value**

No return value.

**Examples**

```
x <- mvtnorm::rmvt(100, toeplitz(seq(1, 0.1, length.out = 3))), df = 5)
res <- tylerShape(x)
res ## equivalent to call print(res)
```

---

```
print.summary.shapeNA Print Method for Class summary.shapeNA
```

---

**Description**

Print Method for Class `summary.shapeNA`

**Usage**

```
## S3 method for class 'summary.shapeNA'
print(x, ...)
```

**Arguments**

`x` Object returned from `summary.shapeNA`.  
`...` Further arguments to be passed to or from methods.

**Value**

No return value.

**Examples**

```
obj <- tylerShape(mvtnorm::rmvt(100, diag(3)))
print(summary(obj))
```

---

```
shape2scatter Scatter Estimates from shapeNA Objects
```

---

**Description**

For Power M-estimates with tail index  $\alpha < 1$ , the resulting estimate has a scale. For these shape estimates, scatter matrices can be computed. Results from `tylerShape` and `tylerShapeNA` give no scatter estimates. In these cases the function returns NA.

**Usage**

```
shape2scatter(obj)
```

**Arguments**

`obj` `shapeNA` object, resulting from a call to `powerShape` and other functions from the same family.

**Value**

Scatter matrix estimate, or only NA if  $\alpha = 1$ .

**Examples**

```
S <- toeplitz(c(1, 0.3, 0.7))
set.seed(123)
x <- mvtnorm::rmvt(100, S, df = 3)
obj_det <- powerShape(x, alpha = 0.85, normalization = 'det')
shape2scatter(obj_det)
obj_tr <- powerShape(x, alpha = 0.85, normalization = 'trace')
shape2scatter(obj_tr)
obj_one <- powerShape(x, alpha = 0.85, normalization = 'one')
shape2scatter(obj_one)
```

---

summary.shapeNA

*Summary Method for Class shapeNA*


---

**Description**

Summary methods for objects from class shapeNA.

**Usage**

```
## S3 method for class 'shapeNA'
summary(object, ...)
```

**Arguments**

object	An object of class shapeNA, usually from a call to <a href="#">powerShape</a> or similar functions.
...	Further arguments to be passed to or from methods.

**Value**

A summary.shapeNA object. For objects of this class, the print method tries to format the location and shape estimate in a readable format and also shows the number of iterations, before the algorithm converged.

**Examples**

```
obj <- tylerShape(mvtnorm::rmvt(100, diag(3)))
summary(obj)
```

# Index

barplot, [2](#)  
barplot.shapeNA, [2](#)

classicShape, [5](#), [6](#), [9](#)  
classicShape (powerShape), [5](#)  
classicShapeNA, [6–8](#)  
classicShapeNA (powerShapeNA), [7](#)

image, [4](#)

naBlocks, [3](#)

plot.naBlocks, [4](#)  
plot.shapeNA, [4](#)  
powerShape, [5](#), [6](#), [9](#), [11](#), [12](#)  
powerShapeNA, [6](#), [7](#), [8](#)  
print, [10](#)  
print.naBlocks, [9](#)  
print.shapeNA, [10](#)  
print.summary.shapeNA, [11](#)

rect, [4](#)

shape2scatter, [11](#)  
summary.shapeNA, [11](#), [12](#)

tylerShape, [5](#), [6](#), [9](#), [11](#)  
tylerShape (powerShape), [5](#)  
tylerShapeNA, [6–8](#), [11](#)  
tylerShapeNA (powerShapeNA), [7](#)