

Package ‘tidylog’

May 8, 2026

Type Package

Title Logging for 'dplyr' and 'tidyr' Functions

Version 1.1.0

Description Provides feedback about 'dplyr' and 'tidyr' operations.

License MIT + file LICENSE

Imports dplyr, tidyr, glue, clisymbols, rlang (>= 0.4.3)

Suggests testthat, units, nycflights13, covr, forcats, knitr,
rmarkdown, bench

Encoding UTF-8

URL <https://github.com/elbersb/tidylog/>

BugReports <https://github.com/elbersb/tidylog/issues>

RoxygenNote 7.3.1

VignetteBuilder knitr

NeedsCompilation no

Author Benjamin Elbers [aut, cre] (ORCID:
<<https://orcid.org/0000-0001-5392-3448>>),
Damiano Oldoni [ctb] (ORCID: <<https://orcid.org/0000-0003-3445-7562>>)

Maintainer Benjamin Elbers <elbersb@gmail.com>

Repository CRAN

Date/Publication 2024-05-08 08:30:02 UTC

Contents

add_count	3
add_tally	4
anti_join	4
count	5
distinct	5
distinct_all	6
distinct_at	6

distinct_if	7
drop_na	7
fill	8
filter	8
filter_all	9
filter_at	9
filter_if	10
full_join	10
gather	11
group_by	11
group_by_all	12
group_by_at	12
group_by_if	13
inner_join	13
left_join	14
mutate	14
mutate_all	15
mutate_at	15
mutate_if	16
pivot_longer	16
pivot_wider	17
relocate	17
rename	18
rename_all	18
rename_at	19
rename_if	19
rename_with	20
replace_na	20
right_join	21
sample_frac	21
sample_n	22
select	22
select_all	23
select_at	23
select_if	24
semi_join	24
separate_wider_delim	25
separate_wider_position	25
separate_wider_regex	26
slice	26
slice_head	27
slice_max	27
slice_min	28
slice_sample	28
slice_tail	29
spread	29
summarise	30
summarise_all	30

<code>add_count</code>	3
<code>summarise_at</code>	31
<code>summarise_if</code>	31
<code>summarize</code>	32
<code>summarize_all</code>	32
<code>summarize_at</code>	33
<code>summarize_if</code>	33
<code>tally</code>	34
<code>tidylog</code>	34
<code>top_frac</code>	35
<code>top_n</code>	35
<code>transmute</code>	36
<code>transmute_all</code>	36
<code>transmute_at</code>	37
<code>transmute_if</code>	37
<code>uncount</code>	38
<code>ungroup</code>	38
Index	39

<code>add_count</code>	<i>Wrapper around <code>dplyr::add_count</code> that prints information about the operation</i>
------------------------	---

Description

Wrapper around `dplyr::add_count` that prints information about the operation

Usage

```
add_count(x, ...)
```

Arguments

<code>x</code>	see add_count
<code>...</code>	see add_count

Value

see [add_count](#)

add_tally	<i>Wrapper around dplyr::add_tally that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::add_tally that prints information about the operation

Usage

```
add_tally(x, ...)
```

Arguments

x	see add_tally
...	see add_tally

Value

see [add_tally](#)

anti_join	<i>Wrapper around dplyr::anti_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::anti_join that prints information about the operation

Usage

```
anti_join(x, y, by, ...)
```

Arguments

x	see anti_join
y	see anti_join
by	see anti_join
...	see anti_join

Value

see [anti_join](#)

count	<i>Wrapper around dplyr::count that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::count that prints information about the operation

Usage

```
count(x, ...)
```

Arguments

x	see count
...	see count

Value

see [count](#)

distinct	<i>Wrapper around dplyr::distinct that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::distinct that prints information about the operation

Usage

```
distinct(.data, ...)
```

Arguments

.data	see distinct
...	see distinct

Value

see [distinct](#)

distinct_all	<i>Wrapper around dplyr::distinct_all that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::distinct_all that prints information about the operation

Usage

```
distinct_all(.tbl, ...)
```

Arguments

.tbl	see distinct_all
...	see distinct_all

Value

see [distinct_all](#)

distinct_at	<i>Wrapper around dplyr::distinct_at that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::distinct_at that prints information about the operation

Usage

```
distinct_at(.tbl, ...)
```

Arguments

.tbl	see distinct_at
...	see distinct_at

Value

see [distinct_at](#)

distinct_if	<i>Wrapper around dplyr::distinct_if that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::distinct_if that prints information about the operation

Usage

```
distinct_if(.tbl, ...)
```

Arguments

.tbl	see distinct_if
...	see distinct_if

Value

see [distinct_if](#)

drop_na	<i>Wrapper around tidyr::drop_na that prints information about the operation</i>
---------	--

Description

Wrapper around tidyr::drop_na that prints information about the operation

Usage

```
drop_na(data, ...)
```

Arguments

data	see drop_na
...	see drop_na

Value

see [drop_na](#)

fill	<i>Wrapper around tidyr::fill that prints information about the operation</i>
------	---

Description

Wrapper around tidyr::fill that prints information about the operation

Usage

```
fill(data, ...)
```

Arguments

data	see fill
...	see fill

Value

see [fill](#)

filter	<i>Wrapper around dplyr::filter that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::filter that prints information about the operation

Usage

```
filter(.data, ...)
```

Arguments

.data	see filter
...	see filter

Value

see [filter](#)

filter_all	<i>Wrapper around dplyr::filter_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::filter_all that prints information about the operation

Usage

```
filter_all(.tbl, ...)
```

Arguments

.tbl	see filter_all
...	see filter_all

Value

see [filter_all](#)

filter_at	<i>Wrapper around dplyr::filter_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::filter_at that prints information about the operation

Usage

```
filter_at(.tbl, ...)
```

Arguments

.tbl	see filter_at
...	see filter_at

Value

see [filter_at](#)

filter_if	<i>Wrapper around dplyr::filter_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::filter_if that prints information about the operation

Usage

```
filter_if(.tbl, ...)
```

Arguments

.tbl	see filter_if
...	see filter_if

Value

see [filter_if](#)

full_join	<i>Wrapper around dplyr::full_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::full_join that prints information about the operation

Usage

```
full_join(x, y, by, ...)
```

Arguments

x	see full_join
y	see full_join
by	see full_join
...	see full_join

Value

see [full_join](#)

gather	<i>Wrapper around tidyr::gather that prints information about the operation</i>
--------	---

Description

Wrapper around tidyr::gather that prints information about the operation

Usage

```
gather(data, ...)
```

Arguments

data	see gather
...	see gather

Value

see [gather](#)

group_by	<i>Wrapper around dplyr::group_by that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::group_by that prints information about the operation

Usage

```
group_by(.data, ...)
```

Arguments

.data	see group_by
...	see group_by

Value

see [group_by](#)

group_by_all	<i>Wrapper around dplyr::group_by_all that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::group_by_all that prints information about the operation

Usage

```
group_by_all(.tbl, ...)
```

Arguments

.tbl	see group_by_all
...	see group_by_all

Value

see [group_by_all](#)

group_by_at	<i>Wrapper around dplyr::group_by_at that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::group_by_at that prints information about the operation

Usage

```
group_by_at(.tbl, ...)
```

Arguments

.tbl	see group_by_at
...	see group_by_at

Value

see [group_by_at](#)

group_by_if	<i>Wrapper around dplyr::group_by_if that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::group_by_if that prints information about the operation

Usage

```
group_by_if(.tbl, ...)
```

Arguments

.tbl	see group_by_if
...	see group_by_if

Value

see [group_by_if](#)

inner_join	<i>Wrapper around dplyr::inner_join that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::inner_join that prints information about the operation

Usage

```
inner_join(x, y, by, ...)
```

Arguments

x	see inner_join
y	see inner_join
by	see inner_join
...	see inner_join

Value

see [inner_join](#)

left_join	<i>Wrapper around dplyr::left_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::left_join that prints information about the operation

Usage

```
left_join(x, y, by, ...)
```

Arguments

x	see left_join
y	see left_join
by	see left_join
...	see left_join

Value

see [left_join](#)

mutate	<i>Wrapper around dplyr::mutate that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::mutate that prints information about the operation

Usage

```
mutate(.data, ...)
```

Arguments

.data	see mutate
...	see mutate

Value

see [mutate](#)

mutate_all	<i>Wrapper around dplyr::mutate_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::mutate_all that prints information about the operation

Usage

```
mutate_all(.tbl, ...)
```

Arguments

.tbl	see mutate_all
...	see mutate_all

Value

see [mutate_all](#)

mutate_at	<i>Wrapper around dplyr::mutate_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::mutate_at that prints information about the operation

Usage

```
mutate_at(.tbl, ...)
```

Arguments

.tbl	see mutate_at
...	see mutate_at

Value

see [mutate_at](#)

mutate_if	<i>Wrapper around dplyr::mutate_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::mutate_if that prints information about the operation

Usage

```
mutate_if(.tbl, ...)
```

Arguments

.tbl	see mutate_if
...	see mutate_if

Value

see [mutate_if](#)

pivot_longer	<i>Wrapper around tidyr::pivot_longer that prints information about the operation</i>
--------------	---

Description

Wrapper around tidyr::pivot_longer that prints information about the operation

Usage

```
pivot_longer(data, ...)
```

Arguments

data	see pivot_longer
...	see pivot_longer

Value

see [pivot_longer](#)

pivot_wider	<i>Wrapper around tidyr::pivot_wider that prints information about the operation</i>
-------------	--

Description

Wrapper around tidyr::pivot_wider that prints information about the operation

Usage

```
pivot_wider(data, ...)
```

Arguments

data	see pivot_wider
...	see pivot_wider

Value

see [pivot_wider](#)

relocate	<i>Wrapper around dplyr::relocate that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::relocate that prints information about the operation

Usage

```
relocate(.data, ...)
```

Arguments

.data	see relocate
...	see relocate

Value

see [relocate](#)

rename	<i>Wrapper around dplyr::rename that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::rename that prints information about the operation

Usage

```
rename(.data, ...)
```

Arguments

.data	see rename
...	see rename

Value

see [rename](#)

rename_all	<i>Wrapper around dplyr::rename_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::rename_all that prints information about the operation

Usage

```
rename_all(.tbl, ...)
```

Arguments

.tbl	see rename_all
...	see rename_all

Value

see [rename_all](#)

rename_at	<i>Wrapper around dplyr::rename_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::rename_at that prints information about the operation

Usage

```
rename_at(.tbl, ...)
```

Arguments

.tbl	see rename_at
...	see rename_at

Value

see [rename_at](#)

rename_if	<i>Wrapper around dplyr::rename_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::rename_if that prints information about the operation

Usage

```
rename_if(.tbl, ...)
```

Arguments

.tbl	see rename_if
...	see rename_if

Value

see [rename_if](#)

rename_with	<i>Wrapper around dplyr::rename_with that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::rename_with that prints information about the operation

Usage

```
rename_with(.data, ...)
```

Arguments

.data	see rename_with
...	see rename_with

Value

see [rename_with](#)

replace_na	<i>Wrapper around tidyr::replace_na that prints information about the operation</i>
------------	---

Description

Wrapper around tidyr::replace_na that prints information about the operation

Usage

```
replace_na(data, ...)
```

Arguments

data	see replace_na
...	see replace_na

Value

see [replace_na](#)

right_join	<i>Wrapper around dplyr::right_join that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::right_join that prints information about the operation

Usage

```
right_join(x, y, by, ...)
```

Arguments

x	see right_join
y	see right_join
by	see right_join
...	see right_join

Value

see [right_join](#)

sample_frac	<i>Wrapper around dplyr::sample_frac that prints information about the operation</i>
-------------	--

Description

Wrapper around dplyr::sample_frac that prints information about the operation

Usage

```
sample_frac(tbl, ...)
```

Arguments

tbl	see sample_frac
...	see sample_frac

Value

see [sample_frac](#)

sample_n	<i>Wrapper around dplyr::sample_n that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::sample_n that prints information about the operation

Usage

```
sample_n(tbl, ...)
```

Arguments

tbl	see sample_n
...	see sample_n

Value

see [sample_n](#)

select	<i>Wrapper around dplyr::select that prints information about the operation</i>
--------	---

Description

Wrapper around dplyr::select that prints information about the operation

Usage

```
select(.data, ...)
```

Arguments

.data	see select
...	see select

Value

see [select](#)

select_all	<i>Wrapper around dplyr::select_all that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::select_all that prints information about the operation

Usage

```
select_all(.tbl, ...)
```

Arguments

.tbl	see select_all
...	see select_all

Value

see [select_all](#)

select_at	<i>Wrapper around dplyr::select_at that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::select_at that prints information about the operation

Usage

```
select_at(.tbl, ...)
```

Arguments

.tbl	see select_at
...	see select_at

Value

see [select_at](#)

select_if	<i>Wrapper around dplyr::select_if that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::select_if that prints information about the operation

Usage

```
select_if(.tbl, ...)
```

Arguments

.tbl	see select_if
...	see select_if

Value

see [select_if](#)

semi_join	<i>Wrapper around dplyr::semi_join that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::semi_join that prints information about the operation

Usage

```
semi_join(x, y, by, ...)
```

Arguments

x	see semi_join
y	see semi_join
by	see semi_join
...	see semi_join

Value

see [semi_join](#)

separate_wider_delim *Wrapper around tidyr::separate_wider_delim that prints information about the operation*

Description

Wrapper around tidyr::separate_wider_delim that prints information about the operation

Usage

```
separate_wider_delim(data, ...)
```

Arguments

data see [separate_wider_delim](#)
... see [separate_wider_delim](#)

Value

see [separate_wider_delim](#)

separate_wider_position
Wrapper around tidyr::separate_wider_position that prints information about the operation

Description

Wrapper around tidyr::separate_wider_position that prints information about the operation

Usage

```
separate_wider_position(data, ...)
```

Arguments

data see [separate_wider_position](#)
... see [separate_wider_position](#)

Value

see [separate_wider_position](#)

<code>separate_wider_regex</code>	<i>Wrapper around <code>tidyr::separate_wider_regex</code> that prints information about the operation</i>
-----------------------------------	--

Description

Wrapper around `tidyr::separate_wider_regex` that prints information about the operation

Usage

```
separate_wider_regex(data, ...)
```

Arguments

<code>data</code>	see separate_wider_regex
<code>...</code>	see separate_wider_regex

Value

see [separate_wider_regex](#)

<code>slice</code>	<i>Wrapper around <code>dplyr::slice</code> that prints information about the operation</i>
--------------------	---

Description

Wrapper around `dplyr::slice` that prints information about the operation

Usage

```
slice(.data, ...)
```

Arguments

<code>.data</code>	see slice
<code>...</code>	see slice

Value

see [slice](#)

slice_head	<i>Wrapper around dplyr::slice_head that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::slice_head that prints information about the operation

Usage

```
slice_head(.data, ...)
```

Arguments

.data	see slice_head
...	see slice_head

Value

see [slice_head](#)

slice_max	<i>Wrapper around dplyr::slice_max that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::slice_max that prints information about the operation

Usage

```
slice_max(.data, ...)
```

Arguments

.data	see slice_max
...	see slice_max

Value

see [slice_max](#)

slice_min	<i>Wrapper around dplyr::slice_min that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::slice_min that prints information about the operation

Usage

```
slice_min(.data, ...)
```

Arguments

.data	see slice_min
...	see slice_min

Value

see [slice_min](#)

slice_sample	<i>Wrapper around dplyr::slice_sample that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::slice_sample that prints information about the operation

Usage

```
slice_sample(.data, ...)
```

Arguments

.data	see slice_sample
...	see slice_sample

Value

see [slice_sample](#)

slice_tail	<i>Wrapper around dplyr::slice_tail that prints information about the operation</i>
------------	---

Description

Wrapper around dplyr::slice_tail that prints information about the operation

Usage

```
slice_tail(.data, ...)
```

Arguments

.data	see slice_tail
...	see slice_tail

Value

see [slice_tail](#)

spread	<i>Wrapper around tidyr::spread that prints information about the operation</i>
--------	---

Description

Wrapper around tidyr::spread that prints information about the operation

Usage

```
spread(data, ...)
```

Arguments

data	see spread
...	see spread

Value

see [spread](#)

summarise	<i>Wrapper around dplyr::summarise that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::summarise that prints information about the operation

Usage

```
summarise(.data, ...)
```

Arguments

.data	see summarise
...	see summarise

Value

see [summarise](#)

summarise_all	<i>Wrapper around dplyr::summarise_all that prints information about the operation</i>
---------------	--

Description

Wrapper around dplyr::summarise_all that prints information about the operation

Usage

```
summarise_all(.tbl, ...)
```

Arguments

.tbl	see summarise_all
...	see summarise_all

Value

see [summarise_all](#)

summarise_at	<i>Wrapper around dplyr::summarise_at that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::summarise_at that prints information about the operation

Usage

```
summarise_at(.tbl, ...)
```

Arguments

.tbl	see summarise_at
...	see summarise_at

Value

see [summarise_at](#)

summarise_if	<i>Wrapper around dplyr::summarise_if that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::summarise_if that prints information about the operation

Usage

```
summarise_if(.tbl, ...)
```

Arguments

.tbl	see summarise_if
...	see summarise_if

Value

see [summarise_if](#)

summarize	<i>Wrapper around dplyr::summarize that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::summarize that prints information about the operation

Usage

```
summarize(.data, ...)
```

Arguments

.data	see summarize
...	see summarize

Value

see [summarize](#)

summarize_all	<i>Wrapper around dplyr::summarize_all that prints information about the operation</i>
---------------	--

Description

Wrapper around dplyr::summarize_all that prints information about the operation

Usage

```
summarize_all(.tbl, ...)
```

Arguments

.tbl	see summarize_all
...	see summarize_all

Value

see [summarize_all](#)

summarize_at	<i>Wrapper around dplyr::summarize_at that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::summarize_at that prints information about the operation

Usage

```
summarize_at(.tbl, ...)
```

Arguments

.tbl	see summarize_at
...	see summarize_at

Value

see [summarize_at](#)

summarize_if	<i>Wrapper around dplyr::summarize_if that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::summarize_if that prints information about the operation

Usage

```
summarize_if(.tbl, ...)
```

Arguments

.tbl	see summarize_if
...	see summarize_if

Value

see [summarize_if](#)

tally	<i>Wrapper around dplyr::tally that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::tally that prints information about the operation

Usage

```
tally(x, ...)
```

Arguments

x	see tally
...	see tally

Value

see [tally](#)

tidylog	<i>outputs some information about the data frame/tbl</i>
---------	--

Description

outputs some information about the data frame/tbl

Usage

```
tidylog(.data)
```

Arguments

.data	a tbl/data frame
-------	------------------

Value

same as .data

Examples

```
tidylog(mtcars)
#> tidylog: data.frame with 32 rows and 11 columns
```

top_frac	<i>Wrapper around dplyr::top_frac that prints information about the operation</i>
----------	---

Description

Wrapper around dplyr::top_frac that prints information about the operation

Usage

```
top_frac(x, ...)
```

Arguments

x	see top_frac
...	see top_frac

Value

see [top_frac](#)

top_n	<i>Wrapper around dplyr::top_n that prints information about the operation</i>
-------	--

Description

Wrapper around dplyr::top_n that prints information about the operation

Usage

```
top_n(x, ...)
```

Arguments

x	see top_n
...	see top_n

Value

see [top_n](#)

transmute	<i>Wrapper around dplyr::transmute that prints information about the operation</i>
-----------	--

Description

Wrapper around dplyr::transmute that prints information about the operation

Usage

```
transmute(.data, ...)
```

Arguments

.data	see transmute
...	see transmute

Value

see [transmute](#)

transmute_all	<i>Wrapper around dplyr::transmute_all that prints information about the operation</i>
---------------	--

Description

Wrapper around dplyr::transmute_all that prints information about the operation

Usage

```
transmute_all(.tbl, ...)
```

Arguments

.tbl	see transmute_all
...	see transmute_all

Value

see [transmute_all](#)

transmute_at	<i>Wrapper around dplyr::transmute_at that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::transmute_at that prints information about the operation

Usage

```
transmute_at(.tbl, ...)
```

Arguments

.tbl	see transmute_at
...	see transmute_at

Value

see [transmute_at](#)

transmute_if	<i>Wrapper around dplyr::transmute_if that prints information about the operation</i>
--------------	---

Description

Wrapper around dplyr::transmute_if that prints information about the operation

Usage

```
transmute_if(.tbl, ...)
```

Arguments

.tbl	see transmute_if
...	see transmute_if

Value

see [transmute_if](#)

uncount	<i>Wrapper around tidyr::uncount that prints information about the operation</i>
---------	--

Description

Wrapper around tidyr::uncount that prints information about the operation

Usage

```
uncount(data, ...)
```

Arguments

data	see uncount
...	see uncount

Value

see [uncount](#)

ungroup	<i>Wrapper around dplyr::ungroup that prints information about the operation</i>
---------	--

Description

Wrapper around dplyr::ungroup that prints information about the operation

Usage

```
ungroup(x, ...)
```

Arguments

x	see ungroup
...	see ungroup

Value

see [ungroup](#)

Index

add_count, 3, 3
add_tally, 4, 4
anti_join, 4, 4

count, 5, 5

distinct, 5, 5
distinct_all, 6, 6
distinct_at, 6, 6
distinct_if, 7, 7
drop_na, 7, 7

fill, 8, 8
filter, 8, 8
filter_all, 9, 9
filter_at, 9, 9
filter_if, 10, 10
full_join, 10, 10

gather, 11, 11
group_by, 11, 11
group_by_all, 12, 12
group_by_at, 12, 12
group_by_if, 13, 13

inner_join, 13, 13

left_join, 14, 14

mutate, 14, 14
mutate_all, 15, 15
mutate_at, 15, 15
mutate_if, 16, 16

pivot_longer, 16, 16
pivot_wider, 17, 17

relocate, 17, 17
rename, 18, 18
rename_all, 18, 18
rename_at, 19, 19

rename_if, 19, 19
rename_with, 20, 20
replace_na, 20, 20
right_join, 21, 21

sample_frac, 21, 21
sample_n, 22, 22
select, 22, 22
select_all, 23, 23
select_at, 23, 23
select_if, 24, 24
semi_join, 24, 24
separate_wider_delim, 25, 25
separate_wider_position, 25, 25
separate_wider_regex, 26, 26
slice, 26, 26
slice_head, 27, 27
slice_max, 27, 27
slice_min, 28, 28
slice_sample, 28, 28
slice_tail, 29, 29
spread, 29, 29
summarise, 30, 30
summarise_all, 30, 30
summarise_at, 31, 31
summarise_if, 31, 31
summarize, 32, 32
summarize_all, 32, 32
summarize_at, 33, 33
summarize_if, 33, 33

tally, 34, 34
tidylog, 34
top_frac, 35, 35
top_n, 35, 35
transmute, 36, 36
transmute_all, 36, 36
transmute_at, 37, 37
transmute_if, 37, 37

uncount, [38](#), [38](#)

ungroup, [38](#), [38](#)